# FINDING OF NO SIGNIFICANT IMPACT FOR THE RUNWAY 18-36 RECONSTRUCTION PROJECT

at

Myrtle Beach International Airport Myrtle Beach, South Carolina



**June 2024** 

DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION ATLANTA AIRPORTS DISTRICT OFFICE

#### DEPARTMENT OF TRANSPORTATION

## Federal Aviation Administration Finding of No Significant Impact

#### INTRODUCTION/BACKGROUND

In compliance with the National Environmental Policy Act (NEPA), this Finding of No Significant Impact (FONSI) announces final agency determinations and approvals for those Federal actions by the Federal Aviation Administration (FAA) that are necessary to support the proposed development actions as requested by the Horry County Department of Airports (Airport Sponsor).

This FONSI provides the FAA's final determinations and approvals based on analyses described in detail in the Environmental Assessment (EA) to analyze the potential environmental impacts of reconstructing the full depth and width of the Runway 18-36 pavement to continue safe aircraft operations at the Myrtle Beach International Airport (MYR) in Myrtle Beach, South Carolina. The EA was prepared in accordance with the National Environmental Policy Act of 1969, as amended (NEPA;42 United States Code [U.S.C] § 4321 et seq.); Council on Environmental Quality NEPA implementing regulations (40 Code of Federal Regulations [CFR] parts 1500 to 1508); FAA Orders 1050.1 and 5050.4.

#### PURPOSE AND NEED

The purpose of the Proposed Action is to reconstruct the full depth and width of the Runway 18-36 pavement to continue safe aircraft operations at the Airport. The runway reconstruction will improve the safety of the runway and extend the life of Runway 18-36 for approximately 20 years.

The project is needed because the runway subbase materials are degrading and failing thus contributing to the accelerated reduction in Pavement Condition Index and Pavement Condition Rating values and the increase in foreign object debris on the runway.

#### PROPOSED ACTION

The Proposed Action is the full depth and width runway pavement reconstruction of Runway 18-36. Connected actions to the Proposed Action include the construction of a 6,800-foot-long temporary runway that will be situated between Runway 18-36 and the full parallel Taxiway B to be used during the reconstruction of Runway 18-36. In addition, the Airport Sponsor proposes the construction of taxiway connectors (B3 and B4), 30-foot-wide temporary runway shoulders, runway edge lighting, and stormwater system improvements (on-Airport stormwater system improvements will be developed during the design phase of the project and in compliance with FAA guidance). The temporary runway will originate at taxiway connector B5 and terminate at taxiway connector B2. After Runway 18-36 reconstruction is complete, the temporary runway will be converted into a taxiway by removing runway lighting fixtures and markings and installing taxiway lighting fixtures and markings. To reduce reconstruction associated with the conversion of the temporary runway to the permanent taxiway, the conduit and base can infrastructure for the taxiway lighting system will be installed during construction of the temporary runway.

All construction will occur on Airport property. Construction of the temporary runway will begin in 2026. In the fall of 2028, the reconstruction of Runway 18-36 will begin and continue for 90-120 days, during which time all aircraft operations at MYR will takeoff and land on the temporary runway. Runway 18-36 will reopen in 2029.

The Airport Sponsor will seek funding for the Proposed Action from the FAA Airport Improvement Program (AIP), Bipartisan Infrastructure Law (BIL) funds, and HCDA funds (e.g., cash-on-hand match funding).

#### REASONABLE ALTERNATIVES

Federal guidelines concerning the environmental review process require that all reasonable and practicable alternatives that might accomplish the objectives of a proposed project be identified and evaluated. Such an examination ensures that an alternative that addresses the project's purpose and might enhance environmental quality, or have a less detrimental effect, has not been prematurely dismissed from consideration. In the EA, reasonable and practicable alternatives were carefully examined.

In addition to the No-Action Alternative and the Proposed Action (i.e., Preferred Alternative),

five alternatives were analyzed in the EA but not carried forward for further environmental considerations.

- Under the No-Action Alternative, runway improvements beyond those already programmed or that the Airport will undertake for safety, security, or maintenance reasons will not be made. The No-Action Alternative provides a baseline for comparing the other proposed alternatives for impacts on the human and natural environment. The No-Action Alternative will not meet the stated purpose and need.
- The Preferred Alternative was chosen because it will reconstruct the full depth and width of Runway 18-36 pavement to continue safe aircraft operations at the Airport and provide aircraft stakeholders with 6,800 feet of temporary runway needed for the existing commercial aircraft fleet to continue uninterrupted operations; and will not result in nighttime closures of the temporary runway or affect daily aircraft operations during reconstruction. The Proposed Action will result in the least need for future rehabilitation/maintenance activities compared to the other alternatives.
- Alternative 1 is the construction and operation of an additional new 7,600-foot parallel runway (designated Runway 18R-36L) between existing Runway 18-36 and Taxiway B. Alternative 1 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement rather than the permanent full depth and width pavement rehabilitation that is required.
- Alternative 2 utilizes nightly Runway 18-36 closures to mill and overlay the existing runway pavement surface. Alternative 2 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement. This alternative will require multiple nighttime runway closures to conduct pavement rehabilitation activities and presents constructability concerns associated with night work. As Alternative 2 does not fully meet the Purpose and Need and results in engineering constructability and operational concerns, it was not carried forward in this EA for further environmental considerations.
- Alternative 3 is similar to Alternative 2 but requires concrete reconstruction within each runway touchdown area. Alternative 3 does not fully meet the Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing

Runway 18-36 pavement and results in engineering constructability concerns associated with night work as well as operational concerns. Thus, Alternative 3 was not carried forward in the EA for further environmental considerations.

- Alternative 4 builds on Alternatives 2 and 3 with a four-phased approach, replacing and rebuilding the paved overruns on each runway end. Alternative 4 does not fully meet the Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement, and Alternative 4 results in engineering constructability and operational concerns. Thus, Alternative 4 was not carried forward in the EA for further environmental considerations.
- Alternative 5 is the same reconstruction approach as the Proposed Project; however, it
  reduces the new concrete wearing surface to 100 feet in width rather than the full 150-foot
  width. Alternative 5 does not fully meet the Purpose and Need and results in construction
  and operational concerns, therefore, it was not carried forward in the EA for further
  environmental considerations.

#### **ENVIRONMENTAL IMPACTS**

The potential environmental impacts from the Preferred Alternative and the No-Action Alternative were evaluated in the attached Final EA for each applicable environmental impact category identified in FAA Order 1050.1F. Chapter 3 of the Final EA provided evaluations of the potential environmental consequences of the Preferred Alternative for each environmental impact category analyzed in detail and documented the finding that no significant environmental impacts will result from the Proposed Action. In addition, Chapter 3 addresses the requirements of special purpose laws, regulations, and executive orders.

A summary of the document findings for each impact category, including requisite findings with respect to relevant special purpose laws, regulations, and executive orders, is presented below:

• Air Quality. Minor temporary impacts to air quality may be experienced during construction; however, these actions do not violate local, State, Tribal, or Federal air quality standards and the Clean Air Act Amendments of 1990. The Proposed Action has no long-term impacts on air quality.

- Biological Resources. Field observations revealed an absence of Federal and state-designated threatened and endangered (T&E) species potentially associated with the region within the area surveyed for biological resources. Based on the submission to the U.S. Fish & Wildlife Service's Information for Planning and Consultation system, the Proposed Action will have no effect on Federally listed species. According to the South Carolina Ecological Services Field Office Determination Key, the Proposed Action has the potential to likely encounter the state-listed species. However, based on habitat suitability and historical presence, Federal or state-listed T&E species are unlikely to be encountered within the area surveyed for biological resources.
- Climate. The Proposed Action will not increase aircraft or ground vehicle operations at the Airport nor permanently increase vehicle traffic coming to the Airport. No changes to existing airport infrastructure that will support increased operations from aircraft or ground vehicles are included in this project. An increase in emissions of greenhouse gasses resulting from construction will be temporary and have a negligible impact on climate.
- Coastal Resources. The Proposed Action is located within the South Carolina Coastal Zone Management Program (CZMP). Construction of the Proposed Action will follow all CZMP guidelines. It will not affect wetlands or geographical areas of particular concern. Activities or facilities dependent on coastal location, including state ports and navigation channels, are not present within the project study areas. Coastal Zone Consistency will be sent to the South Carolina S.C. Department of Health and Environmental Control (DHEC) during the project's design phase. A DHEC coastal zone consistency letter will be obtained before the beginning of construction activities.
- Department of Transportation Act, Section 4(f) and Land and Water Conservation Funds Section 6(f). There will be no use of Section 4(f) resources. There will be no impact on resources funded by the Land and Water Conservation Fund Act (LWCF).
- Farmlands. According to the Natural Resources Conservation Service (NRCS), soils within the direct study area are classified as farmland of statewide importance and prime farmland if drained (USDA, 2023). Under Section 523(10)(B) of the Farmlands Protection Policy Act (FPPA) Manual, farmland soils are not subject to the provisions of the FPPA if they are already in urbanized areas. The Airport, including the direct study area, is in the "Myrtle"

- Beach Socastee, SC-NC 60895" urban area. Therefore, the Proposed Action is exempt from the FPPA and will not affect prime, unique, or state-significant farmland soil types.
- Hazardous Materials, Solid Waste, and Pollution Prevention. Construction of the Proposed Action will result in a temporary increase of on-Airport hazardous material storage. This will predominately occur in the form of diesel fuel, which is necessary to operate construction equipment. The selected contractor will manage hazardous materials from construction activities per existing Airport regulations and standard operating procedures (SOPs). Construction activities will temporarily increase the amount of construction waste (e.g., vegetation clearing, temporary runway construction, runway rehabilitation). The selected construction contractor will manage solid waste from construction activities per existing Airport regulations and SOPs. Construction of the Proposed Action will not significantly affect solid waste or the capacity of area landfills.
- Historical, Architectural, Archeological, and Cultural Resources. There are no historical, architectural, archaeological, and cultural resources within the project study area.
  - On March 22, 2024, the FAA submitted a letter (email and hardcopy) to the Catawba Indian Tribe of South Carolina to solicit comments. The Catawba Indian Tribe of South Carolina did not reply to the FAA's request for comments.
  - On April 8, 2024, the FAA submitted a letter to the South Carolina Department of Archives & History (SC SHPO) describing the Proposed Action and requested concurrence that no properties listed in or eligible for listing in the NRHP will be affected. On May 9, 2024, the SC SHPO concurred with the FAA's request that "no properties listed in or eligible for listing in the NRHP will be affected by this project." In addition, the SC SHPO correspondence described, "If archaeological materials are encountered during construction, the procedures codified at 36 CFR 800.13(b) will apply. Archaeological materials consist of any items, fifty years old or older, which were made or used by man. These items include, but are not limited to, stone projectile points (arrowheads), ceramic sherds, bricks, worked wood, bone and stone, metal and glass objects, and human skeletal materials. The Federal agency or the applicant receiving Federal assistance should contact our office immediately."
- Land Use. The Proposed Action will be within the Airport boundaries. It will not alter the existing or future land use classifications in the project or surrounding area.

- Natural Resources and Energy Supply. The Proposed Action's construction will result in temporarily increased usage of natural resources, including aggregate, sub-base materials, paving materials, and utility cables. These resources are not rare or in short supply, and the quantity required for development this size will not place an undue strain on supplies within the Myrtle Beach area. Construction of the Proposed Action will also temporarily increase energy supply usage. However, the increase will be temporary and minor and within the supply capabilities of Duke Energy Progress. Trucks and construction equipment will consume fuels as needed for construction purposes. These energy sources are not rare or in short supply.
- Noise and Noise-Compatible Land Use. The 2028 study year was used for aircraft noise analysis when the Airport's aircraft operations are shifted to the temporary runway. The 2028 Proposed Action will not increase aircraft operations (takeoffs and landings). The existing runway configuration, arrival/departure procedures, and runway use percentages will change for four months. However, compared to the 2028 No Action Alternative, the 2028 Proposed Action will not change aircraft noise exposure, and significant noise impacts will not occur. The Proposed Action will not significantly affect noise and noise-compatible land use.
- Socioeconomics, Environmental Justice, and Children's Environmental Health and Safety Risks. The Proposed Action will not release any products into the environment that will pose a significant risk to the health and safety of children. No relocations or displacements will occur due to the Proposed Action. There will be no apparent changes in employment after construction due to the Proposed Action. The planned construction work could have a beneficial socioeconomic impact due to the short-term construction jobs required to complete the project. The Proposed Action will occur entirely on Airport property and not within neighborhoods or minority and low-income communities that could be disproportionally affected. There will be no adverse impacts on minority and/or low-income populations because of the Proposed Action. Due to the distance to the two closest schools (the closest being 1.25 miles from the project site) and construction entirely on Airport property, the Proposed Action will not increase the exposure of environmental contaminants to children in the surrounding community. Therefore, the Proposed Action will not affect children's environmental health and safety risks.

- Visual Effects. Construction of the Proposed Action will occur during the day and night. Night-time work will require temporary lighting to move construction vehicles and workers safely. The lighting used will be directional and last only for the duration of night-time construction work. Operation of the Proposed Action will include permanent outside lighting to safely move vehicles (e.g., aircraft and personnel vehicles). The Proposed Action will occur entirely on-Airport property. It will not result in viewshed changes or additional light emissions for off-Airport residents as the Proposed Action will not create new buildings (i.e., the temporary runway will be ground level) and will match the current existing viewshed at the Airport.
- Water Resources (Wetlands, Water Supply, Floodplains, Wild and Scenic Rivers).

  Based on multiple USACE-approved delineations (SAC-2010-0816, SAC-2009-00281-3NH, and SAC-14-2009-00373-3N), the Airport's stormwater system are non-jurisdictional tributaries maintained by the Airport. Therefore, no wetlands are in the project study area. The Proposed Action is not located within a sole source aquifer, and there is no public water supply within the direct study area. According to the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Maps (FIRM) 45051C0708K and 45051C0716K, the direct study area contains Zone AE and Zone X. A portion of the Proposed Action (i.e., existing taxiway connector C5) crosses the 100-year floodplain, Zone AE; however, the area consists of existing airfield payment, and the Proposed Action will rehabilitate the same existing pavement. Therefore, the Proposed Action will not affect floodplains. There are no Wild and Scenic Rivers or Nationwide Rivers Inventory Segments at or in the vicinity of the Airport; therefore, the construction and operation of the Proposed Action will not affect a Wild and Scenic River or a Nationwide Rivers Inventory Segment.

#### **ENVIRONMENTAL MITIGATION**

This Finding is contingent upon the Sponsor's implementation of the following mitigation measures:

• The Airport shall obtain all permits required by Federal, state, and local laws and regulations before any construction for which the permit is applicable.

- The Airport Sponsor will update the Airport's Stormwater Pollution Prevention Plan (SWPPP), which outlines erosion and sediment control practices and waste disposal and spill prevention methods. An erosion and sedimentation control plan that includes the use of construction controls to prevent degradation of water quality will be obtained before the start of work.
- The project shall comply with the U. S. Environmental Protection Agency (EPA) National Pollution Discharge Elimination System (NPDES) storm water permit(s), as applicable. The Airport Sponsor will ensure that their existing NPDES permit is updated to reflect the Proposed Action. To minimize potential impacts, the construction will adhere to the NPDES permit requirements and implement best management practices (BMPs) during construction.
- Should any cultural resources or archaeological artifacts be discovered during construction, work shall immediately stop, and the South Carolina State Historic Preservation Officer will be notified.
- Construction activities shall conform to FAA Advisory Circular 150/5370-10 requirements, Standards for Specifying Construction of Airports, and FAA Advisory Circular 150/5200-33 Hazardous Wildlife Attractants on or Near Airports.

Proposed changes in, or deletion of, a mitigation measure included as a condition of this approval must be reviewed and approved by the signing official of the Finding of No Significant Impact. Steps will be taken through grant agreements, licenses, contract specifications, operating specifications, directives, and other project review or implementation procedures to monitor and enforce the implementation of the mitigation measures listed above.

#### PUBLIC INVOLVEMENT

The Draft EA was available for a 30-day review (April 9, 2024 – May 14, 2024) at the Airport's administrative office and Chapin Memorial Library during normal business hours. The Section 508-compliant electronic version Draft EA was available for review at: <a href="https://www.flymyrtlebeach.com/">https://www.flymyrtlebeach.com/</a>.

The Draft EA Notice of Availability (NOA) was published in the Sun Times (www.myrtlebeachonline.com) on April 9, 2024. The Draft EA NOA described the need for the Proposed Action, project components, where the Draft EA was accessible (via hardcopy and electronically), and the comments submission process and deadline.

The Airport Sponsor held a Draft EA Public Workshop on May 14, 2024, at the Myrtle Beach International Airport, FIS Conference Room, Terminal B. The Draft EA Public Workshop occurred during evening hours (5:00 pm – 7:00 pm) and had informational displays explaining the process and identifying the Proposed Action effects, provided the public the ability to ask questions of the Airport representatives and EA preparers and provide the opportunity for written comments.

No agency or public comments were received during the review of the Draft EA comment period or at the Draft EA Public Workshop.

#### AGENCY FINDINGS

In accordance with applicable law, the FAA makes the following findings/determinations for the Proposed Action, based upon the appropriate information and data contained in the EA.

The following determinations are prescribed by the statutory provisions set forth in the AirportAirway Improvement Act of 1982, as codified in 49 U.S.C. Sections 44502, 47106 and 47107.

- The project is reasonably consistent with existing plans of public agencies fordevelopment of the area surrounding the airport [49 U.S.C. §47106(a)(1)].
- The interests of the community in or near which the project may be located have been given fair consideration [49 U.S.C. §47106(b)(2)].

#### **DECISION AND ORDER**

After reviewing the EA and all of its related materials, I have carefully considered the FAA's goals and objectives in relation to various aeronautical aspects of the proposed development actions discussed in the EA, including the purpose and need to be met by this project, the alternative means

of achieving them, the environmental impacts of these alternatives, the mitigation necessary to preserve and enhance the environment, and the costs and benefits of achieving the purpose and need.

While this decision does not approve Federal funding for the proposed airport development and does not constitute a Federal funding commitment, it does provide the environmental findings and approval for proceeding to funding actions in accordance with established procedures and applicable requirements.

After careful and thorough consideration of the facts contained herein, the undersigned finds that the proposed Federal action is consistent with existing national environmental policies and objectives as set forth in Section 101 of NEPA and other applicable environmental requirements and will not significantly affect the quality of the human environment or otherwise include any condition requiring consultation pursuant to Section 102(2)(C) of NEPA.

Issued in College Park, Georgia

JOSEPH PARKS PRESTON

Digitally signed by JOSEPH PARKS PRESTON Date: 2024.06.12 17:58:14 -04'00'

APPROVED:

Parks Preston, Manager, Atlanta Airports District Office

DATE: June 12, 2024

# FINAL ENVIRONMENTAL ASSESSMENT

**FOR** 

Runway 18-36 Rehabilitation

AT

MYRTLE BEACH INTERNATIONAL AIRPORT (MYR)

Myrtle Beach, South Carolina

Prepared for:

**Horry County Department of Airports** 

and

U.S. Department of Transportation

Federal Aviation Administration

As lead Federal Agency pursuant to the National Environmental Policy Act of 1969

Prepared by:


RS&H, Inc

May 16, 2024

This environmental assessment becomes a federal document when evaluated, signed, and dated by the responsible FAA official.

JENNIFER P ADAMS Digitally signed by JENNIFER P ADAMS Date: 2024.05.17 10:09:29 -04'00'

(Responsible FAA Official)




### TABLE OF CONTENTS

1	Introd	duc	tion / Purpose and Need	
	1.1	Α	irport Overview	1-1
	1.2	Р	urpose and Need	1-5
	1.3	Р	roposed Project	1-6
	1.4	F	ederal Action	1-6
	1.5	D	ocument Organization	1-9
2	Altern	ati	ves	
	2.1	О	verview of the Alternatives Screening Process	2-1
	2.1.2	1	Alternatives Evaluation Criterion	2-1
	2.2	Α	lternatives Considered and Evaluated	2-2
	2.2.2	1	No Action Alternative	2-2
	2.2.2	2	Proposed Project (Preferred Alternative)	2-3
	2.2.3	3	Alternative 1 – New Parallel Runway	2-3
	2.2.4	4	Alternative 2 – Nightly Mill and Overlay	2-7
	2.2.5	5	Alternative 3 – Displaced Thresholds for Concrete Touchdown Zone (TDZ)  Areas and Mill and Overlay of Runway Center	2-8
	2.2.6	6	Alternative 4 - Displaced Thresholds and New Paved Overruns for Extended Concrete TDZ Areas and Mill and Overlay of Runway Center	2-11
	2.2.7	7	Alternative 5 - Concrete Keel Section with Bituminous Pavement Outboard Paving	2-15
	2.3	Α	Iternatives Retained for Detailed Analysis	2-17
3	Affect	ed	Environment and Environmental Consequences	
	3.1	lr	ntroduction	3-2
	3.2	R	esources Not Affected by Proposed project	3-2
	3.3	N	o Action Alternative	3-8
	3.4	Р	roposed Project Potential Environmental Impacts	3-10
	3.4.2	1	Air Quality and Climate	3-10
	3.4.2	2	Biological Resources	3-14
	3.4.3	3	Hazardous Materials, Solid Waste, and Pollution Prevention	3-20
	3.4.4	4	Natural Resources and Energy Supply	3-22
	3.4.5	5	Noise and Noise Compatible Land Use	3-23

3.4.6 Socioeconomics and Environmental Justice	3-33
3.4.7 Visual Effects	3-35
3.4.8 Water Resources – Surface Waters	3-37
3.4.9 Cumulative Impacts	3-39
4 Agency and Public Involvement	
4.1 Introduction	4-1
4.2 Public Involvement and Agency Coordination Approach and Process	4-1
4.3 Distribution and Public Review of the Draft EA	4-1
5 List of Preparers	
5.1 Principal Preparers	5-1
5.1.1 Horry County Department of Airports	5-1
5.1.2 RS&H Inc	5-1
6 References	
ADDENIDICEC	
APPENDICES	
Appendix A: Air Quality, Climate and GHG Social Cost Analysis	
Appendix B: Biological Resources	
Appendix C: Aircraft Noise Analysis	
Appendix D: Agency Coordination	
Appendix E: Draft EA Agency and Public Involvement	
LIST OF TABLES	
Table 1-1: FAA Terminal Area Forecast	1-5
Table 1-2: Document Organization	1-9
Table 2-1: Alternative 3 Phased Runway Dimensions	2-11
Table 2-2: Alternative 4 Phased Runway Dimensions	2-15
Table 2-3: Alternatives Evaluation Summary	2-21
Table 3-1: Temporary Construction Emissions	3-12
Table 3-2: Social Cost – Carbon Dioxide for the Proposed Project	
Table 3-3: Potentially Affected Federal and State-Listed Species within the Surveyed Area.	
Table 3-4: Hazardous Waste Producers Within Project Study Areas	
Table 3-5: 2023 Annual Aircraft Operations	

Table 3-6: Area Within 2023 DNL Contour Intervals	3-25
Table 3-7: 2028 Annual Aircraft Operations	3-27
Table 3-8: Area Within 2028 No Action Alternative DNL Contour Intervals	3-27
Table 3-9: Population Below the Poverty Level	3-33
Table 3-10: Minority Population	3-34
Table 4-1: Initial Agency Coordination	4-2
Table 4-2: Draft EA Available Locations	4-2
LIST OF FIGURES	
Figure 1-1: Location Map	1-2
Figure 1-2: MYR Airport Layout Plan	1-3
Figure 1-3: Proposed Project	1-7
Figure 2-1: Alternatives Criteria Evaluation	2-2
Figure 2-2: Alternative 1 and Alternative 2	2-5
Figure 2-3: Alternative 3	2-9
Figure 2-4: Alternative 4	2-13
Figure 2-5: Alternative 5	2-19
Figure 3-1: Project Study Areas	3-3
Figure 3-2: Environmental Resources Not Affected	3-5
Figure 3-3: Water Resources	3-7
Figure 3-4: Floodplains	3-8
Figure 3-5: Area Surveyed for Biological Resources	3-17
Figure 3-6: 2023 DNL Contours	3-26
Figure 3-7: 2028 No Action Alternative and Proposed Project DNL Contours	3-28
Figure 3-8: 2028 DNL Contours With Temporary Construction Period	3-30
Figure 3-9: Residential Properties Experiencing a four-Month Temporary Increase in Noise	3-31
Figure 3-10: Residential Properties Experiencing a four-Month Temporary Decrease in Noise	3-32



# 1 INTRODUCTION / PURPOSE AND NEED



	1. INTRODUCTION/PURPOSE AND NEED
This page was intentionally left b	olank.

This Environmental Assessment (EA) evaluates the potential impacts of the Proposed Project on the surrounding environment and has been prepared pursuant to the requirements of Section 102(2)(c) of the National Environmental Policy Act of 1969 (NEPA, 42 United States Code [U.S.C.] §§ 4321-4370); the President's Council on Environmental Quality (CEQ) Regulations, Title 40, Code of Federal Regulations (CFR), Sections 1500-1508; as well as in accordance with FAA Order 1050.1F, Environmental Impacts: Policies and Procedures and FAA Order 5050.4B, National Environmental Policy Act (NEPA) Implementing Instructions for Airport Actions. EAs assist federal agencies in determining whether potential environmental impacts are significant. This EA has been prepared to identify and consider the potential environmental impacts of the Proposed Project. The FAA is the lead federal agency to ensure compliance with NEPA for the purpose of the Proposed Project.

Actions by the FAA include airport layout plan (ALP) approval. Considering the proposed improvements that comprise rehabilitation of airfield infrastructure, the federal action includes approval of the ALP of only those portions of the Proposed Project that meet the criteria established in 49 U.S.C. § 47107(a)(16)(B).<sup>1</sup>

This EA identifies the potential environmental impacts of the Proposed Project at MYR, which includes the requested federal action described in *Section 1.4*. The EA assesses the impact categories required by FAA Orders 1050.1F and 5050.4B in relationship to the Proposed Project and No Action Alternative, demonstrates how identified impacts can be eliminated or mitigated, and provides the context for public involvement and comment.

#### 1.1 AIRPORT OVERVIEW

The Myrtle Beach International Airport (MYR or Airport) is managed by the Horry County Department of Airports (HCDA). The Airport is approximately three miles southwest of the central business district of Myrtle Beach, in Horry County, South Carolina. The Airport is bounded by Atlantic Intracoastal Waterway and U.S. Highway 17 to the north, Harrelson Boulevard to the east, U.S. Highway 17 BUS (South Kings Highway) to the south, and Farrow Parkway and Howard Parkway to the west. *Figure 1-1* shows the Airport location. *Figure 1-2* shows MYR's FAA-approved ALP.

In the National Plan of Integrated Airport Systems, the FAA classifies the Airport as a small hub primary commercial airport (National Plan of Integrated Airport Systems, 2022). The Airport has one runway (Runway 18-36), taxiways, aprons, and other facilities supporting aircraft operations. Runway 18-36 is 9,503 feet long by 150 feet wide. According to the Terminal Area Forecast (TAF), in 2022, the total number of aircraft operations at the Airport was 157,332 (Federal Aviation Administration, 2023).

Aircraft operations at the Airport include commercial, corporate/business, general aviation, charter, cargo, recreational, and military flights. *Table 1-1* shows the Airport's FAA Terminal Area Forecast (TAF) of total operations and enplanements (passengers) from 2022 to 2030.

.

The Secretary will review and approve or disapprove only those portions of the plan (or any subsequent revision to the plan) that materially impact the safe and efficient operation of aircraft at, to, or from the airport or that would adversely affect the safety of people or property on the ground adjacent to the airport as a result of aircraft operations, or that adversely affect the value of prior Federal investments to a significant extent.


FIGURE 1-1: LOCATION MAP







#### FIGURE 1-2: MYR AIRPORT LAYOUT PLAN



1. INTRODUCTION/PURPOSE AND NEED

[This page was intentionally left blank.]

MYR Runway 18-36 Rehabilitation EA

TABLE 1-1: FAA TERMINAL AREA FORECAST

Year	Total Operations	Enplanements
2022	157,332	1,708,461
2023	124,575	1,713,772
2024	132,470	1,727,370
2025	141,774	1,771,876
2026	143,092	1,818,560
2027	144,325	1,863,435
2028	145,833	1,912,092
2029	147,361	1,961,928
2030	148,893	2,012,183

Source: (Federal Aviation Administration, 2023)

#### 1.2 PURPOSE AND NEED

The purpose of the Proposed Project is to permanently rehabilitate the full depth and width of the Runway 18-36 pavement to continue safe aircraft operations at the Airport. The runway rehabilitation would improve the safety of the runway and extend the life of Runway 18-36 for approximately 20 years.

The project is needed at the Airport because of the degrading and failing runway subbase materials that are contributing to the accelerated reduction in PCI and PCR values and increase in foreign object debris (FOD)<sup>2</sup> on the runway.

#### 1.2.1 Supporting Data

As a result of Public Law 103-305, Section 107, which thereby amended Title 49, Section 47105 of the United States Code, Assurance No. 11 was added to the FAA Owner Assurance. This Assurance dictates that the Airport Sponsor must assure or certify that it has implemented an effective airport pavement maintenance-management program. Correspondingly, the Airport Sponsor must provide reports that address their pavement condition and the status of their pavement management program to the FAA every three (3) years. Additionally, FAA Advisory Circular 150/5335-5 describes that all publicly used paved runways at all Part 139 certificated airports (i.e., MYR) be assigned pavement classification numbers (PCN) values within (1) year of publication.

The HCDA conducted a Runway 18-36 Pavement Maintenance Program (PMP) in accordance with current FAA requirements described in FAA Advisory Circular (AC) 150/5380-6C - *Guidelines and Procedures for Maintenance of Airport Pavements*, and 150/5380-7B - *Airport Pavement Management Program (PMP)*. There were four components related to the Runway 18-36 PMP: (1) a visual pavement inspection known as a Pavement Condition Index (PCI) Survey used to identify and establish a PCI value;

<sup>&</sup>lt;sup>2</sup> FOD - Any object, live or not, located in an inappropriate location in the airport environment that has the capacity to injure airport or air carrier personnel and damage aircraft. (FAA, 2010).

(2) Non-destructive testing (NDT) to support predictive pavement conditions; (3) determination of technical Pavement Condition Rating (PCR) based on the current fleet mix; and (4) update of the PMP that identifies and prioritizes future maintenance, rehabilitation, and/or reconstruction projects for the airside pavements based on the PCI and PCR results.

The PCI studies and PCR values show an accelerated degradation of the runway pavement condition. The pavement degradation rates have disproportionally accelerated on Runway 18-36. The degrading and failing bases contribute to the accelerated PCI and PCR values reduction. Projections show the Runway 18-36 will be in "poor" to "failed" condition in 2027-2028. The HCDA must complete a runway rehabilitation ahead of the 2027-2028 need. See *Appendix A* for further information.

#### 1.3 PROPOSED PROJECT

The Proposed Project is the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (see *Figure 1-3*). Connected actions to the Proposed Project include the construction of a 6,800-foot-long temporary runway that would be situated between Runway 18-36 and the full parallel Taxiway B to be used during the rehabilitation of Runway 18-36. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-footwide temporary runway shoulders, runway edge lighting, and stormwater system improvements (on-Airport stormwater system improvements would be developed during the design phase of the project and incompliance with FAA guidance). As shown in *Figure 1-3*, the temporary runway would originate at taxiway connector B5 and terminates at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway. To convert the temporary runway to a permanent taxiway, the runway lighting fixtures and runway markings would be removed. Taxiway lighting fixtures and cable and paint the taxiway markings would be installed. To limit the need for reconstruction during the conversion, the conduit and base can infrastructure for the taxiway lighting system would be installed during the initial construction of the temporary runway. No additional pavement or drainage construction is required to convert the temporary runway into a permanent taxiway.


All construction would occur on Airport property. Construction of the temporary runway would begin in 2026. In the fall of 2028, Runway 18-36 rehabilitation construction would begin. For 90 to 120 days of construction, all aircraft operations at MYR would takeoff and land on the temporary runway. Runway 18-36 would reopen in 2029.

The HCDA would seek funding for the Proposed Project from the FAA Airport Improvement Program (AIP), Bipartisan Infrastructure Law (BIL) funds, and HCDA funds (e.g., cash-on-hand match funding). The HCDA intends to submit a grant application to compete for additional AIP Discretionary funds.

#### 1.4 FEDERAL ACTION

The federal action, which is the approval of an updated Airport Layout Plan (ALP), is the construction and operation of the Proposed Project. The federal action is also to ensure that the project does not adversely affect the safety, utility, or efficiency of the Airport. Pursuant to 49 U.S.C. § 47107(a)(16), the FAA Administrator (under authority delegated from the Secretary of Transportation) must approve any revisions or modifications to an ALP before a revision or modification takes effect.

FIGURE 1-3: PROPOSED PROJECT



#### Legend

Runway 18-36 Rehabilitation
Temporary Runway
Temporary Runway Shoulders (30 feet)
Taxiway Connector Rehabilitation
Taxiway Connector Construction





1. INTRODUCTION/PURPOSE AND NEED

This page was intentionally left blank.

#### 1.5 DOCUMENT ORGANIZATION

This EA is structured to follow the document format described in FAA Orders 1050.1F and 5050.4B. In addition, this document follows the 2020 Council on Environmental Quality (CEQ) National Environmental Policy Act Implementing Regulations regarding an EA not exceeding 75 pages<sup>3</sup>, not including appendices (CEQ, 2020). *Table 1-2* lists the EA's chapters and describes the information contained within each.

**TABLE 1-2: DOCUMENT ORGANIZATION** 

Chapter	Description
Chapter 1: Introduction / Purpose and Need	This chapter provides an overview of the Airport, discusses the purpose and need of the project, and describes the Proposed Project.
Chapter 2: Alternatives	This chapter presents a description of the No Action Alternative, Preferred Alternative, and a description of each of the alternatives considered in this EA.
Chapter 3: Affected Environment / Environmental Consequences	This chapter presents an overview of the existing environment in the EA's project study area. It also describes the project's effects on each environmental resource identified in the FAA Order 5050.4B.
Chapter 4: Agency and Public Involvement	This chapter summarizes the agency and public involvement conducted for this EA.
Chapter 5: List of Preparers	This chapter lists the FAA, HCDA, Airport, and consulting associates who researched, wrote, reviewed, and documented the EA.
Chapter 6: References	This chapter identifies the reference materials used to prepare the EA.
Appendices	The appendices present relevant material, exhibits, and technical reports developed to prepare the EA.

Source: RS&H, 2023.


\_

<sup>&</sup>quot;Page" means 500 words and does not include explanatory maps, diagrams, graphs, tables, and other means of graphically displaying quantitative or geospatial information.

1. INTRODUCTION/PURPOSE AND NEED This page was intentionally left blank.

# 2 ALTERNATIVES





This chapter describes the alternatives and summarizes the process used to identify, compare, and evaluate the alternatives. Council on Environmental Quality (CEQ) regulations (Title 40 Code of Federal Regulations [C.F.R.] Section 1502.14) regarding the implementation of the National Environmental Policy Act (NEPA) require that federal agencies perform the following tasks:

- » Rigorously explore and objectively evaluate all reasonable alternatives and, for alternatives which were eliminated from detailed study, briefly discuss the reasons for elimination;
- » Devote substantial treatment to each alternative considered in detail, including the Proposed Action, so that reviewers may evaluate their comparative merits;
- » Include reasonable alternatives not within the jurisdiction of the lead agency; and
- » Include the alternative of No Action.

As stated in FAA Order 5050.4B, paragraph 706 (d)(7), an alternative can be eliminated from further consideration when the alternative has been judged "not reasonable." Whether a proposed alternative is reasonable depends, in large part, upon the extent to which it meets the purpose and need for the Proposed Action (FAA Order 1050.1F, paragraph 7-1.1[e]). As discussed above, 40 C.F.R. 502.14(c)[2020] requires the evaluation of the No Action alternative regardless of whether it meets the stated purpose and need or is reasonable to implement.

#### 2.1 OVERVIEW OF THE ALTERNATIVES SCREENING PROCESS

The alternatives evaluation involves a two-criteria screening process (Criteria 1: Meet the Purpose and Need and Criteria 2: Reasonable and Practicable). Criteria 1 addresses whether the alternative meets the Purpose and Need for the Proposed Project identified in *Chapter 1, Purpose and Need*. Criteria 2 determines whether each alternative was reasonable and practicable regarding comparative safety, environmental, or economic consequences.<sup>4</sup> Alternatives that did not meet both evaluation criteria were eliminated from further consideration and were not subject to a detailed analysis of environmental impacts in this EA. *Figure 2-1* shows the alternatives screening process.

#### 2.1.1 Alternatives Evaluation Criterion

The first criterion of this evaluation focused on whether an alternative met the Purpose and Need of the Proposed Project as described in *Chapter 1*. To determine whether the alternative meets the Purpose and Need of the Proposed Project, the alternative must accomplish HCDA's plan to permanently rehabilitate the full depth and width of Runway 18-36 pavement to continue safe aircraft operations at the Airport.

The second criterion of this evaluation process focuses on whether the alternative is technically feasible and practicable regarding comparative safety and aircraft operation concerns. The Proposed Project and Alternatives 1-5 were evaluated and compared for the ability to minimize the need for future rehabilitation/maintenance after Runway 18-36 is rehabilitated and the potential to affect aircraft operations over the next 20 years. An alternative that reduces the need to conduct multiple

<sup>&</sup>lt;sup>4</sup> CEQ. (2022, April 20). 87 Federal Register 23458.

rehabilitations/maintenance activities of Runway 18-36 over the next 20 years is preferred. An alternative's construction method with the potential to increase the risk of poor-quality construction resulting in additional rehabilitation activities over the next 20 years is not preferred. Operationally, an alternative that minimizes the potential for delaying departing aircraft or diverting arriving aircraft to another airport due to construction equipment, personnel, and activities within the Runway 18-36 area is preferred. An alternative that could potentially affect arriving or departing aircraft operations of this single-runway Airport would negatively affect stakeholders (i.e., commercial airline operations) and is not preferred.

#### FIGURE 2-1: ALTERNATIVES CRITERIA EVALUATION

#### **Criterion 1: Purpose and Need**


Does the alternative fully accomplish HCDA's need to permanently rehabilitate the full depth and width of Runway 18-36 pavement to extend the life of Runway 18-36 for approximately 20 years?

#### **Criterion 2: Reasonable and Practicability Considerations**

Would the alternative continue optimal aircraft operations at MYR (i.e., not result in operational concerns for MYR, stakeholders, or airlines)?

Does the alternative reduce the need to conduct multiple rehabilitations/maintenance activities of Runway 18-36 for the next 20 years?

Does the alternative minimize the potential for construction equipment, personnel, and activities within the Runway 18-36 area that could delay departing or deterring arriving aircraft to another airport due to rehabilitation/maintenance activities?



Source: RS&H, 2023.

#### 2.2 ALTERNATIVES CONSIDERED AND EVALUATED

The Proposed Project is described in *Section 1.3*. This EA identifies six alternatives to the Proposed Project: the No Action Alternative and five other build alternatives. The following sections describe and evaluate the alternatives.

#### 2.2.1 No Action Alternative

Under the No Action Alternative, the Proposed Project (i.e., runway rehabilitation) would not be constructed. This alternative would not involve improvements beyond those already programmed or that the Airport Sponsor will undertake for safety, security, or maintenance reasons.

The No Action Alternative would not satisfy the Purpose and Need of the project. Although the No Action Alternative does not meet the criteria associated with the evaluation process, it is being retained for environmental baseline comparative purposes to fulfill CEQ regulations (40 CFR Part 1502)

implementing NEPA and to comply with FAA Order 1050.1F, *Environmental Impacts: Policies and Procedures*, and FAA Order 5050.4B, *National Environmental Policy Act (NEPA) Implementing Instructions for Airport Actions*. The No Action Alternative, required by 40 CFR 1502.14(d), serves as a baseline to compare the impacts of any reasonable alternatives considered.

#### 2.2.2 Proposed Project (Preferred Alternative)

**Section 1.3** describes the Proposed Project as the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (see **Figure 1-3**). See **Section 1.3** for further details on the project description.

The Proposed Project would fully meet the Purpose and Need described in *Chapter 1*. The Proposed Project would permanently rehabilitate the full depth and width of Runway 18-36 pavement to continue safe aircraft operations at the Airport. The Proposed Project would provide aircraft stakeholders with 6,800 feet of temporary runway needed for the existing commercial aircraft fleet to continue uninterrupted operations. Nighttime closures of the temporary runway would not be conducted. Therefore, the Proposed Project would not affect daily aircraft operations during rehabilitation. The Proposed Project would schedule the construction for cold joints during the daytime to increase the quality and longevity of the rehabilitated Runway 18-36, resulting in the least need for future rehabilitation/maintenance activities. Therefore, the Proposed Project (Preferred Alternative) would have the least potential for future aircraft operational delays or diversions.


#### 2.2.3 Alternative 1 – New Parallel Runway

Alternative 1 is the construction and operation of an additional new 7,600-foot parallel runway (designated Runway 18R-36L) between existing Runway 18-36 and Taxiway B (see *Figure 2-2*). A connected action to Alternative 1 includes constructing runway edge lighting improvements for both runways. The new parallel Runway 18R-36L would be 150-feet wide but not include pavement shoulders (matching existing Runway 18-36). Once Runway 18R-36L is constructed and operational, Runway 18L-36R (i.e., currently designated Runway 18-36) would be closed and rehabilitated with an asphalt overlay. After rehabilitation, Runway 18L-36R would reopen, and the Airport would operate with two parallel runways to accommodate its commercial aircraft fleet.

Alternative 1 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement. As described in *Chapter 1*, Runway 18-36 needs permanent full depth and width pavement rehabilitation.

This page was intentionally left blank.

#### FIGURE 2-2: ALTERNATIVE 1 AND ALTERNATIVE 2



[This page was intentionally left blank.]

In addition, this alternative was initially proposed as an imminent need due to the increasing aircraft operations that existed at MYR pre-COVID (2020). At that time, helicopter operations from MYR were counted into the Airport's total operations due to their flight path "crossing" the extended Runway 18-36 centerline. The FAA and stakeholders revised and approved those tourist helicopter routes in 2022 and no longer cross the extended Runway 18-36 centerline. Therefore, they no longer count as MYR operations for Runway 18-36. The reduction of the number of operations on MYR's single runway negates any justification for a new parallel runway.

Therefore, since Alternative 1 does not fully meet the Purpose and Need and operational concern (non-standard pavement shoulders), it was not carried forward in this EA for further environmental considerations.

## 2.2.4 Alternative 2 – Nightly Mill and Overlay

Alternative 2 utilizes nightly Runway 18-36 closures to mill and overlay the existing runway pavement surface (see *Figure 2-2*). A connected action to Alternative 2 includes constructing runway edge lighting improvements. Each night, Runway 18-36 would be closed (approximately midnight), and the selected construction contractor would perform the pavement rehabilitation activities. Before early morning aircraft operations resume (approximately 5 am), rehabilitation activities would end, construction equipment and personnel would be removed from the construction area, and Runway 18-36 would reopen for daily aircraft operations. This method of rehabilitating Runway 18-36 would occur each night until the entire 9,502-foot runway is milled and overlaid with new asphalt. FAA Notices to Airmen (NOTAMs) describing the runway's operational status would be published for pilots.

Alternative 2 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement. As described in *Chapter 1*, Runway 18-36 needs a permanent full depth and width pavement rehabilitation for continued safe aircraft operations at the Airport. Alternative 2 also has operational and construction method concerns. This alternative would require multiple nighttime runway closures to conduct pavement rehabilitation activities. If Runway 18-36 is not reopened on time each morning, daily departure aircraft operations could be delayed, or arriving aircraft could be diverted to another airport. This scenario occurred multiple times in 2014 when the Runway 18-36 mill and overlay rehabilitation was previously implemented.

Constructing cold joints work at night increases the risk of poor-quality construction. The first place that a properly constructed asphalt pavement begins to deteriorate is the paving joints. As asphalt ages it stiffens and contracts causing the paving joints to become stressed and open. This provides a path for water to enter the base and starts the process of rutting and eventually pavement failure. More joints equal more opportunity for water to enter the base.

In addition, the continued degradation of the base and subbase would require Alternative 2's rehabilitation method to occur more frequently. For Alternative 2 to provide an equivalent 20-year life, three to four mill and overlays would be required over the next 20 years. It is also probable that the frequency of the need for rehabilitation would continue to increase as this alternative does not address the base and subbase course degradation. Alternative 2 would also have the greatest effect on Airport

stakeholders and the greatest risks to affecting daily operations each time mill and overlay construction activities need to occur over the next 20 years.

Therefore, since Alternative 2 does not fully meet the Purpose and Need and results in engineering constructability and operational concerns, it was not carried forward in this EA for further environmental considerations.

# 2.2.5 Alternative 3 – Displaced Thresholds for Concrete Touchdown Zone (TDZ) Areas and Mill and Overlay of Runway Center

Alternative 3 is similar to Alternative 2 but requires concrete reconstruction within each runway touchdown area (see *Figure 2-3*). A connected action to Alternative 3 includes constructing runway edge lighting improvements. This three-phased approach would result in a full-depth reconstruction (i.e., repairing the base and subbase below) for about 2,300 feet of each runway end (first 2,300 feet at the Runway 18 end and first 2,325 feet at the Runway 36 end). These portions of the runway are the most critical pavements because it is also the area where the aircraft travel the slowest with the heaviest loads (full of fuel) immediately before takeoff. The remaining center length of runway pavement (approximately 4,877 feet) would be rehabilitated by the same mill and overlay construction method as Alternative 2. As with Alternative 2, the base and subbase courses in the middle runway section would not be addressed, and three to four mill and overlay rehabilitations would be needed over 20 years.


Each night, Runway 18-36 would be closed (approximately midnight), and the selected construction contractor would perform the Alternative 3 pavement rehabilitation activities. Before early morning aircraft operations resume (approximately 5 am), rehabilitation activities would end, construction equipment and personnel would be removed from the construction area, and Runway 18-36 would reopen for daily aircraft operations. This method of rehabilitating Runway 18-36 would occur each night until the 9,502-foot runway is rehabilitated. FAA NOTAMs describing the runway's operational status would be published for pilots.

Alternative 3 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for the existing Runway 18-36 pavement. As described in *Chapter 1*, Runway 18-36 needs a permanent full depth and width pavement rehabilitation for continued safe aircraft operations at the Airport. Alternative 3 also has operational and construction method concerns. This alternative would require multiple nighttime runway closures to conduct pavement rehabilitation activities. If Runway 18-36 is not reopened on time each morning, daily departure aircraft operations could be delayed, or arriving aircraft could be diverted to another airport. This scenario occurred multiple times in 2014 when the Runway 18-36 mill and overlay rehabilitation was previously implemented.

Constructing cold joints work at night increases the risk of poor-quality construction. As described previously, the first place that a properly constructed asphalt pavement begins to deteriorate is the paving joints. As asphalt ages it stiffens and contracts causing the paving joints to become stressed and open. This provides a path for water to enter the base and starts the process of rutting and eventually pavement failure. More joints equal more opportunity for water to enter the base.

As shown in *Figure 2-3* and *Table 2-1*, the Runway 18-36 dimensions would vary during construction.

#### FIGURE 2-3: ALTERNATIVE 3



**RS&H** 

2. ALTERNATIVES

[This page was intentionally left blank.]

Operations to the north in Phase 1 and to the south in Phase 2 only have approximately 6,200 feet of runway length, which would limit the type of aircraft and their weight. MYR coordinated the alternatives with stakeholders and airlines. MYR stakeholders and airlines stated 6,800 feet of runway length is their absolute minimum to operate at MYR. They would not be able to operate the larger ADG-III aircraft with only 6,200 feet of runway.

**TABLE 2-1: ALTERNATIVE 3 PHASED RUNWAY DIMENSIONS** 

Description	Runw	ay 18	Runway 36	
	Phase 1	Phase 2	Phase 1	Phase 2
Runway Pavement Inactive Due to Construction	2,300 ft.	2,325 ft.	2,300 ft.	2,325 ft.
Accelerate-Stop Distance Available (ASDA), Takeoff Run Available (TORA), and Takeoff Distance Available (TODA)	7,002 ft.	6,177 ft.	6,202 ft.	6,977 ft.
Landing Distance Available (LDA)	6,202 ft.	6,177 ft.	6,202 ft.	6,177 ft.

Notes: ft. = feet. Phase 3 would not change the runway dimensions because it would be closed and reopened after each night construction activities end. Source: RS&H, Inc. 2023.

Alternative 3 does not fully meet the Purpose and Need and results in engineering constructability and operational concerns, therefore, it was not carried forward in this EA for further environmental considerations.

# 2.2.6 Alternative 4 - Displaced Thresholds and New Paved Overruns for Extended Concrete TDZ Areas and Mill and Overlay of Runway Center


Alternative 4 builds on Alternatives 2 and 3 with a four-phased approach, replacing and rebuilding the paved overruns on each runway end (see *Figure 2-4*). Connected actions to Alternative 4 include constructing runway edge lighting and stormwater system improvements. This alternative's construction approach takes advantage of the additional pavement built on each runway end initially constructed for military use (i.e., heavier aircraft). Compared to Alternatives 2 and 3, this alternative would increase the landing distance available (LDA) and takeoff distance available (TODA) during pavement rehabilitation activities.

Each night, Runway 18-36 would be closed (approximately midnight), and the selected construction contractor would perform the Alternative 4 pavement rehabilitation activities. Before early morning aircraft operations resume (approximately 5 am), rehabilitation activities would end, construction equipment and personnel would be removed from the construction area, and Runway 18-36 would reopen for daily aircraft operations. This method of rehabilitating Runway 18-36 would occur each night until the 9,502-foot runway is rehabilitated. FAA NOTAMs describing the runway's operational status would be published for pilots.

Alternative 4 does not fully meet the described Purpose and Need because the alternative's asphalt overlay rehabilitation is a short-term solution for 5,502 feet of Runway 18-36 of the existing pavement. As described in *Chapter 1*, Runway 18-36 needs a permanent full depth and width pavement rehabilitation for continued safe aircraft operations at the Airport. Alternative 4 also has operational and construction method concerns.

This page was intentionally left blank.

#### FIGURE 2-4: ALTERNATIVE 4



**RS&H** 

[This page was intentionally left blank.]

This alternative would require multiple nighttime runway closures to conduct pavement rehabilitation activities. If Runway 18-36 is not reopened on time each morning, daily departure aircraft operations could be delayed, or arriving aircraft could be diverted to another airport. This scenario occurred multiple times in 2014 when the Runway 18-36 mill and overlay rehabilitation was previously implemented.

As described previously, the first place that a properly constructed asphalt pavement begins to deteriorate is the paving joints. As asphalt ages it stiffens and contracts causing the paving joints to become stressed and open. This provides a path for water to enter the base and starts the process of rutting and eventually pavement failure. More joints equal more opportunity for water to enter the base.

In addition, Alternative 4 would require pilots to conduct a difficult double-back turnaround maneuver on overruns of their aircraft. As shown in *Figure 2-4* and *Table 2-2*, the Runway 18-36 dimensions would vary. MYR coordinated the alternatives with stakeholders and airlines. MYR stakeholders and airlines stated 6,800 feet of runway length is their absolute minimum to operate at MYR. Alternative 4 would provide the stakeholder and airlines with the needed 6,800 feet of runway to continue aircraft operations during rehabilitation.

**TABLE 2-2: ALTERNATIVE 4 PHASED RUNWAY DIMENSIONS** 

Description	Runway 18		Runway 36		
Description	Phase 1	Phase 2	Phase 1	Phase 2	
Runway Pavement In-Active Due	1,000 ft. / 2,300 ft.	2,325 ft.	1,000 ft. / 2,300 ft.	2,325 ft.	
to Construction					
Accelerate-Stop Distance	7,002 ft.	6,977 ft.	7,002 ft.	6,977 ft.	
Available (ASDA), Takeoff Run					
Available (TORA), and Takeoff					
Distance Available (TODA)					
Landing Distance Available (LDA)	6,202 ft.	6,177 ft.	6,202 ft.	6,177 ft.	

Notes: ft. = feet. Phase 4 would not change the runway dimensions because it would be closed and reopened after each night construction activities end.

Source: RS&H, Inc. 2023.

Alternative 4 does not fully meet the Purpose and Need and results in engineering constructability and operational concerns, therefore, it was not carried forward in this EA for further environmental considerations.

#### 2.2.7 Alternative 5 - Concrete Keel Section with Bituminous Pavement Outboard Paving

Alternative 5 is the same reconstruction approach as the Proposed Project; however, it reduces the new concrete wearing surface to 100 feet in width rather than the full 150-foot width (see *Figure 2-5*). This alternative would rehabilitate the outboard 25-foot sections with mill and overlay while reconstructing the full 150-foot width at taxiway intersections. Connected actions to Alternative 5 include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In addition, the HCDA proposes the construction of 30-foot-wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. *Figure 2-5* shows that the temporary runway

starts at taxiway connector B5 and ends at taxiway connector B2. After Runway 18-36 rehabilitation, the temporary runway would be converted into a taxiway.

Alternative 5 would not fully meet the Purpose and Need to permanently rehabilitate the full depth and width of Runway 18-36 pavement. Alternative 5 would provide aircraft stakeholders with 6,800 feet of temporary runway needed for the existing commercial aircraft fleet to continue uninterrupted operations. Nighttime closures of the temporary runway would not be conducted to rehabilitate Runway 18-36. Alternative 5 would not affect daily aircraft operations during construction, as was needed in 2014. In addition, this alternative would schedule the construction for cold joints during the daytime to increase the quality and longevity of the rehabilitated Runway 18-36.

However, Alternative 5 has constructability concerns. The construction contractor would need to preserve the deteriorating outboard sections of the existing runway, while reconstructing the runway keel (i.e., center) section. This constrains the contractor's work area and requires extra time and attention to protect the remaining pavement. In addition, during construction, the existing deteriorating base would be exposed to weather elements (e.g., rain) after the keel section is demolished. This increases the risk of accelerated deterioration of the remaining existing base.

While Alternative 5 would not be as maintenance intensive as Alternatives 1-4, it would require more maintenance than the Proposed Project. This is because of the number of asphalt to portland cement concrete (PCC) joints between the PCC keel sections and the remaining existing outboard asphalt sections. Even though these joints would see minimal aircraft traffic across them, there is engineering constructability concerns about the long-term performance because the existing asphalt section would not have an appropriately thickened base to handle the aircraft load transfer across the joint. In addition, the outboard sections would not be replaced and would continue to deteriorate at an increasing rate. This could potentially adversely affect the base of the new PCC section adjacent to it.

Alternative 5 also has operational concerns after the Runway 18-36 rehabilitation. Over the next 20 years, this alternative could require multiple nighttime runway closures to conduct mill and overlay rehabilitation activities of the outboard sections of the runway. Each night, Runway 18-36 would be closed (approximately midnight), and the selected construction contractor would perform pavement rehabilitation activities. Before early morning aircraft operations resume (approximately 5 am), rehabilitation activities would end, construction equipment and personnel would be removed from the construction area, and Runway 18-36 would reopen for daily aircraft operations. FAA NOTAMs describing the runway's operational status would be published for pilots each time the runway was closed. If Runway 18-36 is not reopened on time each morning, daily departure aircraft operations could be delayed, or arriving aircraft could be diverted to another airport. This scenario occurred multiple times in 2014 when the Runway 18-36 mill and overlay rehabilitation was previously implemented.

Alternative 5 does not fully meet the Purpose and Need and results in construction and operational concerns, therefore, it was not carried forward in this EA for further environmental considerations.

## 2.3 ALTERNATIVES RETAINED FOR DETAILED ANALYSIS


**Table 2-3** summarizes the alternatives evaluation results.

The No Action Alternative would not satisfy the Purpose and Need and does not satisfy the evaluation criterion. However, the EA retains the No Action Alternative for environmental baseline comparative purposes, to fulfill CEQ regulations (40 CFR Part 1502.14(c))[2020], and to comply with FAA Order 1050.1F, Environmental Impacts: Policies and Procedures, and FAA Order 5050.4B, National Environmental Policy Act (NEPA) Implementing Instructions for Airport Actions.

Based on evaluating reasonable alternatives to achieve the project's purpose and comparing alternatives, the Proposed Project (Preferred Alternative) is retained for further environmental analysis (see *Chapter 3* for further details).

This page was intentionally left blank.

Figure 2-5: Alternative 5



**RS&H** 

[This page was intentionally left blank.]

**TABLE 2-3: ALTERNATIVES EVALUATION SUMMARY** 

Criteria	No Action Alternative	Proposed Project	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Alternative 5
Purpose and Need							
Does the Alternative Meet the Purpose and Need?	N/A¹	Yes	No <sup>2</sup>				
Reasonable and Practicability Considerations							
Would the alternative result in optimal aircraft operations at MYR (i.e., not result in operational concerns for MYR, stakeholders, or airlines)?	-	Yes	No	No	No	No	No
Does the alternative reduce engineering constructability concerns (i.e., reduced multiple rehabilitations/maintenance activities of Runway 18-36 for the next 20 years)?		Yes	Yes	No	No	No	No
Does the alternative minimize the potential for construction equipment, personnel, and activities within the Runway 18-36 area that could delay departing or deterring arriving aircraft to another airport due to rehabilitation/maintenance activities?	-	Yes	Yes	No	No	No	No
Meets Screening Criteria  Does Not Meet Screening Criteria							

Note: <sup>1</sup> No Action Alternative for environmental baseline comparative purposes, to fulfill CEQ regulations (40 CFR Part 1502) implementing NEPA, and to comply with FAA Order 1050.1F, Environmental Impacts: Policies and Procedures, and FAA Order 5050.4B, National Environmental Policy Act (NEPA) Implementing Instructions for Airport Actions.

<sup>2</sup> Alternative partially meets the described Purpose and Need and was analyzed further based on the reasonable and practicability considerations.

Source: RS&H, 2023.

This page was intentionally left blank.

# AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES



3. AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES
This page was intentionally left blank.

## 3.1 INTRODUCTION

As per the Council on Environmental Quality (CEQ) National Environmental Policy Act (NEPA) Implementing Regulations 40 CFR Parts 1500 – 1508, dated 2020, FAA Orders 1050.1F Environmental Impacts: Policies and Procedures, and 5050.4B National Environmental Policy Act Implementing Instructions for Airport Actions, this chapter describes the existing environmental condition (i.e., Affected Environment) as well as environmental resources that the Proposed Project may affect compared to a No Action Alternative (i.e., Environmental Consequences).

A direct and indirect study area was developed to identify environmental conditions and potential impacts of the Proposed Project. The Airport property defines the direct project study area which includes the Proposed Project's area of ground disturbing activities (i.e., construction of a temporary runway). The 2028 No Action Alternative and Proposed Project DNL 65 dBA noise contour defines the indirect study area. *Figure 3-1* shows each study area (collectively referred to as the project study areas).

The environmental analysis in this chapter discloses the potential impacts on the future condition. The construction of the temporary runway is approximately 16 months, and the reconstruction of Runway 18/36 is approximately 4 months. The EA uses 2026, 2028 and 2029 (as appropriate) as the study years for analysis. From 2026-2027 construction of the temporary runway would occur. Reconstruction of Runway 18/36 would occur in 2028 with aircraft operations shifted to the temporary runway. The re-opening of the reconstructed Runway 18/36 would occur in 2029. The 2028 study year is for the aircraft noise analysis purposes when aircraft operations are shifted to the temporary runway.

To evaluate potential impacts, the analyses in this chapter overlay the components of the Proposed Project and No Action Alternative onto the conditions within the project study areas for each environmental impact category presented.

#### 3.2 RESOURCES NOT AFFECTED BY PROPOSED PROJECT

The following environmental resources are described to disclose the Proposed Project's absence of effects compared to a No Action Alternative and are not further described in this EA.

- » Children's Environmental Health and Safety Risks Lakewood Elementary School is the closest public school, about 2.5 miles southwest of the project study areas. Palmetto Academy of Learning and Success is the closest private school, about 1.25 miles northwest of the project study areas. Construction and operation of the Proposed Project would occur entirely on Airport property. Due to the distance to the two closest schools and construction entirely on Airport property, the Proposed Project would not increase the exposure of environmental contaminants to children in the surrounding community. Therefore, the Proposed Project would not affect children's environmental health and safety risks.
- Coastal Resources The Proposed Project is located within the South Carolina Coastal Zone Management Program (CZMP), as Horry County is within the CZMP (Office of Ocean and Coastal Resource Management, 2023). Therefore, the Proposed Project would be subject to DHEC's Office of Ocean and Coastal Resources Management guidelines. Construction of the Proposed Project would follow all CZMP guidelines. It would not affect wetlands or geographical areas of particular concern.

FIGURE 3-1: PROJECT STUDY AREAS



# Legend







Activities or facilities dependent on coastal location, including state ports and navigation channels, are not present within the project study areas. Areas of Special Historic, Archaeological, or Cultural Significance, which consist of NHRP-listed resources, are not located within the project study areas. Therefore, no geographical areas of particular concern would be affected by the Proposed Project. Coastal Zone Consistency would be sent to the South Carolina S.C. Department of Health and Environmental Control (DHEC) during the project's design phase. A DHEC coastal zone consistency letter would be obtained before the beginning of construction activities.

Department of Transportation (DOT), Section 4(f) Resources – There are no DOT Section 4(f) resources within the project study areas (see Figure 3-2). The closest Section 4(f) resource is Valor Memorial Garden, about 0.5 mile west of the project study areas. It is separated by aeronautical and commercial development (City of Myrtle Beach, 2023). The Proposed Project is entirely on Airport property. Based on the aircraft noise analysis described in Section 3.4.5, there would be no change in aircraft noise exposure and no significant noise impacts. Due to the distance to the closest Section 4(f) resource and no significant noise impacts, the Proposed Project would not directly or indirectly affect a DOT Section 4(f) resource.

There are no Section 6(f) Land and Water Conservation Fund (LWCF) resources within the direct study area (see *Figure 3-2*). The closest Section 6(f) resource is Myrtle Beach Grand Park, approximately 1 mile west of the direct project study area, and Myrtle Beach State Park, located 1.5 miles from the direct project study area and is located within the indirect study area. It is separated by US-17 South Kings Highway and urban development (The Land and Water Conservation Fund, 2023). Based on the aircraft noise analysis described in *Section 3.4.5*, there would be no change in aircraft noise exposure and no significant noise impacts. Therefore, the Proposed Project would not directly or indirectly affect a Section 6(f) resource.

Farmlands – According to the Natural Resources Conservation Service (NRCS), soils within the direct study area are classified as farmland of statewide importance and prime farmland if drained (USDA, 2023). Under Section 523(10)(B) of the Farmlands Protection Policy Act (FPPA) Manual, farmland soils are not subject to the provisions of the FPPA if they are already in urbanized areas (NRCS, 2013). Section 658.2(a) of the FPPA describes the use of U.S. Census Bureau Urban Areas maps as an appropriate way to define urban areas (USDA, 1984). The U.S. Census Bureau Urban Areas map was reviewed to determine which portions of the direct study area were not subject to the provisions of the FPPA. The Airport, including the direct study area, is in the "Myrtle Beach Socastee, SC-NC 60895" urban area. In addition, according to the 2020 U.S. Census Urban Area Criteria, the Airport is an urban area because it is a "currently functioning airport within a distance of 0.5 miles to the urban area that is a qualified cargo airport or has an annual enplanement of at least 2,500 passengers" (Census Bureau, 2022). In 2021, the Airport had 1,382,551 enplanements (i.e., passengers who boarded a commercial service aircraft) (FAA, 2023). Therefore, the Proposed Project is exempt from the FPPA and would not affect prime, unique, or state-significant farmland soil types.

FIGURE 3-2: ENVIRONMENTAL RESOURCES NOT AFFECTED










» Historic, Architectural, Archaeological, and Cultural Resources – The Area of Potential Effects (APE) is the same as the project study areas (see *Figure 3-2*). According to the National Register of Historic Resources (NHRP), the closest NHRP-listed resource is the Pleasant Inn, located about 2.5 miles east of the project study areas (National Park Service, 2023). Based on the aircraft noise analysis described in *Section 3.4.5*, there would be no change in aircraft noise exposure and no significant noise impacts.

On March 22, 2024, the FAA submitted a letter (email and hardcopy) to the Catawba Indian Tribe of South Carolina to solicit comments (see *Appendix E*). The Catawba did not reply to the FAA's request for comments. On April 8, 2024, the FAA submitted a letter to the South Carolina Department of Archives & History (SC SHPO) describing the Proposed Project and requested concurrence that no properties listed in or eligible for listing in the NRHP will be affected. On May 9, 2024, the SC SHPO concurred with the FAA's request, "that no properties listed in or eligible for listing in the NRHP will be affected by this project." In addition, the SC SHPO correspondence described, "If archaeological materials are encountered during construction, the procedures codified at 36 CFR 800.13(b) will apply. Archaeological materials consist of any items, fifty years old or older, which were made or used by man. These items include but are not limited to, stone projectile points (arrowheads), ceramic sherds, bricks, worked wood, bone and stone, metal and glass objects, and human skeletal materials. The federal agency or the applicant receiving federal assistance should contact our office immediately." See *Appendix E* for further details.

Therefore, the Proposed Project would not directly or indirectly affect any historic, architectural, archaeological, or cultural resource.

- Land Use According to the City of Myrtle Beach, existing land use in the direct study area is classified as Airports (AP) and Planned Unit Development (PUD) (City of Myrtle Beach, 2021). The construction of the Proposed Project would occur entirely on Airport property and would be compatible with the existing Airport environment. The Proposed Project would be consistent with future Airport plans and would not cause any land use incompatibilities or inconsistencies with local off-Airport land use plans. In addition, the Proposed Project would not create a new wildlife attractant or create an obstruction to navigation airspace per 14 CFR Part 77, Safe, Efficient Use, and Preservation of the Navigable Airspace. The Proposed Project would not significantly affect other resources that could indirectly affect land use (e.g., the Proposed Project would not disrupt communities, affect DOT Section 4(f) resources, etc.). Therefore, the Proposed Project would not change the land use in or around the direct study area and would not cause significant land use impacts.
- Water Resources (wetlands, water supply, floodplains, wild and scenic rivers) According to the National Wetlands Inventory (NWI), there are riverine wetlands within the direct study area (USFWS, 2023). However, based on multiple USACE-approved delinieations (SAC-2010-0816, SAC-2009-00281-3NH, and SAC-14-2009-00373-3N), the USFWS classified wetlands are the Airport's stormwater system and are non-jurisdictional tributaries maintained by the Airport. Therefore, the Proposed Project would not affect jurisdictional wetlands within the direct study area. See Figure 3-3 for a visual representation of the on-Airport water resources.

FIGURE 3-3: WATER RESOURCES



The Proposed Project is not located within a sole source aquifer, and there is no public water supply within the direct study area. The closest sole source aquifer is the Columbia and Yorktown-Eastover Aquifer, located approximately 300 miles northeast of the project study areas (EPA, 2023). The public water supply originates from the Great Pee Dee Watershed (Grand Strand Water & Sewer Authority, 2023). The project study areas are about 15 miles from the nearest Great Pee Dee Watershed component. Therefore, the Proposed Project would not affect sole-source aquifers or public water supplies.

According to the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Maps (FIRM) 45051C0708K and 45051C0716K, the direct study area contains Zone AE and Zone X (see *Figure 3-4*) (FEMA, 2023). A portion of the Proposed Project (i.e., existing taxiway connector C5) crosses the 100-year floodplain, Zone AE; however, the area consists of existing airfield payment, and the Proposed Project would rehabilitate the same existing pavement. Therefore, the Proposed Project would not affect floodplains.

The closest river designated under the National Wild and Scenic River System is the Waccamaw River, located approximately 7 miles northwest of the project study areas (National Wild and Scenic Rivers Systems, 2023). The closest Nationwide Rivers Inventory Segment is the Lumber Wild and Scenic River, about 43 miles north of the project study areas (National Park Service, 2023). Due to the distance to the closest Wild and Scenic River and Nationwide Rivers Inventory Segment, the construction and operation of the Proposed Project would not affect a Wild and Scenic River or a Nationwide Rivers Inventory Segment.


#### 3.3 NO ACTION ALTERNATIVE

Under the No Action Alternative, the construction and operation of the Proposed Project would not occur. Future development at the Airport would be subject to review under NEPA and is not assumed under the No Action Alternative. The affected environment of the project study areas under the No Action Alternative would not differ from existing conditions.

Because there would be no anticipated construction or change in Airport facilities under the No Action Alternative, no impacts would be expected to occur related to Air Quality; Biological Resources; Climate; Coastal Resources; DOT Section 4(f) Resources; Hazardous Materials, Solid Waste, and Pollution Prevention; Historical, Architectural, Archaeological, and Cultural Resources; Land Use; Natural Resources and Energy Supply; Noise and Noise-Compatible Land Use; Socioeconomics, Environmental Justice, and Children's Environmental Health and Safety Risks; Visual Effects; or Water Resources in the project study areas or vicinity of the Airport.

The "Updated Instructions to Airports District Offices and Regional Office of Airports Employees Regarding Airport Layout Plan Reviews and Projects Potentially Affected by Section 163 of the FAA Reauthorization Act of 2018" describes the "FAA's approach to determine the FAA's airport layout plan (ALP) approval authority when new development is proposed by an airport sponsor. In addition, it outlines the internal process for determining FAA's authority to regulate land use and the subsequent actions needed to approve a land use change."

FIGURE 3-4: FLOODPLAINS



#### 3.4 PROPOSED PROJECT POTENTIAL ENVIRONMENTAL IMPACTS

The environmental resource categories analyzed in detail for the study year 2026 are listed below:

- » Air Quality and Climate (Section 3.4.1)
- » Biological Resources (Section 3.4.2)
- » Hazardous Materials, Solid Waste, and Pollution Prevention (Section 3.4.3)
- » Natural Resources and Energy Supply (Section 3.4.4)
- » Noise and Noise Compatible Land Use (Section 3.4.5)
- Socioeconomics and Environmental Justice (Section 3.4.6)
- » Visual Effects (Section 3.4.7)
- Water Resources Surface Waters (Section 3.4.8)
- » Cumulative Impacts (Section 3.4.9)

# 3.4.1 Air Quality and Climate

This section describes the general characteristics of the environment within the project study areas and the potential environmental consequences of the Proposed Project regarding air quality and climate.

#### 3.4.1.1 Affected Environment

The Environmental Protection Agency (USEPA) has classifications for areas regarding their ability or inability to meet the National Ambient Air Quality Standards (NAAQS). Attainment areas are geographic areas where concentrations of the criteria pollutants are below (i.e., within) the NAAQS. The USEPA has identified the following six criteria air pollutants for which NAAQS are applicable: Carbon Monoxide (CO), Lead (Pb), Nitrogen Dioxide (NO<sub>2</sub>), Ozone (O<sub>3</sub>), Particulate Matter (PM<sub>10</sub> and PM<sub>2.5</sub>), and Sulfur Dioxide (SO<sub>2</sub>). USEPA calls these pollutants "criteria" air pollutants because it regulates them by developing human health-based and/or environmentally based criteria (science-based guidelines) for setting permissible levels (USEPA, 2023). The project study areas are in Horry County, which is in "attainment" for all NAAQS pollutants (EPA, 2023).

Greenhouse gases (GHG) trap heat in the earth's atmosphere. Both naturally occurring and man-made GHGs primarily include water vapor, carbon dioxide (CO2), methane (CH4), nitrous oxide (N2O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF6). Activities that require fuel or power are the primary stationary sources of GHGs at airports. Aircraft and ground access vehicles, which are not under the control of an airport, typically generate more GHG emissions than airport-controlled sources.

Research has shown a direct correlation between fuel combustion and greenhouse gas emissions. In terms of U.S. contributions, the U.S. Government Accountability Office (GAO) reports that "domestic aviation contributes about three percent of total carbon dioxide (CO<sub>2</sub>) emissions, according to USEPA data," compared with other industrial sources, including the remainder of the transportation sector (20 percent) and power generation (41 percent) (GAO, 2009) The International Civil Aviation Organization (ICAO) estimates that GHG emissions from aircraft account for roughly three percent of all

anthropogenic GHG emissions globally (Melrose, 2010) Climate change due to GHG emissions is a global phenomenon. Hence, the affected environment is the global climate (USEPA, 2009).

The scientific community is continuing efforts to understand the impact of aviation emissions on the global atmosphere. The FAA is leading and participating in several efforts to clarify commercial aviation's role in GHG emissions and climate. The FAA, with support from the U.S. Global Change Research Program and its participating federal agencies (e.g., National Aeronautics and Space Administration, National Oceanic and Atmospheric Administration, USEPA, and U.S. Department of Energy), has developed the Aviation Climate Change Research Initiative to advance scientific understanding of regional and global climate impacts from aircraft emissions. The FAA also funds the Partnership for Air Transportation Noise & Emissions Reduction Center of Excellence research initiative to quantify the effects of aircraft exhaust and contrails on global and U.S. climate and atmospheric composition. ICAO is examining similar research topics at the international level (Maurice & Lee, 2007).

Carbon dioxide is the primary GHG emitted by human activity, making up about 80% of all GHG emissions. Greenhouse gas emissions are often measured in carbon dioxide equivalent ( $CO_{2e}$ ). In 2020, the GHG emissions for the U.S. were 5,981 million metric tons (MMT)<sup>6</sup>  $CO_{2e}$ , and in 2021, for the State of South Carolina was 69.3 MMT  $CO_{2e}$  (U.S. Energy Information Administration, 2023).

#### 3.4.1.2 Environmental Consequences

This section describes the significance threshold(s) pertaining to air quality and climate and the potential effects the Proposed Project would have on those resources compared to the No Action Alternative.

#### **Significance Thresholds**

#### **Air Quality**

FAA Order 1050.1F, Exhibit 4-1, provides the FAA's significance threshold for air quality, which states: "The action would cause pollutant concentrations to exceed one or more of the NAAQS, as established by the USEPA under the Clean Air Act, for any of the time periods analyzed, or to increase the frequency or severity of any such existing violations."

#### **Climate**

While FAA 1050.1F does not provide a significance threshold for aviation-related GHG emissions, the projected increase in GHG emissions from the Proposed Project is discussed in the context of national and global GHG emissions from all sources.

#### **Air Quality Impacts**

Construction of the Proposed Project would cause a minor increase in surface vehicles using area roadways to access the construction site. However, this would be temporary, lasting the duration of construction. A Construction Emissions Inventory (CEI) of the Proposed Project was conducted through EPA's Motor Vehicle Emissions Simulator 3 (MOVES3.1) program. MOVES3.1 uses EPA-approved emission factors for non-road construction equipment and on-road vehicles. Exhaust and fugitive

-

<sup>&</sup>lt;sup>6</sup> According to the USEPA, a million metric tons is equal to about 2.2 billion pounds (EPA, 2023).

emission factors were developed for non-road construction equipment and on-road vehicles. *Table 3-1* shows an increase in temporary construction air pollutant emissions for each NAAQS category. See *Appendix A* for CEI data and calculations.

**TABLE 3-1: TEMPORARY CONSTRUCTION EMISSIONS** 

NAAQS						GHGs			
Year	СО	VOC	NOx	PM <sub>10</sub>	PM <sub>2.5</sub>	SOx	CO <sub>2</sub>	CH₄	N <sub>2</sub> O
2026	6.98	0.26	2.68	2.29	0.14	0.01	4,768.04	0.02	0.00
2027	1.52	0.17	1.89	1.01	0.10	0.01	2,651.60	0.01	0.00
2028	2.63	0.27	3.27	2.68	0.15	0.02	6,878.60	0.01	0.00

Source: RS&H, 2024.

#### **Climate Impacts**

GHG emissions would occur during the construction and operation of the Proposed Project. Using fossil fuel-powered machinery during the construction of the Proposed Project would emit GHGs such as CO2. These emissions would only last as long as construction activities. Increasing the number of construction-related personal vehicles traveling to and from the Airport would increase vehicle-related GHG emissions. These temporary emissions would only occur during the construction of the temporary runway (approximately 16 months) and the reconstruction of Runway 18/36 (4 months). For this EA, it is assumed that most construction-related workers already live and work in the region; therefore, the region's vehicle-related GHG emissions would not significantly change. Therefore, the construction of the Proposed Project would not have a significant effect on GHG emissions for the State of South Carolina, the U.S., or the global climate.

#### Social Costs of Greenhouse Gases (SC-GHGs)

In January 2023, the Council on Environmental Quality (CEQ) issued interim guidance, *National Environmental Policy Act Guidance on Consideration of Greenhouse Gas Emissions and Climate Change*, to assist agencies in analyzing greenhouse gas emissions (GHG) and climate change effects of a Proposed Project under NEPA. The FAA has not established a significance threshold for Climate impacts. As such, this section quantifies and discloses the potential greenhouse gas (GHG) emissions from the Proposed Project and provides context by monetizing the results using social cost of carbon estimates.

The CEQ identified Social Cost-Greenhouse Gases (SC-GHG) as the metric for assessing potential climate impacts and represents the monetary estimate of the effect associated with each additional metric ton of carbon dioxide released into the air (Interagency Working Group, 2021).

The Interagency Working Group (IWG) developed average discount rates to assess climate impacts over time. The higher the discount rate, the lower the social climate cost (SCC) for future generations. Three integrated assessment models (IAMs) were used to develop discount rates that were based on the results from the three IAMs used by the IWG: William Nordhaus' DICE model (Yale University), Richard Tol's FUND model (Sussex University), and Chris Hope's PAGE model (Cambridge University) (Interagency Working Group, 2021). The IWG average discount rates are 5 percent, 3 percent, 2.5

<sup>88</sup> FR 1196, National Environmental Policy Act Guidance on Consideration of Greenhouse Gas Emissions and Climate Change, https://www.federalregister.gov/documents/2023/01/09/2023-00158/national-environmental-policy-act-guidance-on-consideration-of-greenhouse-gas-emissions-and-climate; Accessed November, 2023

percent, and the 95<sup>th</sup> percentile estimate at the 3 percent discount rate, which represents the potential for low-probability catastrophic climate impacts. The IWG average discount rates represent a range of possible climate impacts to future generations. For example, the 5 percent average rate represents a situation where future generations are best suited to manage potential climate impacts from the Proposed Project, leading to a minimal social cost impact. The IWG determined the social cost of CO<sub>2</sub> (SC-CO<sub>2</sub>) through 2050 and assigned a monetary value<sup>8</sup> for each additional metric ton of CO<sub>2</sub> produced. SC-CO<sub>2</sub> is equivalent to SC-GHGs and represents the social costs of the total greenhouse gases converted to the CO<sub>2</sub>e equivalent. The SC-CO<sub>2</sub> helps weigh the benefits of climate mitigation against its costs.

The calculated social costs are estimates only and subject to change depending on various factors (e.g., energy supply). These calculations are for information purposes only and represent the potential social costs from construction emissions during the Proposed Project's construction. The social cost calculations represent a range of possibilities and are not guaranteed to occur. As shown in *Table 3-2*, the range of potential social costs from the Proposed Project from construction emissions is approximately \$81,079 – \$825,096 for 2026, \$47,738 - \$466,768 for 2027 and \$123,827 - \$1,238,272 for 2028. This cost range represents the potential social costs of adding GHGs to the atmosphere in a given year. It includes the value of all climate change impacts, including (but not limited to) changes in net agricultural productivity, human health effects, property damage from increased flood risk natural disasters, disruption of energy systems, risk of conflict, environmental migration, and the value of ecosystem services (Interagency Working Group, 2021). It is important to note that this climate analysis does not include positive impacts from the Proposed Project (e.g., improve the Runway 18-36 safety and extend the life for approximately 20 years).

In considering the impact of climate change on the Proposed Project, the foreseeable state of the environment is not expected to change significantly over the limited construction duration of the Proposed Project, which spans approximately three years, since effects are typically felt on decadal time scales. For example, the ACRP guidance on Climate Change Adaptation Planning: Risk Assessment for Airports (ACRP Report 147, 2015) provides short-term and long-term forecasts for 2030 and 2060 and recommends re-evaluating climate change risks to airports every 3-5 years. Therefore, no significant impacts to the Proposed Project are anticipated as a result of climate change effects occurring during the Proposed Project's construction.

TABLE 3-2: SOCIAL COST - CARBON DIOXIDE FOR THE PROPOSED PROJECT

Year	Proposed Project CO₂e	Average Estimate at 5% Discount Rate	Average Estimate at 3% Discount Rate	Average Estimate at 2.5% Discount Rate	95 <sup>th</sup> Percentile Estimate at 3.0% Discount Rate
2026	4,769.34	\$81,079	\$271,852	\$400,625	\$825,096
2027	2,652.09	\$47,738	\$156,473	\$228,080	\$466,768
2028	6,879.29	\$123,827	\$412,757	\$598,498	\$1,238,272

These monetary values are based on the results from three economic models used by the IWG: William Nordhaus' DICE model (Yale University), Richard Tol's FUND model (Sussex University), and Chris Hope's PAGE model (Cambridge University).

-

<sup>9</sup> https://costofcarbon.org/files/Omitted Damages Whats Missing From the Social Cost of Carbon.pdf; Accessed November 2023

Note: Per the 2023 IPCC Sixth Assessment Report,  $CO_2$ e equivalent for SC-GHG were calculated using the Interagency Working Group <sup>10</sup> average discount rates: 5 percent, 3 percent, 2.5 percent, and the 95<sup>th</sup> percentile estimate applying the 3 percent discount rate.  $CO_2$ e Values are multiplied by the discount rate to calculate SC- $CO_2$ .

Per the 2023 IPCC $^{11}$  Sixth Assessment Report, the CO $_2$  equivalent for N $_2$ O is calculated by multiplying the N $_2$ O emissions by the GWP of 265. The CO $_2$  equivalent for CH $_4$  is calculated by multiplying the CH $_4$  emissions by the GWP of 28. For example, the 2024 Average Estimate at 5% Discount Rate was calculated using the 2024 CO $_2$ e value of 43.51 multiplied by 2024's \$16 determined value for the 5% Discount Rate.

Sources: Interagency Working Group, 2021, IPCC Sixth Assessment 2023, RS&H, 2024.

#### Mitigation, Avoidance, or Minimization Measures

As described above, the Proposed Project would not significantly affect Air Quality or Climate. In the absence of potentially significant effects, mitigation measures are not proposed.

#### 3.4.2 Biological Resources

This section describes the general characteristics of the environment within the project study areas and the potential environmental consequences of the Proposed Project regarding biological resources.

Section 7(a)(1) of the Endangered Species Act (ESA) OF 1973, as amended (16 U.S.C. part 1531 et seq.), required federal agencies, in consultation with and with the assistance of the U.S. Fish and Wildlife Service (FWS) and/or the National Marine Fisheries Service (NMFS), to use their authorities to further the purpose of the ESA by carrying out programs for the conservation of listed species. Section 7(a)(2) of the ESA requires that each federal agency, in consultation with and with the assistance of FWS and/or NMFS, ensures that any action authorized, funded, or carried out by the agency is not likely to jeopardize the continued existence of any endangered or threatened species or result in the destruction or adverse modification of designated critical habitat of those species. When the action of a federal agency may affect a listed species or its designated critical habitat, that agency is required to consult with either NMFS, USFWS, or both, depending upon the species that may be affected.

The Migratory Bird Treaty Act (MBTA) protects all migratory birds by prohibiting the taking, killing, or possessing of migratory birds (including their eggs, nests, and feathers). The MBTA applies to migratory birds identified in 50 Code of Federal Regulations (CFR) § 10.13 (referred to hereafter as "migratory birds").

The Bald and Golden Eagle Protection Act (BGEPA) prohibits anyone from "taking" a bald or golden eagle, including their parts, nests, or eggs, without a permit issued by the FWS. Implementing regulations (50 CFR Part 22) and FWS guidelines published in the National Bald Eagle Management Guidelines provide additional protections against "disturbances." Similar to take, "disturb" means to agitate or bother a bald or golden eagle to a degree that causes, or is likely to cause, injury to an eagle or causes either a decrease in its productivity or nest abandonment due to a substantial interference with breeding, feeding, or sheltering. A permitting process provides limited exceptions to BGEPA's prohibitions (50 CFR Part 22). Permits are only needed when avoidance of incidental take is not possible. According to federal guidelines, if conservation measures can be implemented such that no aircraft are

٠

Technical Support Document: Social Cost of Carbon, Methane, (whitehouse.gov); Accessed November 2023

<sup>11</sup> https://www.ipcc.ch/report/ar6/syr/downloads/report/IPCC\_AR6\_SYR\_LongerReport.pdf; Accessed November 2023

flown within 1,000 feet of a nest, incidental take of bald eagles is unlikely to occur, and no permit is needed.

#### 3.4.2.1 Affected Environment

A desktop analysis and threatened and endangered (T&E) survey of the project area were conducted. The T&E species remote data assessment (the desktop review) results and the results from the on-site survey are described below.

The area surveyed for biological resources is a portion of the direct study area and covers approximately 88 acres, located on the northwest portion of the Airport property. The wildlife survey assessed the presence or absence of federal and state-listed species within a surveyed area based on line-distance sampling methods, as detailed in Buckland et al. (1993). The survey focused on systematically collecting data along transect lines established to ensure comprehensive coverage of the biological resources survey area. They were spaced to represent the range of habitats on-site and potential species occurrence. *Figure 3-5* illustrates the biological resources survey area and systematic transects.

There are minimal changes in elevation throughout Airport property, which vary from being saturated to having water temporarily standing at a depth of a few feet in some areas (i.e., on-Airport stormwater detention conveyance system/swales). The area surveyed of biological resources is maintained with routine mowing, such that the entire area is herbaceous with no shrub or tree species present. Photos of the survey area, notable observations, and typical vegetation can be found in the photo log in *Appendix B*.

The area surveyed for biological resources underwent a comprehensive review through the USFWS Information for Planning and Consultation (IPaC) system, seeking guidance on federally listed species. Within this framework, 12 threatened or endangered species that might occur within the area surveyed for biological resources were identified. In addition, seven state-listed T&E species were identified as potentially occurring within the survey area. *Appendix B, Table 1* includes the complete list of T&E species that have the potential to occur within the area surveyed for biological resources.

During the comprehensive wildlife survey conducted within the area surveyed for biological resources, field observations revealed an absence of federal and state-designated T&E species potentially associated with the region within the area surveyed. Vegetation in the upland areas of the surveyed area includes broomsedge (*Andropogon* spp.), bitter sneezeweed (*Helenium amarum*), crabgrass (*Digitaria spp.*), carpetgrass (*Anxonopus fissifolius*), common dandelion (*Taraxacum officinale*), blackberry (*Rubus* sp.), and Bermuda grass (*Cynodon dactylon*). Many inundated areas contained algae, large rocks, and murky water. Stormwater system/swale depths ranged from approximately 0.5 inch to a few feet deep, with deeper areas typically found towards the northern portion of the area surveyed for biological resources.

The Bald Eagle (*Halieaeetus leucocephalus*) is no longer considered a listed species under the ESA; however, the Bald Eagle is afforded protection under BGEPA, as amended. Although the Bald Eagle has been delisted, restrictions regarding work around their nests are still in place. The National Bald Eagle Management Guidelines define two buffer zones (the primary and secondary zones) from the central location of a nest. Activity restrictions are based on the distance from the nest. The primary activity zone

is 330 feet from the nest, and the secondary activity zone is 660 feet from the central location of the nest. These restrictions vary based on the time of year and distance of the project from the nest. There are no known or observed Bald Eagles nests within the primary or secondary activity zones from the area surveyed for biological resources.

#### 3.4.2.2 Environmental Consequences

This section describes the significance threshold(s) pertaining to biological resources and the potential effects the Proposed Project would have on those resources compared to the No Action Alternative.


#### **Significance Thresholds**

FAA Order 1050.1F, Exhibit 4-1, provides the FAA's significance threshold for biological resources, which states, "The USFWS or the National Marine Fisheries Service determines that the action would be likely to jeopardize the continued existence of a federally listed threatened or endangered species, or would result in the destruction or adverse modification of federally designated critical habitat." Non-listed species have no significance threshold, but factors for consideration are provided.

#### **Biological Resources Impacts**

Field observations revealed an absence of federal and state-designated T&E species potentially associated with the region within the area surveyed for biological resources (see *Appendix B* for further information). Therefore, based on habitat suitability and historical presence, federal or state-listed T&E species are unlikely to be encountered within the area surveyed for biological resources.

#### FIGURE 3-5: AREA SURVEYED FOR BIOLOGICAL RESOURCES




# Legend









**Table 3-3** shows the two federal-listed species and four stated-listed species with the potential for effect. According to the South Carolina Ecological Services Field Office Determination Key, the Proposed Project has the potential to likely encounter the state-listed species.

Based on the USFWSIPaC submission, the Proposed Project would have *no effect* on federally listed species. The USFWS IPac submission describes the piping plover (*Charadrius melodus*) and rufa red knot (*Calidris canutus rufa*) as "Not Likely to Adversely Affect" (NLAA). During the field investigation of the surveyed area, neither the piping plover or the rufa red knot, or the habitats of either species were observed during the field survey (see *Appendix B* for further information). Therefore, the Proposed Project would have *no effect* on the piping plover or rufa red knot species or their habitats.

TABLE 3-3: POTENTIALLY AFFECTED FEDERAL AND STATE-LISTED SPECIES WITHIN THE SURVEYED AREA

Species	USFWS	SCDNR	Likeliness	Effects
	Listing	Listing	to	Determination
	Status	Status	Encounter	
Piping Plover (Charadrius melodus)	Threatened	n/a	n/a	No Effect
Rufa Red Knot (Calidris canutus rufa)	Threatened	n/a	n/a	No Effect
Swallow-tailed Kite (Clemmys guttata)	n/a	Endangered	Low	No Effect
Bald Eagle (Haliaeetus leucocephalus)	n/a	Threatened	Low	No Effect
Peregrine Falcon (Falco peregrinus)	n/a	Endangered	Low	No Effect
Spotted Turtle (Clemmys guttatta)	n/a	Threatened	Medium	No Effect

Notes: n/a - not applicable.

Source: South Carolina Ecological Services Field Office (ESFO) Determination Key (DKey); USFWS.gov; SCDNR Threatened and Endangered Species Inventory

# Swallow-tailed Kite (Clemmys guttata)

The Airport's proximity to large tracts of forested wetlands and available prey suggests a potential foraging habitat for swallow-tailed kites. However, the absence of tall trees within the biological resources survey area diminishes the likelihood of the survey area serving purposes beyond foraging habitat or as a migratory pathway. The swallow-tailed kite was not observed during the field survey. The Proposed Project would have *no effect* on the swallow-tailed kite.

#### Bald Eagle (Haliaeetus leucocephalus)

The Airport's proximity to the coast increases the likelihood that bald eagles may be observed near the area surveyed for biological resources. However, the area surveyed for biological resources lacks tall trees suitable for nesting. The Bald Eagle was not observed during the field survey (see *Appendix B* for further information). The Proposed Project would have *no effect* on the Bald Eagle.

#### Peregrine Falcon (Falco peregrinus)

The Airport's proximity to waterfowl impoundments and urbanized areas increases the likelihood that peregrine falcons may be encountered in the biological resources survey area. However, it is important to note that peregrine falcons do not nest along the coastal plains of South Carolina. Instead, the survey area may serve as a migratory pathway for these falcons, presenting an opportune location for hunting

prey or as a migratory pathway. The American Peregrine Falcon was not observed during the field survey. The Proposed Project would have *no effect* on the American Peregrine Falcon.

# Spotted Turtle (Clemmys guttatta)

A network of on-site stormwater ditches provides a potential suitable habitat for spotted turtles, which prefer slow-moving shallow water with lots of aquatic vegetation. The spotted turtle was not observed during the field survey. The Proposed Project would have *no effect* on the spotted turtle.

#### Mitigation, Avoidance, or Minimization Measures

The Proposed Project would not significantly affect biological resources. In the absence of potentially significant effects, mitigation measures are not proposed.

# 3.4.3 Hazardous Materials, Solid Waste, and Pollution Prevention

This section describes the existing characteristics of the environment within the study areas and the potential environmental consequences of the Proposed Project regarding hazardous materials, solid waste, and pollution prevention.

#### 3.4.3.1 Affected Environment

#### **Hazardous Materials**

According to the USEPA online resources (e.g., NEPAssist and EnvirAtlas), there are hazardous waste facilities within the project study areas. No superfund sites are on the National Priorities List (NPL) within the study areas. The closest superfund site is the Kerr-Mcgee Chemical Corp - Navassa (Site ID: 0403028), located 60 miles northeast of the study areas. (EPA, 2023). Multiple hazardous waste producers are located within the study areas (see *Table 3-4*).

TABLE 3-4: HAZARDOUS WASTE PRODUCERS WITHIN PROJECT STUDY AREAS

Owner Name	Handler ID	Hazardous Waste Generator
TSA at Myrtle Beach International Airport	Scr000765891	Small Quantity Generator
Allegiant Air	Scr000786269	Very Small Quantity Generator
Dominion Energy South Carolina Myrtle Beach	Scr000787713	Very Small Quantity Generator
Certified Aviation Services Llc	Scr000789636	Very Small Quantity Generator
Prescott Support	Scr000771907	Very Small Quantity Generator
Avcraft Support Services Inc	Scr000768010	Unspecified
Flight International Services	Scr000002907	Unspecified

Source: EPA, 2023

The Horry County Department of Airports (HCDA) has existing policies and procedures for handling, disposing of, and cleaning up hazardous materials, chemicals, and other substances, including jet fuel. The HCDA developed a Spill Prevention, Control, and Countermeasure (SPCC) Plan. It established roles and responsibilities for spill response on Airport property.

#### **Solid Waste**

GFL Environmental Inc. manages the solid waste at the Airport. The closest landfill to the airport is the Horry County landfill, located about nine miles from the Airport (South Carolina Department of Health and Environmental Control, 2022). As of FY22, the landfill had 18.4 years of capacity, with plans to expand the landfill to accommodate future growth in Horry County (SCDHEC, 2022).

#### **Pollution Prevention**

The HCDA has a National Pollutant Discharge Elimination System (NPDES) permit for industrial activities at the Airport. This permit requires the HCDA to maintain a Storm Water Pollution Prevention Plan (SWPPP) and SPCC plan for the Airport property. The HCDA has various plans and procedures to address potential spills at the Airport. These include measures to minimize the impacts of potentially contaminated stormwater on receiving bodies.

# 3.4.3.2 Environmental Consequences

This section describes the significance threshold(s) pertaining to hazardous materials, solid waste, and pollution prevention compared to the No Action Alternative.

#### **Significance Threshold**

FAA Order 1050.1F does not define a significance threshold for hazardous materials, solid waste, and pollution prevention; however, it does provide several factors to consider in evaluating the context and intensity of potential environmental impacts. FAA Order 1050.1F, Exhibit 4-1 states that these include when the action would have the potential to:

- » Violate applicable federal, state, tribal, or local laws or regulations regarding hazardous materials and/or solid waste management;
- » Involve a contaminated site (including but not limited to a site listed on the National Priorities List). Contaminated sites may encompass relatively large areas. However, not all of the grounds within the boundaries of a contaminated site are contaminated, which leaves space for siting a facility on non-contaminated land within the boundaries of a contaminated site. An EIS is not necessarily required. Paragraph 6-2.3.a of [FAA Order 1050.1F] allows for mitigating impacts below significant levels (e.g., modifying an action to site it on non-contaminated grounds within a contaminated site). Therefore, if appropriately mitigated, actions within the boundaries of a contaminated site would not have significant impacts;
- » Produce an appreciably different quantity or type of hazardous waste;
- » Generate an appreciably different quantity or type of solid waste or use a different method of collection or disposal and/or would exceed local capacity; or
- Adversely affect human health and the environment.

# **Hazardous Materials Impacts**

Construction of the Proposed Project would result in a temporary increase of on-Airport hazardous material storage. This would predominately occur in the form of diesel fuel, which is necessary to

operate construction equipment. The selected contractor would manage hazardous materials from construction activities per existing Airport regulations and standard operating procedures (SOPs).

The operation of the Proposed Project would not change the type or quantity of hazardous materials used or stored at the Airport. All existing hazardous materials would continue to be used and stored per federal, state, and local rules and regulations. Therefore, compared to the No Action Alternative, the construction and operation of the Proposed Project would not significantly affect hazardous materials.

# **Solid Waste Impacts**

Construction activities would temporarily increase the amount of construction waste (e.g., vegetation clearing, temporary runway construction, runway rehabilitation). There are current stockpile sites on the Airport property that would be used for spoils materials (e.g., sand, subbase gravel, asphalt, concrete, broken pipe, glass, wood, and other debris) during the project's construction. However, Engineers would strive to balance the amount of fill needed for the temporary runway construction with the excavation for the drainage basins resulting in very little, if any, spoils remaining at the end of construction. The selected construction contractor would manage solid waste from construction activities per existing Airport regulations and SOPs. Compared to the No Action Alternative, construction of the Proposed Project would not significantly affect solid waste or the capacity of area landfills.

#### **Pollution Prevention Impacts**

The HCDA has a NPDES permit for activities at the Airport. This permit requires the HCDA to maintain a SWPPP and SPCC plan for the Airport property. The HCDA has various plans and procedures to address potential spills at the Airport. These include measures to minimize the impacts of potentially contaminated stormwater on receiving bodies.

#### Mitigation, Avoidance, or Minimization Measures

As described above, the Proposed Project would not significantly affect hazardous materials, solid waste, or pollution prevention at the Airport. In the absence of potentially significant effects, mitigation measures are not proposed.

# 3.4.4 Natural Resources and Energy Supply

This section describes the existing characteristics of the environment within the project study areas and the potential environmental consequences of the Proposed Project regarding natural resources and energy supply.

#### 3.4.4.1 Affected Environment

Consumable materials are regularly used to maintain the Airport's various airside and landside facilities and services. Those materials may include asphalt, concrete, aggregate for sub-base materials, various metals associated with such maintenance, and fuels associated with the operation of aircraft and vehicles.

Electrical power is provided to the Airport by Duke Energy Progress (Duke Energy, 2023). Water services are provided by the Grand Strand Water & Sewer Authority (GSWSA) (Myrtle Beach Chamber of Commerce, 2023). Water supply for the Airport originates from the Great Pee Dee Watershed (Grand Strand Water & Sewer Authority, 2023). The direct study area is about 15 miles from the nearest Great

Pee Dee Watershed component. Dominion Energy provides natural gas to the Airport and the surrounding community (Myrtle Beach Chamber of Commerce, 2023).

# 3.4.4.2 Environmental Consequences

This section describes the significance threshold(s) pertaining to natural resources and energy supply and the potential effects the Proposed Project would have on natural resources and energy supply compared to the No Action Alternative.

# **Significance Threshold**

FAA Order 1050.1F does not define a significance threshold for natural resources and energy supply; however, it does provide a factor to consider in evaluating the context and intensity of potential environmental impacts. Potentially significant effects could occur if the action has the potential to cause demand to exceed available or future supplies of these resources, which include fuel, construction material, and electrical power.

#### **Natural Resources and Energy Supply Impacts**

The Proposed Project's construction would result in temporarily increased usage of natural resources. Construction activities associated with the Proposed Project include using aggregate, sub-base materials, paving materials, and utility cables. Construction of the Proposed Project would not require large volumes of natural resources that are rare or in short supply. These resources are not rare or in short supply, and the quantity required for development this size would not place an undue strain on supplies within the Myrtle Beach area. Construction of the Proposed Project would also result in temporary increased usage of energy supplies. However, the increase would be temporary and minor and within the supply capabilities of Duke Energy Progress. Trucks and construction equipment would consume fuels as needed for construction purposes. These energy sources are not rare or in short supply.

Construction of the Proposed Project would temporarily increase fuel usage from construction-related vehicles accessing the Direct Study Area. Operation of the Proposed Project would not increase aviation fuel use at the Airport.

#### Mitigation, Avoidance, or Minimization Measures

Construction and implementation of the Proposed Project would not significantly affect natural resources and energy supply. Therefore, no mitigation is required or proposed.

# 3.4.5 Noise and Noise Compatible Land Use

This section describes the existing condition, the significance threshold(s) pertaining to noise and noise-compatible land use used to determine the potential effects of the Proposed Project compared to the No Action Alternative and describes those potential effects.

# 3.4.5.1 Affected Environment

The U.S. Environmental Protection Agency (USEPA) has designated the Day-Night Sound Level (DNL) as the principal metric for airport noise analysis. <sup>12</sup> DNL is widely accepted as the best available single

-

<sup>&</sup>lt;sup>12</sup> U.S. Environmental Protection Agency, Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety, U.S. EPA Report No. 550/9-74-004, 1974.

metric to describe aircraft noise exposure. The FAA requires use of the annual DNL in aircraft noise exposure analyses and noise compatibility planning.2<sup>13</sup> DNL is based on sound levels measured in relative intensity of sound decibels (dB) on the A-weighted scale (dBA) over a time-weighted average normalized to 24-hours. DNL has been widely accepted as the best method to describe aircraft noise exposure. The USEPA identifies DNL as the principal metric for airport noise analysis. The FAA requires DNL to be the noise descriptor in aircraft noise exposure analysis and noise compatibility planning. DNL levels are commonly shown as lines of equal noise exposure, similar to terrain contour maps, referred to as noise contours. The Aviation Environmental Design Tool (AEDT) is the FAA's required tool for the environmental review of infrastructure projects and other Federal actions affecting airports and airspace in the United States.

The noise environment is commonly depicted in lines of equal noise levels or noise contours. These noise contours are supplemented with noise data for selected points such as noise-sensitive receptors. The noise analysis takes the following operational characteristics into account:

- » number of aircraft operations;
- » aircraft fleet mix;
- » aircraft noise and performance characteristics;
- » flight tracks; and
- runway use.

Noise modeling requires specific noise and performance data for each aircraft type operating at the Airport. Noise data includes particular aircraft with engines at a range of thrust levels at a range of distances (from 200 feet to 25,000 feet). Performance data include takeoff and landing operations' thrust, speed, and altitude profiles. AEDT has standard aircraft flight profiles for takeoffs, landings, and flight patterns or touch-and-go operations, which were used for all civilian and military aircraft types. The AEDT database contains standard noise and performance data for over 300 fixed-wing aircraft types, most of which are civilian aircraft. Within the AEDT database, it is standard for aircraft takeoff or departure profiles to be defined by a range of trip distances identified as "stage lengths." Higher stage lengths (longer trip distances) are associated with heavier aircraft due to the flight's increased fuel requirements.

The 2023 aircraft operations modeled were obtained from the FAA's Air Traffic Activity System (ATADS) for fiscal year 2023 (October 1, 2022, through September 30, 2023). These data, by aircraft category, are provided in *Table 3-5*. The Airport's 2023 annual operations totaled 135,049, an average of approximately 370 daily operations.

**TABLE 3-5: 2023 ANNUAL AIRCRAFT OPERATIONS** 

Air Carrier	Air Taxi	General Aviation	Military	Total
28,916	72,129	26,815	7,189	135,049

Source: FAA ATADS FY 2023

\_

<sup>13</sup> Federal Aviation Administration, Federal Aviation Regulations Part 150, Airport Noise Compatibility Planning, Appendix A, 1984.

For the purposes of preparing DNL contours, operational data were segregated by aircraft type. The FAA's Traffic Flow Management System Count (TFMSC) data was used to develop the AEDT aircraft fleet mix. TFMSC data provides information on traffic counts by airport and includes the aircraft types operating at that airport. The TFMSC data for MYR was reviewed, and each aircraft type was assigned the corresponding AEDT aircraft type. As required to prepare DNL contours, annual aircraft operations were converted to annual average-day operations.

Aircraft operations modeled in the AEDT are assigned as occurring during the day (7:00 a.m. to 9:59 p.m.) or the night (10:00 p.m. to 6:59 a.m.). The calculation of DNL includes an additional weight of 10 decibels (dB) for those operations occurring at night. The time of day for operations was based on air carrier schedules and FlightAware, a commercial vendor that collects and manages aircraft operations and flight track data. All military operations were modeled during the day. The 2023 modeled aircraft operations and fleet are provided in *Appendix C*.

The 2023 65-75 DNL contours are provided in *Figure 3-6. Table 3-6* identifies the areas within the DNL contour ranges. As shown in the table, the total area within the 65 DNL and greater contour is 875 acres and is primarily located within the limits of the Airport property boundary.

The contours extend off-Airport property southeast of the threshold of Runway 36 along South Kings Highway. This area includes two helipads for helicopter tours of the beaches and surrounding areas.

Twelve residential properties south of the threshold of Runway 36 are located within the 2023 65 DNL contour. These properties include a mix of single-family and multi-family residences. See *Appendix C* for further information.

**TABLE 3-6: AREA WITHIN 2023 DNL CONTOUR INTERVALS** 

DNL Contour Range	Area (acres)
65-70	458
70-75	209
>75	208
Total	875

Source: RS&H, 2023


# 3.4.5.2 Environmental Consequences

# **Significance Threshold**

Per FAA Order 1050.1F, "a significant noise impact would occur if the action would increase noise by DNL 1.5 dB or more for a noise sensitive area that is [already] exposed to noise at or above the DNL 65 dB noise exposure level, or that will be exposed at or above the DNL 65 dB level due to a DNL 1.5 dB or greater increase when compared to the no action alternative for the same timeframe." Noise-sensitive areas generally include residential neighborhoods; educational, health, and religious facilities; and cultural and historic sites.

For example, an increase from DNL 65.5 dB to 67 dB is considered a significant impact, as is an increase from DNL 63.5 dB to 65 dB. The determination of significance must be obtained using noise contours and/or grid point analysis along with local land use information and general guidance contained in Appendix A of 14 CFR Part 150.

# FIGURE 3-6: 2023 DNL CONTOURS





In addition to defining significant impacts, FAA Order 1050.1F includes additional reporting requirements, including:

- The location and number of noise-sensitive uses at or above DNL 65 dB;
- The disclosure of potentially newly non-compatible land use, regardless of whether there is a significant noise impact; and
- » Maps reporting the number of residences or people residing at or above DNL 65 dB for at least the 65-, 70-, and 75-dB exposure levels.

#### **Noise and Noise Compatible Land Use Impacts**

The 2026 and 2029 analysis years were not used to compare the Proposed Project to the No Action Alternative aircraft noise analysis. During those years, aircraft operations, arrivals and departures, etc. would be the same. Therefore, aircraft noise impacts in 2026 and 2029 would not occur.

As previously described, the 2028 study year is for the aircraft noise analysis purposes when the Airport's aircraft operations are shifted to the temporary runway. The 2028 aircraft operations were obtained from the FAA's Terminal Area Forecast (TAF) issued in February 2023. These data, by aircraft category, are provided in *Table 3-7*. As shown, the 2028 annual operations are forecast to total 145,833, an average of approximately 400 daily operations.

The 2028 aircraft fleet mix was determined by multiplying the percentages by aircraft type that occurred in 2023 by the FAA TAF operations forecast to occur in 2028. The runway use, flight tracks, flight track use, and time of day modeled for 2028 were the same as the 2023 condition. The 2028 aircraft operations and fleet mix are shown in *Appendix C*.

**TABLE 3-7: 2028 ANNUAL AIRCRAFT OPERATIONS** 

Air Carrier	Air Taxi & Commuter	<b>General Aviation</b>	Military	Total
35,744	74,542	28,166	7,381	145,833

Source: FAA TAF, Issued February 2023

#### 2028 No Action Alternative DNL Contours


The 2028 No Action Alternative 65-75 DNL contours are provided in *Figure 3-7. Table 3-8* identifies the areas within the DNL contour ranges. As shown in the table, the total area within the 65 DNL and greater contour is 927 acres and is primarily located within the limits of the Airport property boundary. Twelve residential properties south of the threshold of Runway 36 are located within the 2028 No Action Alternative 65 DNL contour (the same twelve residential properties previously described being within the 2023 65 DNL contour). These properties include a mix of single-family and multi-family residences.

TABLE 3-8: AREA WITHIN 2028 NO ACTION ALTERNATIVE DNL CONTOUR INTERVALS

DNL Contour Range	Area (acres)
65-70	492
70-75	220
>75	215
Total	927

Source: RS&H, 2023.

FIGURE 3-7: 2028 NO ACTION ALTERNATIVE AND PROPOSED PROJECT DNL CONTOURS





#### 2028 Proposed Project DNL Contours

The 2028 Proposed Project would not increase aircraft operations (takeoffs and landings) The existing runway configuration, arrival/departure procedures, and runway use percentages would change for a four-month period. However, compared to the 2028 No Action Alternative, the 2028 Proposed Project would not change aircraft noise exposure and significant noise impacts would not occur. See *Appendix C* for further information.

#### 2028 Supplemental Noise Information

The following describes noise exposure information for the temporary four-month construction period. In an EA, a significance noise impact is determined by comparing the annual future No Action Alternative with the annual future Proposed Project. There is no significance threshold for aircraft noise during a temporary period. Therefore, the future Proposed Project is not compared to the future No Action Alternative. The supplemental noise information shows how noise exposure would change in 2028 with the temporary construction period and is for informational purposes only.

The modeling of the DNL contours with the temporary construction period included aircraft operating on the Airport's existing runway for eight months and operating on the temporary runway for four months in 2028. The resulting 65-75 DNL contours are shown in *Figure 3-8*.

Sixteen mobile/manufactured residences are within the 65 DNL contour just west of the Runway 18 threshold. These properties would experience a temporary increase (4 months) in noise exposure as the temporary runway is closer to the properties when compared to the existing runway. South of the Runway 36 threshold, 11 residential properties are located within the 65 DNL contour. All properties would experience a temporary decrease (4 months) in noise as the temporary runway is about half a mile farther away.

The properties within the 65 DNL contour west and south of the Airport are shown in *Figure 3-9* and *Figure 3-10* respectively. See *Appendix C* for further information.

#### Mitigation, Avoidance, or Minimization Measures

The Proposed Project would not significantly affect noise and noise-compatible land use. Therefore, no mitigation is required or proposed.

FIGURE 3-8: 2028 DNL CONTOURS WITH TEMPORARY CONSTRUCTION PERIOD






FIGURE 3-9: RESIDENTIAL PROPERTIES EXPERIENCING A FOUR-MONTH TEMPORARY INCREASE IN NOISE







FIGURE 3-10: RESIDENTIAL PROPERTIES EXPERIENCING A FOUR-MONTH TEMPORARY DECREASE IN NOISE





# 3.4.6 Socioeconomics and Environmental Justice

Socioeconomics is a broad term for a project's social or economic aspects or a combination of the two. A socioeconomic analysis evaluates how elements of the human environment, such as population, employment, housing, and public services, might be affected by a Proposed Project and alternative(s).

This section describes the existing condition, the significance threshold(s) pertaining to socioeconomics used to determine the potential effects of the Proposed Project compared to the No Action Alternative and describes those potential effects.

#### 3.4.6.1 Affected Environment

Existing demographics as they relate to socioeconomics and environmental justice were researched. U.S. Census Bureau information for the City of Myrtle Beach and Horry County is the basis of the socioeconomic analysis. U.S. Census Block Group data is the basis for the environmental justice analysis.

#### **Socioeconomics**

According to the U.S. Census data, the City of Myrtle Beach has a population of 35,682, an average household income of \$45,701, and 22,456 housing units (U.S. Census Bureau, 2023). Horry County has a population of 351,029, an average household income of \$61,063, and 203,702 housing units (U.S. Census Bureau, 2023). The Airport plays a significant role in economic activity for the City of Myrtle Beach, Horry County, and the State of South Carolina. In 2018, the South Carolina Aeronautics Commission (SCAC) determined that the Airport created nearly 3 billion in economic activity and supported the employment of approximately 26,000 jobs (South Carolina Aeronautics Commission, 2018).

#### **Environmental Justice**

Two U.S. Census Blocks have the potential to be indirectly affected by the Proposed Project (450510517001 and 450510515032). *Table 3-9* describes the share of the population in poverty within the Census Blocks compared to South Carolina and the U.S. About 63% of the population in Census Block 450510517001 is below the poverty level. About 40% of the population in Census Block 450510515032 is below the poverty level. *Table 3-10* shows the total minority presence in the Census Blocks compared to South Carolina and the U.S. According to the U.S. Census Bureau, about 22% of the population in Census Block 450510517001 is a minority. About 38% of the population in Census Block 450510515032 is a minority.

TABLE 3-9: POPULATION BELOW THE POVERTY LEVEL

Area	Percent of the Population Living Below the Poverty Level
U.S. Census Block Group 450510517001	63%
U.S. Census Block Group 450510515032	40%
South Carolina	36%
U.S.	31%

Source: USEPA, EJScreen, 2024.

**TABLE 3-10: MINORITY POPULATION** 

Area	Percent Minority
U.S. Census Block Group 450510517001	22%
U.S. Census Block Group 450510515032	38%
South Carolina	38%
U.S.	39%

Source: USEPA, EJScreen, 2024

#### 3.4.6.2 Environmental Consequences

#### **Significance Threshold**

The FAA has not established a significance threshold for socioeconomics in FAA Order 1050.1F; however, the FAA has identified factors to consider when evaluating the context and intensity of potential environmental impacts for socioeconomics (see Exhibit 4-1 of FAA Order 1050.1F). Determining that significant impacts exist in the socioeconomic impact category normally depends on whether the potential socioeconomic impact(s) are interrelated with or inseparable from a physical or natural environmental effect. Please note that these factors are not intended to be thresholds. If these factors exist, there is not necessarily a significant impact; rather, the FAA must evaluate these factors in light of context and intensity to determine if there are significant impacts.

Factors to consider that may apply to socioeconomic resources, if they are interrelated with natural or physical environmental impacts (see 40 CFR § 1508.14), include, but are not limited to, situations in which the action would have the potential to:

- » induce substantial economic growth in an area, either directly or indirectly (e.g., through establishing projects in an undeveloped area);
- disrupt or divide the physical arrangement of an established community;
- » cause extensive relocation when sufficient replacement housing is unavailable;
- » cause extensive relocation of community businesses that would cause severe economic hardship for affected communities;
- » disrupt local traffic patterns and substantially reduce the levels of service of roads serving an airport and its surrounding communities; or
- » produce a substantial change in the community tax base.

# **Socioeconomics Impacts**

The Proposed Project would increase the Airport's and the community's economic activity compared to the No Action Alternative. The Proposed Project would result in short-term construction-related employment of local contractors, which could have a positive effect. Construction-related impacts would be temporary and are not expected to cause a significant secondary (induced) impact on the surrounding area.

The Proposed Project would not cause shifts in the projected population growth, cause changes to population movement, or result in the need for extensive relocations. The Proposed Project does not

anticipate increasing the demand for fire, police, and life safety services. Compared to the No Action Alternative, the Proposed Project would not disrupt any nearby surrounding communities of any planned development, or relocate community businesses, and it would be consistent with the plans and goals of the community.

#### **Environmental Justice Impacts**

The closest environmental justice area (i.e., low income or minority population based on U.S. Census data) is the U.S. Census Block Group 450510515032 (EPA, 2023). Construction of the Proposed Project would occur entirely on Airport property and would not require relocating residents or businesses. No residents would be directly affected by the construction of the Proposed Project. The Proposed Project would occur entirely on Airport property and not within any neighborhoods or minority and low-income communities that could be disproportionally affected (EPA, 2023).

When compared to the No Action Alternative, the Proposed Project would not change the annual aircraft noise exposure (see *Section 3.4.5* for further details) nor result in significant impacts in 2026 or 2029.

As described in *Section 3.4.5*, noise exposure information for the temporary four-month construction period in 2028 was described. Eleven residential parcels in U.S. Census Block Group 450510517001, south of the Airport, would experience a slight decrease in aircraft noise during the four-month construction period. In U.S. Census Block Group Group 450510515032, there are 16 residential parcels west of Runway 18/36 which would experience a slight increase in aircraft noise for the same four months. These are considered temporary impacts and the threshold of significance for annual aircraft noise exposure would not result in a significant impact to environmental justice communities. Therefore, there are no impacts on environmental justice communities.

#### Mitigation, Avoidance, or Minimization Measures

Construction and implementation of the Proposed Project would not significantly affect socioeconomics or environmental justice. Therefore, no mitigation is required or proposed.

# 3.4.7 Visual Effects

This section describes the existing condition, significance threshold(s) pertaining to visual effects used to determine the potential visual effects of the Proposed Project compared to the No Action Alternative and describes those potential effects.

According to FAA 1050.1F Desk Reference, "visual effects deal broadly with the extent to which the proposed action or alternative(s) would either: 1) produce light emissions that create an annoyance or interfere with activities; or 2) contrast with, or detract from, the visual resources and/or the visual character of the existing environment."

#### 3.4.7.1 Affected Environment

The direct project study area is the Airport property. The viewshed of the direct project study area includes Airport facilities such as the terminal, ATCT, hangar facilities, and parking lots. Some residents would have a line of sight to the direct project study area. The closest residential population is adjacent

to and west of the direct study area. Existing Airport outside lighting is for the safe movement of vehicles (e.g., personnel vehicles) and people by illuminating portions of the project study area.

# 3.4.7.2 Environmental Consequences

# **Significance Threshold**

FAA Order 1050.1F does not define a significance threshold for visual effects; however, Exhibit 4-1 of the Order provides several factors to consider in evaluating the context and intensity of potential environmental impacts.

For light emissions, these factors include the degree to which the action would have the potential to:

- "Create annoyance or interfere with normal activities from light emissions; and
- » Affect the visual character of the area due to the light emissions, including the importance, uniqueness, and aesthetic value of the affected visual resources."

For visual resources/visual character, these include the extent the action would have the potential to:

- "Affect the nature of the visual character of the area, including the importance, uniqueness, and aesthetic value of the affected visual resources;
- Contrast with the visual resources and/or visual character in the study area; and
- » Block or obstruct the views of visual resources, including whether these resources would still be viewable from other locations."

Potential aesthetic effects of an action are generally assessed by comparing the visual characteristics of the proposed development to existing development in the areas and to the environmental setting and by determining if a jurisdictional agency considers this contrast objectionable. The visual effects resulting from constructing and operating the Proposed Project would result from physical changes to the visual character of the project study area, including existing development, landforms, vegetation, and water surfaces.

#### **Visual Effects Impacts**

Construction of the Proposed Project would occur during the day and night. Night-time work would require temporary lighting for the safe movement of construction vehicles and workers. The lighting used would be directional and last only for the duration of night-time construction work. The temporary use of directional lighting for construction purposes would not result in light emission impacts on the surrounding area.

Operation of the Proposed Project would include permanent outside lighting to safely move vehicles (e.g., aircraft and personnel vehicles). The closest residential home is about 1,000 ft west of the Proposed Project. The Proposed Project would occur entirely on-Airport property and would not result in viewshed changes or additional light emissions for off-Airport residents as the Proposed Project would not create new buildings (i.e., temporary runway would be ground level) and would match the current existing viewshed at the Airport.

#### Mitigation, Avoidance, or Minimization Measures

The Proposed Project would have no significant impact on visual effects. Therefore, no mitigation is required or proposed.

# 3.4.8 Water Resources – Surface Waters

This section describes the existing condition, the significance threshold(s) pertaining to water resources – surface waters used to determine the potential effects of the Proposed Project compared to the No Action Alternative and describes those potential effects.

#### 3.4.8.1 Affected Environment

The Airport's existing drainage at is collected through a system of drop inlets, pipes and open swales that convey the water to two outfalls. Rainfall runoff from the airfield is collected with a system of drop inlets and smaller diameter pipes that convey stormwater into the ditches that are located between the runway and taxiways. A northern portion of the airfield's stormwater system is conveyed to the north under Old Socastee Highway and U.S. Highway 17 through a box culvert that ultimately discharges into the intercoastal waterway. The southern portion of the airfield's stormwater system discharges through a system of swales and ditches that leads under U.S. Highway 17 Business and South Ocean Boulevard and discharges into the Atlantic Ocean.

The HCDA has existing policies and procedures for handling, disposing of, and cleaning up hazardous materials, chemicals, and other substances, including jet fuel. The HCDA developed an SPCC Plan that established roles and responsibilities for spill response on Airport property. The HCDA also has an NPDES permit for industrial activities at the Airport. This permit requires the HCDA to maintain a SWPPP and SPCC plan for the Airport property. These plans minimize the impacts of potentially contaminated stormwater on receiving bodies.

# 3.4.8.2 Environmental Consequences

#### **Significance Threshold**

Exhibit 4-1 of FAA Order 1050.1F provides the FAA's significance threshold for surface waters. A significant impact exists if the action would:

- 1. Exceed water quality standards established by federal, state, local, and tribal regulatory agencies; or
- 2. Contaminate public drinking water supply such that public health may be adversely affected.

In addition to the threshold above, Exhibit 4-1 of FAA Order 1050.1F provides additional factors to consider that may apply to surface waters, including the potential to:

- » Adversely affect natural and beneficial water resource values to a degree that substantially diminishes or destroys such values;
- » Adversely affect surface waters such that the beneficial uses and values of such waters are appreciably diminished or can no longer be maintained, and such impairment cannot be avoided or satisfactorily mitigated; or

» Present difficulties based on water quality impacts when obtaining a permit or authorization.

### Water Resources - Surface Waters Impacts

The Proposed Project would affect on-Airport surface waters and receiving waters. The Proposed Project would be designed to minimize the potential impacts of surface waters. A preliminary analysis is underway to minimize potential effects and comply with FAA design standards.

Construction-related stormwater discharged in the direct study area could affect receiving waters. During construction, land disturbance would cause a short-term increase in sediments in stormwater runoff. Using fuels, lubricants, and solvents needed to operate construction equipment and materials could also cause pollutant discharges during rain events. The HCDA would ensure that their existing NPDES permit is updated to reflect the Proposed Project. To minimize potential impacts, the selected construction contractor would adhere to the NPDES permit requirements and implement best management practices (BMPs) during construction. BMPs for controlling stormwater runoff may include the use of silt fences, sediment traps, or sandbag barriers.

The HCDA would continue to operate under and per the provisions of the NPDES permit, including ensuring that the SWPPP and SPCC Plan address the Proposed Project. With these measures and implementing BMPs during construction, the Proposed Project would not adversely affect nearby water resources.

The HCDA would update the Airport's SWPPP, which outlines erosion and sediment control practices and waste disposal and spill prevention methods. This includes measures to reduce the possibility of accidental spills, improve response times if a spill does occur, and reduce safety hazards. Examples of these measures include, but are not limited to:

- » Neat and orderly storage of any chemical or fuels being stored at the site;
- » Prompt cleanup of any spills of hydraulic fluids, liquid, or dry materials; and
- » Performance of regular preventative maintenance on all equipment to prevent leaks.

The Proposed Project's additional impervious pavement would increase rainfall runoff to the Airport's stormwater system. During the project's design phase, a stormwater model would be prepared using previous storm drainage infrastructure analysis, available Light Detection and Ranging information, and georeferenced design drawings. The contributing drainage areas would be mapped to build a skeletal model of the existing stormwater infrastructure. A 5-year, 10-year, and 25-year 24-hour design storm for Horry County would be used as the design storm for the water resources analysis. The model calculates the time of concentration of each sub-watershed to accurately reflect existing runoff based on slope, soil type, surface type, length of flow, and type of flow. A conceptual FAA-compliant drainage plan would describe engineered modifications to the existing on-Airport stormwater system to accommodate the Proposed Project's increase in rainfall runoff to the stormwater system and minimize potential effects on water resources – surface waters. The stormwater system would meet the City of Myrtle Beach's City Code of Ordinances water quality requirements. The control structures would be sized to store and release the first half-inch over the entire site or the first inch over the impervious runoff, whichever is greater, from the entire site over a 24-hour period per the South Carolina Department of Health and Environmental Control Standards for Stormwater Management and

Sediment Reduction. The existing outfall ponds are equipped with a stormwater structure with an orifice to slow down the discharge flow from the ponds to meet the storage requirement.

Therefore, the Proposed Project would not significantly affect water resources, such as surface waters, as the Airport's stormwater management systems would be designed to detain rainfall runoff and meet the FAA's standards, implementation of best management practices (BMPs) as applicable (e.g., silt fencing) would occur, and comply with local permit regulations.

# 3.4.9 Cumulative Impacts

The CEQ regulations require the analysis and disclosure of the project's potential cumulative effects (40CFR § 1508.25(a)(2) and (3)). This disclosure informs the public if the project, when considered with other past, present, and reasonably foreseeable future actions, would contribute to significant environmental effects.

Cumulative effects are only possible for those resources that the Proposed Project would affect, specifically: biological resources, hazardous materials, historic, architectural, archaeological, and cultural resources, natural resources, and water resources, including surface waters and wetlands. The Proposed Project would not cause cumulative effects to resources that the Proposed Project would not affect. Each past, present, and reasonably foreseeable future action was cumulatively analyzed for its potential to affect the same environmental resources affected by the Proposed Project.

This section describes the cumulative projects, significance threshold(s) pertaining to cumulative effects, and the potential for the Proposed Project to contribute to potentially significant cumulative impacts when considered with those of other past, present, and reasonably foreseeable future actions.

#### 3.4.9.1 Cumulative Projects

The following summary of past, present, and reasonably foreseeable future projects includes those undertaken on- and off-Airport property. Past actions include actions completed between 2018 and 2022, present (2023-2024) actions include those currently underway, and reasonably foreseeable future actions include those planned between 2025 and 2030.

# **On-Airport Projects**

#### Past (2018 - 2022)

- » Taxiway A Rehab. Phase 1
- » Terminal Apron Expansion
- » Taxiway A Rehab. Phase 2
- » Taxiway B1 Rehabilitation
- » Rental Car Ready-Return Lot Canopy Project
- » Transient Hangar

#### Present (2023-2024)

- » Cell Phone Lot and Long Term Parking Expansion
- » Terminal Expansion
- » Economy / Credit Card Parking Expansion

#### Future (2024-2030)

- » Terminal Expansion (continued from "Present" category, estimated completion late-2025)
- » 20-Unit T-Hangars
- » LIFT Academy Campus (proposed flight school)

# **Off-Airport Cumulative Projects**

The following are off-Airport cumulative projects that have occurred or have the potential to occur between 2020 and 2030.

- » Historic Boardwalk & Oceanfront Capital Improvements (2021-2026)
  - Maintenance, renovations, and new facilities/infrastructure projects for city facilities and infrastructure in the boardwalk and oceanfront district.
- » Whispering Pines Golf Course (2021-2026)
  - o Maintenance, renovations, and new facilities/infrastructure projects.
- » Myrtle Beach Air Force Base Redevelopment District Capital Improvements (2021-2026)
  - o Maintenance, renovations, and new facilities/infrastructure projects.
- » Fred Nash Boulevard Connection (timeline unknown)
  - Widen the existing Fred Nash Boulevard to three lanes from Emory Road and extend the
    existing road to provide a direct connection to Harrelson Boulevard. Bicycle and pedestrian
    facilities are planned, where applicable.

#### 3.4.9.2 Cumulative Impacts

#### **Significance Threshold**

The thresholds of significance in FAA Order 1050.1F, Exhibit 4-1 for each resource category apply to cumulative as well as direct and indirect impacts.

#### **Proposed Project's Cumulative Impact**

The CEQ regulations require the analysis and disclosure of the Proposed Project's potential cumulative effects (40 CFR §§ 1508.25(a)(2) and (3)). This informs the public if the Proposed Project, when considered with other projects occurring within the project area during specific periods (i.e., "past, present, and reasonably foreseeable actions"), would cause a significant environmental effect. This EA uses the information presented in this chapter to determine potential cumulative impacts.

Each past, present, and reasonably foreseeable future action was cumulatively analyzed for its potential to impact the same environmental resources impacted by the Proposed Project. Cumulative impacts are only considered for those resources the Proposed Project would affect (Air Quality; Climate; Biological Resources; Hazardous Materials; Natural Resources and Energy; Noise and Noise-Compatible Land Use; and Visual Effects). The Proposed Project would not result in cumulative impacts to resources that the Proposed Project would not affect (Coastal Resources; Children's Health and Safety Risks; Department of Transportation Section 4(f) Resources; Environmental Justice; Farmlands, Historical, Architectural,

Archaeological, and Cultural Resources; Land Use; Socioeconomics; and Water Resources – Wetlands, Floodplains, Groundwater, and Wild and Scenic Rivers).

Implementation of the Proposed Project would cause less than significant environmental effects related to Air Quality and Climate (temporary construction-related air emissions, a minor increase in surface transportation vehicle emissions); Hazardous Materials (temporary minor additional fuel use), Solid Waste (temporary minor construction waste and MSW), and Pollution Prevention; Natural Resources and Energy Supply (temporary minor increase in fuel, potable water, and electricity); Noise and Compatible Land Use (minor temporary change in aviation noise); Socioeconomics (temporary construction employment); and Water Resources – surface waters (additional rainfall-runoff).


As previous sections describe, the construction and operation of the Proposed Project would have less than significant impacts. When considered with projects that have occurred, are occurring, and are planned to occur in the reasonably foreseeable future, the Proposed Project would not cause significant environmental effects. It would not cause or contribute to significant cumulative environmental effects.

The Airport Sponsor's compliance with all federal, state, and local regulations and permit requirements outlined for the resources in the previous sections would ensure that the Proposed Project would not exceed any significance thresholds identified in FAA Order 1050.1F. All future projects involving federal funding or approval would be subject to review under NEPA to determine the potential for significant environmental impacts to result from their construction or implementation. Therefore, the Proposed Project's construction and operation, combined with the past, present, and reasonably foreseeable future projects, would result in no significant cumulative environmental impacts.

3. AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCE	ES
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	
This page was intentionally left blank.	

# 4 AGENCY AND PUBLIC INVOLVEMENT





# 4.1 INTRODUCTION

The EA coordination process described in this chapter provides interested agencies and the public the opportunity to comment on the potential effects of the construction and operation of the Proposed Project.

A public involvement process is being conducted as per NEPA and FAA Order 1050.1F, *Environmental Impacts: Policies and Procedures*. This process provides the opportunity for public and agency input regarding the Proposed Project analyzed in this EA. The public and agency involvement process goals are to:

- Provide information about the purpose and need of the Proposed Project and the alternatives the EA discusses (see Chapter 1 and Chapter 2, respectively).
- Obtain feedback about the proposed project from the public and agencies interested in and affected by the Proposed Project.
- » Inform those interested that the EA discloses information about project-related environmental effects.
- » Provide timely public notices to the interested parties to solicit comments and request participation in public open meetings concerning the Proposed Action.
- » Record comments received from interested parties.

# 4.2 PUBLIC INVOLVEMENT AND AGENCY COORDINATION APPROACH AND PROCESS

Pertinent federal statutes, regulations, executive orders, and guidance are considered when conducting the public involvement process. *Table 4-1* lists the agencies coordinated with regarding the Proposed Project and provided the opportunity to comment (see *Appendix D*). The agency comments received in response to the initial coordination letters are reflected in the application sections of *Chapter 3* (Affected Environment and Environmental Consequences). Copies of the agency response letters are included in *Appendix D*.

# 4.3 DISTRIBUTION AND PUBLIC REVIEW OF THE DRAFT EA

The Draft EA was made available for a 30-day review after the publication of the Draft EA notice of availability advertisement in the Sun Times on April 9, 2024. The Draft EA was available at the Airport's administrative office during normal business hours, on the Airport's projects website (https://www.flymyrtlebeach.com/), and at the Chapin Memorial Library (see *Table 4-2*).

The HCDA held a Draft EA Public Workshop on May 14, 2024, at the Myrtle Beach International Airport, FIS Conference Room, Terminal B. The workshop solicited comments regarding the Proposed Project and discussed the potential environmental impacts with HCDA and its consultant (RS&H, Inc.).

The Draft EA public workshop occurred during evening hours (5:00 pm – 7:00 pm) and had informational displays explaining the process and identifying the Proposed Project effects, provided the public the ability to ask questions of the Airport representatives and EA preparers and provide the opportunity for

written comments. The public workshop materials (e.g., sign-in sheets, comment forms, handouts, and exhibit boards) are in *Appendix E*.

During the 30-day comment period, no agency or public comments were received. No individuals from the public attended the workshop and no written comments were received.

**TABLE 4-1: INITIAL AGENCY COORDINATION** 

Agency	Agency
U.S. Army Corps of Engineers*	South Carolina Department of Health and Environmental Control (Air, Water, Land, Coastal)
U.S. Fish and Wildlife Service**	Horry County Infrastructure & Regulation*
U.S. Environmental Protection Agency	Horry County Planning and Zoning
South Carolina Department of Transportation	City of Myrtle Beach - Engineering Division
South Carolina Office of Coastal Resource Management (OCRM)	City of Myrtle Beach - Public Works
South Carolina Department of Health and	
Environmental Control Bureau of Environmental	City of Myrtle Beach - Planning & Zoning
Health Services	
South Carolina Aeronautics Commission (SCAC)	

Notes: \* Reply correspondence in Appendix D. \*\* - Correspondence in Appendix B: Airport Wildlife Survey

Source: RS&H, 2024.


**TABLE 4-2: DRAFT EA AVAILABLE LOCATIONS** 

Location Name	Address
Myrtle Beach International Airport	1100 Jetport Rd, Myrtle Beach, SC 29577
Chapin Memorial Library	400 14th Ave N, Myrtle Beach, SC 29577

Source: RS&H, 2024.

# 5 LIST OF PREPARERS





# 5.1 PRINCIPAL PREPARERS

This section lists the EA's principal preparers, including HCDA and RS&H, Inc. representatives.

# 5.1.1 Horry County Department of Airports

**Breck Dunne** 

Position: Director of Airport Development

#### 5.1.2 RS&H Inc.

**David Alberts** 

Position: Project Manager, Senior Environmental Planner

Education: B.S. Geography

Experience: Mr. Alberts has 25 years of NEPA-related experience. He is the MYR EA's Project

Manager and his primary responsibility was the Purpose and Need and Alternatives chapters. Mr. Alberts wrote technical sections for the EA, managed client, FAA, and

RS&H team coordination, and conducted quality assurance.

Dave Full, AICP

Position: Vice President, Aviation Environmental Planning Service Group

Education: M.A. Urban Planning; B.A. Urban Planning

Experience: Mr. Full has 36 years of experience. He is responsible for the independent quality

assurance of the NEPA analysis in the EA.

Dale Stubbs

Position: Vice President/Project Officer

Education: BS Civil Engineering; MS Technical Management

Experience: Mr. Stubbs has 35 years of Airfield Design and Construction experience. Mr. Stubbs is

the Project Director/Engineer for the EA development and Runway Replacement

Program, providing senior insight to the runway rehabilitation needs.

Andrew Bolin

Position: Senior Airfield Engineer Education: B.S. Civil Engineering

Experience: Mr. Bolin is a licensed professional Engineer and has 16 years of civil engineering design

experience, 15 years of which have been focused on airfield design and construction. Mr. Bolin provided civil design and construction insight for the EA development, with

particular focus on the pavement design and construction phasing.

Mike Alberts

Position: Senior Aviation Specialist

Education: B.S. Geography

Experience: Mr. Alberts has 29 years of aviation noise modeling/mitigation experience. He is

responsible for the technical noise analysis in the EA.

**Katy Martin** 

Position: Environmental Consultant

Education: B.S. Natural Resources; M.S. Environmental Science

Experience: Ms. Martin has 8 years of environmental consulting experience. Her primary

responsibility was conducting the wildlife assessment for T&E species at the Airport. Ms.

Martin was the author of the Airport Wildlife Survey Report for the EA.

Monica Hamblin

Position: Aviation Environmental Specialist

Education: B.S. Interdisciplinary Studies-Environmental Science

Experience: Ms. Hamblin has 5 years of experience in the environmental field. She is responsible for

assisting with data collection, and technical writing.

Michael Fesanco

Position: Aviation Environmental Specialist

Education: M.S. Aviation Management; B.S. Aviation Management

Experience: Mr. Fesanco has 1 year of experience in the environmental field. He is responsible for

assisting with data collection, technical writing, and exhibit production.

Alex Philipson

Position: Aviation Environmental Specialist

Education: M.S. Geology

Experience: Mr. Philipson has two years of experience in the environmental field. He is responsible

for assisting with exhibit production.

Audrey Hsu

Position: Aviation Environmental Specialist

Education: B.S. Environmental Management and Science

Experience: Ms. Hsu has two years of experience in the environmental field. She is responsible for

assisting with exhibit production.

# 6 REFERENCES



	6. REFERENCES
This page was intentionally left blank.	

- Census Bureau. (2022, March 24). *Urban Area Criteria for the 2020 Census-Final Criteria*. Retrieved from Federal Register: https://www.federalregister.gov/documents/2022/03/24/2022-06180/urban-area-criteria-for-the-2020-census-final-criteria
- CEQ. (2016). Final guidance for Federal Departments and Agencies on Consideration of Greenhouse Gas Emissions and the Effects of Climate Change in National Environmental Policy Act Reviews. Washington, D.C.: CEQ.
- CEQ. (2020). Council on Environmental Quality (CEQ) National Environmental Policy Act Implementing Regulations 40 CFR 1500-1508.
- City of Myrtle Beach. (2021, January 12). Zoning and City Limits Map. Retrieved from City of Myrtle Beach:

  https://cms6.revize.com/revize/myrtlebeachsc/departments/docs/Zoning%20and%20City%20Limits%20Map.pdf?fbclid=lwAR09zx\_IYoCBGCFg6Gy\_alf6OS3dfT3So5sdKr48BHKWBoJ4IyCZ\_HqxbWE&fbclid=lwAR09zx\_IYoCBGCFg6Gy\_alf6OS3dfT3So5sdKr48BHKWBoJ4IyCZ\_HqxbWE
- City of Myrtle Beach. (2023, October 12). *Valor Memorial Garden*. Retrieved from City of Myrtle Beach Parks, Recreation & Sports Tourism: https://www.myrtlebeachprst.com/\_T4\_R49.php
- EPA. (2023, October 23). EJScreen. Retrieved from EPA: https://ejscreen.epa.gov/mapper/
- EPA. (2023, June 30). *EPA Green Book*. Retrieved from South Carolina Nonattainment/Maintenance Status for Each County by Year for All Criteria Pollutants:

  https://www3.epa.gov/airquality/greenbook/anayo sc.html
- EPA. (2023, October 26). *NEPAssist*. Retrieved from EPA: https://nepassisttool.epa.gov/nepassist/nepamap.aspx
- EPA. (2023, October 16). South Carolina Nonattainment/Maintenance Status for Each County by Year for All Criteria Pollutants. Retrieved from EPA Green Book:

  https://www3.epa.gov/airquality/greenbook/anayo\_sc.html
- EPA, U. (2022, Oct 7). *Greenhouse Gas Inventory Data Explorer*. Retrieved from Inventory of U.S. Greenhouse Gas Emissions and Sinks:

  https://cfpub.epa.gov/ghgdata/inventoryexplorer/#allsectors/allsectors/allgas/econsect/all
- FAA. (2023, October 16). *Terminal Area Forecast*. Retrieved from FAA: https://taf.faa.gov/Home/RunReport
- Federal Emergency Management Agency (FEMA) Flood Insurance Rating Map (FIRM) (2023). Retrieved from FEMA Flood Map Service Center: https://msc.fema.gov/portal/search?AddressQuery=cecil%20airport#searchresultsanchor
- GAO. (2009). Aviation and Climate Change: Aircraft Emissions Expected to Grow, but Technologicals and Operational Improvements and Government Polices Can Help Control Emissions. Washington, DC: GAO. Retrieved February 2016, from http://www.gao.gov/news.items/d09554.pdf

- Grand Strand Water & Sewer Authority. (2023, October 26). *Our Water*. Retrieved from Grand Strand Water & Sewer Authority:

  https://www.gswsa.com/products\_and\_services.cfm?page=89#:~:text=The%20source%20of%2
  Oyour%20water.&text=This%20water%20is%20pumped%20from,Waccamaw%20and%20Pee%2
  ODee%20Rivers.
- IPCC. (2023). Climate Change 2023 Synthesis Report. Geneva: UN.
- Maurice, L. Q., & Lee, D. S. (2007). Aviation Impacts on Climate. In Interactional Civil Aviation
  Organization, Final Report of the Interactional Civial Aviation Ogranization Committee on
  Aviation and Environmental Protection Workshop (pp. 25-32). Washington, DC and Manchester:
  U.S. Federal Aviation Administration and Manchester Metroplotian University. Retrieved
  February 2016
- Melrose, A. (2010). European ATM and Climate Change Adaptation: A Scoping Study. In ICAO Environmental Branch, ICAO Environmental Report 2010: Aviation and Climate Change (pp. 195-198). Montreal: ICAO. Retrieved February 2016, from http://www.icao.int/environmental-protection/Documents/Publications/ENV\_Report\_2010.pdf
- Myrtle Beach Chamber of Commerce. (2023, November 21). *Myrtle Beach Area Public-Utilities*. Retrieved from Myrtle Beach Chamber of Commerce: https://web.myrtlebeachareachamber.com/PublicUtilities
- National Park Service. (2023, October 30). *National Register Database*. Retrieved from National Register of Historic Places: https://www.nps.gov/subjects/nationalregister/database-research.htm#table
- National Park Service. (2023, October 26). *Nationwide Rivers Inventory*. Retrieved from National Park Service:

  https://nps.maps.arcgis.com/apps/MapJournal/index.html?appid=ba6debd907c7431ea765071e
  9502d5ac#
- National Plan of Integrated Airport Systems. (2022, September 30). *National Plan of Integrated Airport Systems (NPIAS)*. Retrieved from Federal Aviation Administration: https://www.faa.gov/airports/planning\_capacity/npias/current
- National Wild and Scenic Rivers Systems. (2023, July 27). *National Wild and Scenic River System in the U.S.* Retrieved from National Wild and Scenic Rivers System:

  https://nps.maps.arcgis.com/apps/MapJournal/index.html?appid=ba6debd907c7431ea765071e
  9502d5ac
- NRCS. (2022, December 28). Web Soil Survey. Retrieved from USDA: https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx
- NRHP. (2022, May). Retrieved from NRHP: https://www.nps.gov/maps/full.html?mapId=7ad17cc9-b808-4ff8-a2f9-a99909164466
- OCRM. (2023, November 29). Interaction between State CZC Process and Geographic Areas of Particular Concern (GAPCs). Retrieved from SCDHEC: https://scdhec.gov/sites/default/files/docs/Environment/docs/CZ\_GACP\_Interaction.pdf

- Office of Ocean and Coastal Resource Management. (2023, November 29). South Carolina Coastal Zone Management Program. Retrieved from dhec: https://scdhec.gov/environment/your-water-coast/ocean-coastal-resource-management/south-carolina-coastal-zone
- SCDHEC. (2022). *Solid Waste Management Annual Report*. Retrieved from SCDHEC: https://scdhec.gov/sites/default/files/Library/OR-2405.pdf#page=32
- South Carolina Aeronautics Commission. (2018, February 26). Retrieved from Myrtle Beach International Airport: https://www.flymyrtlebeach.com/wp-content/uploads/02.26.18\_Economic-Impact-Study-Press-Release.pdf
- South Carolina Department of Health and Environmental Control. (2022, March). *Solid Waste Facilities List*. Retrieved from Solid Waste:

  https://scdhec.gov/sites/default/files/media/document/03142022%20SW%20FAC%20LIST%202
  022%20Edition%20with%20Closed%20Facilities.pdf
- South Carolina Department of Health and Environmental Control. (2023, July 26). South Carolina Coastal Zone Management Act. Retrieved from South Carolina Department of Health and Environmental Control:

  https://scdhec.gov/sites/default/files/docs/HomeAndEnvironment/Docs/SC\_Coastal\_%20Program%20(Pt.%202%20-%20Ch.%20III).pdf
- The Land and Water Conservation Fund. (2023, October 12). *Past projects*. Retrieved from The Land and Water Conservation Fund: https://lwcf.tplgis.org/mappast/
- U.S. Census Bureau. (2023, November 22). *Horry County, South Carolina*. Retrieved from U.S. Census Bureau: https://data.census.gov/all?q=Horry%20County,%20South%20Carolina
- U.S. Census Bureau. (2023, November 22). *Myrtle Beach*. Retrieved from U.S. Census Bureau: https://data.census.gov/all?q=Myrtle%20Beach%20city,%20South%20Carolina
- U.S. Energy Information Administration. (2023, November 22). *South Carolina*. Retrieved from U.S. Energy Information Administration: https://www.eia.gov/state/?sid=SC
- United States Census Bureau. (2010). 2010 Census Urban Area Reference Maps. Retrieved from United States Census Bureau: https://www2.census.gov/geo/maps/dc10map/UAUC RefMap/ua/
- USDA. (2023, October 16). *Natural Resources Conservation Service*. Retrieved from USDA: https://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx
- USEPA. (2009, December 7). *Technical Support Document for Endangerment and Cause or Contribute Findings for Greenhouse Gases under Section 202(a) of the Clean Air Act.* USEPA, Climate Change Division. Washington, DC: USEPA. Retrieved February 2016, from http://www3.epa.gov/climatechange/Downloads/endangerment/Endangerment\_TSD.pdf
- USEPA. (2021, Nov). *NEPAssist*. Retrieved from https://nepassisttool.epa.gov/nepassist/nepamap.aspx?wherestr=cecil+airport
- USEPA. (2022). *Criteria Air Pollutants*. Retrieved February 2017, from USEPA: https://www.epa.gov/criteria-air-pollutants

- USEPA. (2022). EvnirAtlas. Retrieved from https://enviroatlas.epa.gov/enviroatlas/interactivemap/?extent=-81.95326323764807,30.192501780360956,-81.82803626316093,30.245605305934095
- USEPA. (2023, July 20). *Criteria Air Pollutants*. Retrieved February 2017, from USEPA: https://www.epa.gov/criteria-air-pollutants
- USFWS. (2022). *Coastal Barrier Resources System Mapper*. Retrieved from https://www.fws.gov/cbra/maps/mapper.html
- USFWS. (2023, October 27). *National Wetlands Inventory*. Retrieved from National Wetlands Inventory: https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper/
- USGS. (2018). *National Hydrography Dataset (NHD)*. Retrieved from USGS: https://apps.nationalmap.gov/downloader/
- USHUD. (2023, October 30). *HUD*. Retrieved from Tribal Directory Assessment Tool (TDAT): https://egis.hud.gov/TDAT/

# APPENDIX A AIR QUALITY, CLIMATE, GHG SOCIAL COST ANALYSIS

#### A.1 Construction Emission Inventory

The U.S. Environmental Protection Agency (USEPA) sets National Ambient Air Quality Standards (NAAQS) to protect public health and the environment. The USEPA identifies the following seven criteria air pollutants for which NAAQS are applicable: carbon monoxide (CO), lead (Pb), nitrogen dioxide (NO<sub>2</sub>), ozone (O<sub>3</sub>), particulate matter (PM<sub>10</sub> and PM<sub>2.5</sub>), and sulfur dioxide (SO<sub>2</sub>). The USEPA describes these pollutants as "criteria" air pollutants because the agency regulates them by developing human health-based and/or environmentally-based criteria (science-based guidelines) for setting permissible levels (EPA, 2023).

According to the USEPA, Horry County is classified as "attainment" for all criteria pollutants (EPA, 2024). All construction activity would occur in the EA's direct study area, which is also an "attainment" area for all NAAQS (EPA, 2024).<sup>1</sup>

This construction emission inventory (CEI) assessment was prepared for informational purposes to disclose the Proposed Project's potential construction-related air emissions. Construction of the Proposed Project is anticipated to begin in 2026. The construction of the temporary runway is approximately 16 months, and the reconstruction of Runway 18/36 is approximately 4 months. The CEI uses 2026, 2027, and 2028 as the study years for analysis because 2026-2027 is the projected construction timeframe for the temporary runway. Reconstruction of Runway 18/36 would occur in 2028, and the reconstructed Runway 18/36 is projected to re-open in 2029.

#### A.1.1 Construction Emissions Inventory Approach

Construction requirements for the Proposed Project include a variety of construction emissions sources: non-road, on-road, and fugitive dust. The emissions from these sources are most commonly associated with the following types of activities: earthwork, grading and leveling, and construction equipment storage and movement.

#### Off-road Emission Sources

Non-road sources associated with the Proposed Project's construction include exhaust from heavy construction equipment (e.g., rollers) and fugitive dust emissions.

#### On-road Emission Sources

On-road emission sources associated with the Proposed Project's construction include material delivery vehicles (e.g., cement trucks) and passenger vehicles transporting construction personnel to and from the job site.

#### **Fugitive Emissions**

Paving or dust emission sources associated with the Proposed Project's construction include material movement on paved and unpaved roads, soil handling, un-stabilized land, and wind erosion. Paving or dust emissions were based on the number of months for construction.

Construction emissions are estimated based on these factors: construction schedule; the number of construction vehicles and/or equipment; the types of construction vehicles and/or equipment; types of

-

<sup>&</sup>lt;sup>1</sup> NAAQS are six criteria pollutants: carbon monoxide, lead, ozone, sulfur dioxide, nitrogen dioxide, and ozone.

fuel used to power the equipment and vehicles; vehicle and equipment hourly activity/vehicle miles traveled; construction materials used and their quantities; and the duration of construction.

#### A.1.2 MOVES3

The CEI used the EPA's MOtor Vehicle Emissions Simulator 3 (MOVES3.1) to analyze the Proposed Project's potential construction emissions.

#### A.1.2.1 Construction Emissions Inventory Inputs

The Proposed Project's cost estimates and typical construction practices were used to develop the Non-Road CEI inputs displayed in *Table A-1, Table A-2, and Table A-3*. On-Road CEI inputs are displayed in *Table A-4, Table A-5, and Table A-6*. Inputs were coordinated with construction management engineers based on engineering judgment and past experience with airport construction projects. These equipment types and hours were used in MOVES3.1 to develop non-road and on-road engine emissions and load factors to determine the Proposed Project's emissions.

**Table A-1: 2026 Non-Road Construction Emissions Inventory Inputs** 

Equipment Type	Fuel Type	<b>Operating Hours</b>
Air Compressor	Diesel	497
Chain Saw	Diesel	394
Chipper/Stump Grinder	Diesel	394
Concrete Saws	Diesel	497
Concrete Truck	Diesel	2,072
Dozer	Diesel	2,324
Dump Truck	Diesel	394
Dump Truck (12 cy)	Diesel	4,494
Excavator	Diesel	729
Grader	Diesel	158
Loader	Diesel	394
Other General Equipment	Diesel	1,520
Pickup Truck	Diesel	4,242
Pumps	Diesel	131
Roller	Diesel	1,546
Rubber Tired Loader	Diesel	497
Scraper	Diesel	595
Slip Form Paver	Diesel	497
Surfacing Equipment (Grooving)	Diesel	497
Tractors/Loader/Backhoe	Diesel	272
Water Truck	Diesel	4,320

Source: RS&H 2024.

**Table A-2: 2027 Non-Road Construction Emissions Inventory Inputs** 

Equipment Type	Fuel Type	Operating Hours
Dozer	Diesel	336
Dump Truck	Diesel	446
Flatbed Truck	Diesel	3,073
Hydroseeder	Diesel	143
Loader	Diesel	110
Off-Road Truck	Diesel	143
Other General Equipment	Diesel	3,314
Pickup Truck	Diesel	3,782
Pumps	Diesel	131
Skid Steer Loader	Diesel	110
Tractors/Loader/Backhoe	Diesel	242
Water Truck	Diesel	1,440

Source: RS&H 2024.

**Table A-3: 2028 Non-Road Construction Emissions Inventory Inputs** 

Equipment Type	Fuel Type	Operating Hours
Air Compressor	Diesel	594
Cold Planer	Diesel	356
Concrete Saws	Diesel	3,804
Concrete Truck	Diesel	2,475
Crack Cleaner	Diesel	31
Crack Filler (Trailer Mounted)	Diesel	31
Dozer	Diesel	672
Dump Truck	Diesel	3,796
Dump Truck (12 cy)	Diesel	3,036
Excavator	Diesel	3,329
Flatbed Truck	Diesel	3,700
Grader	Diesel	38
Hydraulic Hammer	Diesel	3,210
Hydroseeder	Diesel	4
Loader	Diesel	145
Off-Road Truck	Diesel	4
Other General Equipment	Diesel	8,274
Pickup Truck	Diesel	9,834
Pumps	Diesel	32
Roller	Diesel	522
Rubber Tired Loader	Diesel	594
Skid Steer Loader	Diesel	145
Slip Form Paver	Diesel	594
Surfacing Equipment (Grooving)	Diesel	594
Sweepers	Diesel	356
Tractors/Loader/Backhoe	Diesel	176
Water Truck	Diesel	1,316

Source: RS&H 2024.

The development of Vehicle Miles Traveled (VMT) is based on engineering judgment and past experience with airport construction projects. The calculation of VMT is developed by using the number of construction employees and the number of expected equipment types during the construction of the Proposed Project. The distance traveled by employees and material deliveries for the Proposed Project are based on a 30-mile round trip per passenger car and a 40-mile trip per material delivery. The round-trip distance is applied to each passenger and material delivery vehicle during the length of construction to develop the total VMT used for MOVES3.1.

**Table A-4: 2026 On-Road Construction Emissions Inventory Inputs** 

Equipment	Fuel Type	VMT*
Single Unit Short-haul Truck	Diesel	476,654
Passenger Car	Gasoline	1,664,100

\*Note – VMT = vehicle miles traveled.

Source: MOVES3.1, RS&H 2024.

**Table A-5: 2027 On-Road Construction Emissions Inventory Inputs** 

Equipment	Fuel Type	VMT*
Single Unit Short-haul Truck	Diesel	476,654
Passenger Car	Gasoline	177,450

\*Note – VMT = vehicle miles traveled.

Source: MOVES3.1, RS&H 2024.

**Table A-6: 2028 On-Road Construction Emissions Inventory Inputs** 

Equipment	Fuel Type	VMT*
Single Unit Short-haul Truck	Diesel	569,160
Passenger Car	Gasoline	433,440

\*Note – VMT = vehicle miles traveled.

Source: MOVES3.1, RS&H 2024.

#### A.1.2.2 Construction Emissions Inventory Results

For informational purposes, *Table A-7, Table A-8, and Table A-9* show the criteria pollutants in tons per year during the Proposed Project's construction.

**Table A-7: Proposed Project MOVES3.1 Results (Tons Per Year)** 

						GHGs			
2026	СО	VOC	NOx	PM <sub>10</sub>	PM <sub>2.5</sub>	SOx	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Non-road	0.42	0.11	1.44	0.09	0.09	0.01	3,831.53	N/A	N/A
On-road	6.56	0.15	1.24	0.06	0.05	0.00	936.51	0.02	0.00
Fugitive Emissions	0.00	0.00	0.00	2.14	0.00	0.00	N/A	N/A	N/A
Total	6.98	0.26	2.68	2.29	0.14	0.01	4,768.04	0.02	0.00

Notes: N/A = not applicable.

Totals may not sum due to rounding.

De miminis thresholds are not shown because Horry County is in "attainment" for all NAAQS.

Source: MOVES3.1, RS&H 2024.

**Table A-8: Proposed Project MOVES3.1 Results (Tons Per Year)** 

						G	HGs		
2027	СО	VOC	NOx	PM <sub>10</sub>	PM <sub>2.5</sub>	SOx	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Non-road	0.27	0.07	0.88	0.06	0.05	0.01	2,148.76	N/A	N/A
On-road	1.24	0.10	1.01	0.05	0.04	0.00	502.83	0.01	0.00
Fugitive Emissions	0.00	0.00	0.00	0.91	0.00	0.00	N/A	N/A	N/A
Total	1.52	0.17	1.89	1.01	0.10	0.01	2,651.60	0.01	0.00

Notes: N/A = not applicable.

Totals may not sum due to rounding.

De miminis thresholds are not shown because Horry County is in "attainment" for all NAAQS.

Source: MOVES3.1, RS&H 2024.

**Table A-9: Proposed Project MOVES3.1 Results (Tons Per Year)** 

					GHGs				
2028	СО	VOC	NOx	PM <sub>10</sub>	PM <sub>2.5</sub>	SOx	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
Non-road	0.50	0.16	2.11	0.12	0.12	0.02	6,223.92	N/A	N/A
On-road	2.13	0.11	1.16	0.04	0.04	0.00	654.68	0.01	0.00
Fugitive Emissions	0.00	0.00	0.00	2.52	0.00	0.00	N/A	N/A	N/A
Total	2.63	0.27	3.27	2.68	0.15	0.02	6,878.60	0.01	0.00

Notes: N/A = not applicable.

Totals may not sum due to rounding.

De miminis thresholds are not shown because Horry County is in "attainment" for all NAAQS.

Source: MOVES3.1, RS&H 2024.

#### A.2 Climate and GHG Social Costs

In January 2023, the Council on Environmental Quality (CEQ) issued interim guidance, *National Environmental Policy Act Guidance on Consideration of Greenhouse Gas Emissions and Climate Change,*<sup>2</sup> to assist agencies in analyzing greenhouse gas emissions (GHG) and climate change effects of a Proposed Project under NEPA. The FAA has not established a significance threshold for Climate impacts. As such, this section quantifies and discloses the potential greenhouse gas (GHG) emissions from the Proposed Project and provides context by monetizing the results using social cost of carbon estimates.

The CEQ identified Social Cost-Greenhouse Gases (SC-GHG) as the metric for assessing potential climate impacts and represents the monetary estimate of the effect associated with each additional metric ton of carbon dioxide released into the air (Interagency Working Group, 2021). The three GHGs<sup>3</sup> that are analyzed are carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O), which represent more than 97% of U.S. GHG emissions. Tocalculate SC-GHG, the carbon dioxide equivalent  $CO_2e^4$  must be

\_

<sup>88</sup> FR 1196, National Environmental Policy Act Guidance on Consideration of Greenhouse Gas Emissions and Climate Change, <a href="https://www.federalregister.gov/documents/2023/01/09/2023-00158/national-environmental-policy-act-guidance-on-consideration-of-greenhouse-gas-emissions-and-climate;">https://www.federalregister.gov/documents/2023/01/09/2023-00158/national-environmental-policy-act-guidance-on-consideration-of-greenhouse-gas-emissions-and-climate;</a> Accessed November, 2023

These three GHGs are identified in the CEQ's National Environmental Policy Act Guidance on Consideration of Greenhouse Gas Emissions and Climate Change.

<sup>4</sup> CO<sub>2</sub>e: Number of metric tons of CO<sub>2</sub> emissions with the same global warming potential as one metric ton of another greenhouse gas.

calculated first. CO<sub>2</sub>e is calculated using the Global Warming Potential (GWP) metric to compare the impact a gas has on the global climate concerning CO<sub>2</sub>. GWP values are based on the Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report (AR6) (IPCC, 2023). For example, CH<sub>4</sub> has 28 times the GWP of CO<sub>2</sub> and absorbs 28 times more energy in the atmosphere when compared to CO<sub>2</sub> (IPCC, 2023). *Table A-10* shows the CO<sub>2</sub>e values for construction year 2026 using the CEI results from *Table A-7*. *Table A-11* shows the CO<sub>2</sub>e values for construction year 2027 using the CEI results from *Table A-8*. *Table A-12* shows the CO<sub>2</sub>e values for construction year 2028 using the CEI results from *Table A-9*.

Table A-10: 2026 Proposed Project CO2e

Pollutant	Emissions Quantity (Tons)	AR6 GWP	CO₂e
CO <sub>2</sub>	4,768.040	1	4,768.04
CH <sub>4</sub>	0.019	28	0.54
N <sub>2</sub> 0	0.003	265	0.76
		Total	4,769.34

Note: Totals may not sum due to rounding.

Sources: MOVES 3.1; Interagency Working Group, 2021<sup>5</sup>; IPCC Sixth Assessment 2023.<sup>6</sup>

Table A-11: 2027 Proposed Project CO₂e

Pollutant	Emissions Quantity (Tons)	AR6 GWP	CO₂e
CO <sub>2</sub>	2,651.596	1	2,651.60
CH <sub>4</sub>	0.007	28	0.18
N <sub>2</sub> 0	0.001	265	0.31
		Total	2,652.09

Note: Totals may not sum due to rounding.

Sources: MOVES 3.1; Interagency Working Group, 20217; IPCC Sixth Assessment 2023.8

Table A-12: 2028 Proposed Project CO₂e

Pollutant	Emissions Quantity (Tons)	AR6 GWP	CO₂e
CO <sub>2</sub>	6,878.602	1	6,878.60
CH <sub>4</sub>	0.009	28	0.26
N <sub>2</sub> 0	0.002	265	0.43
		Total	6,879.29

Note: Totals may not sum due to rounding.

Sources: MOVES 3.1; Interagency Working Group, 20219; IPCC Sixth Assessment 2023.10

<sup>5</sup> https://www.whitehouse.gov/wp-

content/uploads/2021/02/TechnicalSupportDocument\_SocialCostofCarbonMethaneNitrousOxide.pdf; Accessed February 2024

https://www.ipcc.ch/report/ar6/svr/downloads/report/IPCC\_AR6\_SYR\_LongerReport.pdf; Accessed November 2023

https://www.whitehouse.gov/wp-

content/uploads/2021/02/TechnicalSupportDocument SocialCostofCarbonMethaneNitrousOxide.pdf; Accessed February 2024

https://www.ipcc.ch/report/ar6/syr/downloads/report/IPCC\_AR6\_SYR\_LongerReport.pdf; Accessed November 2023

https://www.whitehouse.gov/wp-

content/uploads/2021/02/TechnicalSupportDocument SocialCostofCarbonMethaneNitrousOxide.pdf; Accessed February 2024 https://www.ipcc.ch/report/ar6/syr/downloads/report/IPCC\_AR6\_SYR\_LongerReport.pdf; Accessed November 2023

The Interagency Working Group (IWG) developed average discount rates to assess climate impacts over time. The higher the discount rate, the lower the social climate cost (SCC) for future generations. Three integrated assessment models (IAMs) were used to develop discount rates that were based on the results from the three IAMs used by the IWG: William Nordhaus' DICE model (Yale University), Richard Tol's FUND model (Sussex University), and Chris Hope's PAGE model (Cambridge University) (Interagency Working Group, 2021). The IWG average discount rates are 5 percent, 3 percent, 2.5 percent, and the 95<sup>th</sup> percentile estimate at the 3 percent discount rate, which represents the potential for low-probability catastrophic climate impacts. The IWG average discount rates represent a range of possible climate impacts to future generations. For example, the 5 percent average rate represents a situation where future generations are best suited to manage potential climate impacts from the Proposed Project, leading to a minimal social cost impact. The IWG determined the social cost of CO<sub>2</sub> (SC-CO<sub>2</sub>) through 2050 and assigned a monetary value<sup>11</sup> for each additional metric ton of CO<sub>2</sub> produced. SC-CO<sub>2</sub> is equivalent to SC-GHGs and represents the social costs of the total greenhouse gases converted to the CO<sub>2</sub>e equivalent. The SC-CO<sub>2</sub> helps weigh the benefits of climate mitigation against its costs.

**Table A-13** shows the monetary value of each additional metric ton of  $CO_2$  for 2026, 2027, and 2028. The  $SC-CO_2$  models project the future cost of each additional ton of  $CO_2$  (Institute for Policy Integrity, 2017).

The construction emissions inventory's  $CO_2e$  (see *Table A-10*) was multiplied by the average discount rates (see *Table A-13*) to determine the monetary impact for 2026, 2027, and 2028. *Table A-14* shows the  $SC-CO_2$  for the Proposed Project's construction timeframe (2026-2028).

Table A-13: Annual Construction Emissions SC-CO<sub>2</sub> Per Metric Ton of CO<sub>2</sub> (in 2020 dollars)

Emissions Estimate at year 5% Discount Rate		Average Estimate at 3% Discount Rate	Average Estimate at 2.5% Discount Rate	95 <sup>th</sup> Percentile Estimate at 3.0% Discount Rate	
2026	\$17	\$57	\$84	\$173	
2027	\$18	\$59	\$86	\$176	
2028	\$18	\$60	\$87	\$180	

Note: Discount Rates from IWG 2021 represent the monetary value of each additional metric ton of  $CO_2$  produced for 2026, 2027, and 2028. These monetary values are based on the results from three economic models used by the IWG: William Nordhaus' DICE model (Yale University), Richard Tol's FUND model (Sussex University), and Chris Hope's PAGE model (Cambridge University). The model projects the future cost of each additional metric ton of  $CO_2$ .

Sources: Interagency Working Group, 2021, IPCC Sixth Assessment 2023, RS&H, 2024.

\_

These monetary values are based on the results from three economic models used by the IWG: William Nordhaus' DICE model (Yale University), Richard Tol's FUND model (Sussex University), and Chris Hope's PAGE model (Cambridge University).

Table A-14: Annual Social Cost - Carbon Dioxide for the Proposed Project

Emissions Year	Proposed Project CO₂e	Average Estimate at 5% Discount Rate	Average Estimate at 3% Discount Rate	Average Estimate at 2.5% Discount Rate	95 <sup>th</sup> Percentile Estimate at 3.0% Discount Rate	
2026	4,769.34	\$81,079	\$271,852	\$400,625	\$825,096	
2027	2,652.09	\$47,738	\$156,473	\$228,080	\$466,768	
2028	6,879.29	\$123,827	\$412,757	\$598,498	\$1,238,272	

Note: Per the 2023 IPCC Sixth Assessment Report,  $CO_2e$  equivalent for SC-GHG were calculated using the Interagency Working Group <sup>12</sup> average discount rates: 5 percent, 3 percent, 2.5 percent, and the 95<sup>th</sup> percentile estimate applying the 3 percent discount rate.  $CO_2e$  Values are multiplied by the discount rate to calculate SC-CO<sub>2</sub>.

Per the 2023 IPCC<sup>13</sup> Sixth Assessment Report, the CO<sub>2</sub> equivalent for  $N_2O$  is calculated by multiplying the  $N_2O$  emissions by the GWP of 265. The CO<sub>2</sub> equivalent for CH<sub>4</sub> is calculated by multiplying the CH<sub>4</sub> emissions by the GWP of 28. For example, the 2026 Average Estimate at a 5% Discount Rate was calculated using the 2026 CO2e value of 4,769.34 multiplied by 2026's \$17 determined value for the 5% Discount Rate.

Sources: Interagency Working Group, 2021, IPCC Sixth Assessment 2023, RS&H, 2024.

The calculated social costs are estimates only and subject to change depending on various factors (e.g., energy supply). These calculations are for information purposes only and represent the potential social costs from construction emissions during the Proposed Project's construction. The social cost calculations represent a range of possibilities and are not guaranteed to occur. As shown in *Table A-14*, the range of potential social costs from the Proposed Project from construction emissions is approximately \$81,079 – \$825,096 for 2026, \$47,738 - \$466,768 for 2027 and \$123,827 - \$1,238,272 for 2028. This cost range represents the potential social costs of adding GHGs to the atmosphere in a given year. It includes the value of all climate change impacts, including (but not limited to) changes in net agricultural productivity, human health effects, property damage from increased flood risk natural disasters, disruption of energy systems, risk of conflict, environmental migration, and the value of ecosystem services (Interagency Working Group, 2021). It is important to note that this climate analysis does not include positive impacts from the Proposed Project (e.g., improve the Runway 18-36 safety and extend the life for approximately 20 years).

In considering the impact of climate change on the Proposed Project, the foreseeable state of the environment is not expected to change significantly over the limited construction duration of the Proposed Project, which spans approximately three years, since effects are typically felt on decadal time scales. For example, the ACRP guidance on Climate Change Adaptation Planning: Risk Assessment for Airports (ACRP Report 147, 2015) provides short-term and long-term forecasts for 2030 and 2060 and recommends re-evaluating climate change risks to airports every 3-5 years. Therefore, no significant impacts to the Proposed Project are anticipated as a result of climate change effects occurring during the Proposed Project's construction.

-

<sup>&</sup>lt;sup>12</sup>https://www.whitehouse.gov/wpcontent/uploads/2021/02/TechnicalSupportDocument\_SocialCostofCarbonMethaneNitrousOxide.pdf; Accessed November, 2023

https://www.ipcc.ch/report/ar6/syr/downloads/report/IPCC\_AR6\_SYR\_LongerReport.pdf; Accessed November, 2023

https://costofcarbon.org/files/Omitted Damages Whats Missing From the Social Cost of Carbon.pdf; Accessed November 2023

## APPENDIX B BIOLOGICAL RESOURCES



December 2023

## Myrtle Beach International Airport Wildlife Survey





## Myrtle Beach International Airport Wildlife Survey

Volume No. 1

December 2023

Myrtle Beach/Horry County, South Carolina

RS&H No.: 102-118-6006

Prepared by RS&H, Inc. at the direction of Myrtle Beach International Airport

#### **Table of Contents**

1	Intro	oduction	1
2	Surv	ey Area Description	1
3	Metl	hods	1
	3.1	Transect Design	1
	3.2	Data Collection	2
	3.3	Assumptions/Limitations	2
4	Spec	cies Inventory	2
	4.1	Listed Species Status	2
	4.2	High Likelihood Species	5
	4.3	Medium Likelihood Species	5
	4.4	Low Likelihood Species	5
5	Resu	ılts	6
6	Con	clusion	7
7	Refe	rences	7
Fi	gures		8
	Figure	1: Airport Location	9
	Figure	2: Survey Area	10
Α	ppendi	x A: USFWS Correspondence and Determination Letter	11
Α	ppendi	x B: Photo Log	47

#### 1 Introduction

Deteriorating subbase materials on the runway are accelerating pavement degradation at Myrtle Beach International Airport (Airport, MYR). The Horry County Department of Airports (HCDA) needs airfield improvements to address this issue. The Proposed Project is the permanent full depth and width runway pavement rehabilitation of Runway 18-36. Connected actions to the Proposed Project include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. The temporary runway starts at taxiway connector B5 and ends at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway.

The U.S. Fish and Wildlife Service (USFWS) enforces the Endangered Species Act, and the South Carolina Department of Natural Resources (SCDNR) enforces the South Carolina Nongame and Endangered Species Conservation Act (SC Code Section 50-15). A desktop analysis and threatened and endangered (T&E) survey of the project area were conducted. This survey information is being used to determine if the Proposed Project would result in impacts to, or takings of, protected T&E or critical habitats. The T&E species remote data assessment (the desktop review) results and the results from the on-site survey are discussed below.

#### 2 Survey Area Description

The survey area is approximately 88 acres located on the northwest portion of the Airport property. There are minimal changes in elevation throughout, which vary from being saturated to being filled with water a few feet deep in some areas (i.e., on-Airport stormwater detention conveyance system/swales). The area is heavily maintained with routine mowing, such that the entire area is herbaceous with no shrub or tree species present.

The area surrounding the Airport consists of a mixture of residential and commercial use, and includes golf courses, retention ponds, and forest tracts. The Atlantic coast is approximately two miles from the survey area. Myrtle Beach State Park is approximately three miles from the survey area, and the closest portion of the Intracoastal Waterway is approximately 1,300 feet from the northern Airport property boundary. The Airport location relative to the surrounding area can be viewed in **Figure 1**, and the survey area with transects can be viewed in **Figure 2**.

#### 3 Methods

#### 3.1 Transect Design

This wildlife survey assesses the presence or absence of federal and state-listed species within the survey area based on line distance sampling methods, as detailed in Buckland et al. (1993). The survey focused on systematically collecting data along transect lines established to ensure comprehensive coverage of the survey area and were spaced to represent the range of habitats on-site and potential species occurrence.

#### 3.2 Data Collection

A surveyor conducted pedestrian transects, frequently stopping to scan the horizon and surrounding area with binoculars and recording observations of wildlife, typical site conditions, vegetation, and other notable observations. Detailed data were collected, including any observed species and group size. The sampling unit, representing the area where observations contributed to presence/absence determinations, was defined as a strip perpendicular to the transect line.

#### 3.3 Assumptions/Limitations

The methodology operated under the assumption that the species' presence or absence could be reliably determined through line distance sampling. Limitations, including potential biases and variations in observer skills, were acknowledged and considered in the analysis.

#### **4** Species Inventory

The species inventory section provides a comprehensive overview of the potential T&E wildlife researched (USFWS and SCDNR online resources) and observed during the field survey, focusing on species classified into three likelihood categories for encounter: High, Medium, and Low. The categorization was based on a pre-survey desktop assessment that considered habitat suitability and historical records. T&E wildlife in the High category is expected to be encountered within the survey area due to optimal habitat for nesting, breeding, or foraging. Wildlife in the Medium category is identified as species that may use the survey area for foraging activities but are unlikely to use the area for nesting or breeding. The Low designation is reserved for wildlife species that may be present in the surrounding area and may utilize the survey area during migratory activities, but are unlikely to use the area for nesting, breeding, or foraging. The wildlife survey began at approximately 8:45 am and concluded at 11:00 am.

#### 4.1 Listed Species Status

The Proposed Project and survey area underwent a comprehensive review through the USFWS Information for Planning and Consultation (IPaC) system, seeking guidance on federally listed species. Within this framework, 12 threatened or endangered species were identified that might occur witin the survey area. Following a detailed analysis based on the IPaC submission, the Proposed Project has been determined to have "No Effect" on all federally listed species except for the piping plover (*Charadrius melodus*) and rufa red knot (*Calidris canutus rufa*), which were categorized as "Not Likely to Adversely Affect" (NLAA). However, the habitat requirements for both the piping plover and rufa red knot fall outside the survey area and were not observed during the survey. Therefore, a more accurate designation for these species is "No Effect," as the Proposed Project's activities would not impact their habitats.

In addition to the 12 T&E species identified through IPaC, seven state-listed T&E species were identified as potentially occurring within the survey area. **Table 1** below provides a list of T&E species, their federal and state listing status, typical habitat and USFWS Effect determination. The IPaC system correspondence with USFWS and effect determination letter can be found in **Appendix A**.

#### MYR Wildlife Survey

Table 1:
Federal and State-Listed T&E Species Potentially within the Survey Area

Wildlife Species	USFWS	SCDNR	Habitat	IPaC Effect	Likeliness
	Listing Status	Listing Status		Determination	to Encounter
Piping Plover (Charadrius melodus)	Threatened	Endangered	Coastal; sand pits, tidal flats, shoals, sandbars	NLAA	None
Red-cockaded Woodpecker ( <i>Picoides</i> borealis)	Endangered	Endangered	Mature pine forest	No Effect	None
Rufa Red Knot (Calidris canutus rufa)	Threatened	Threatened	Coastal marine and estuarine habitats with large areas of exposed intertidal sediments	NLAA	None
Swallow-tailed Kite (Clemmys guttata)		Endangered	Large tracts of forested wetlands of the Outer Coastal Plain		Low
Bald Eagle ( <i>Haliaeetus leucocephalus</i> )		Threatened	Tall, live pines with a higher canopy than surrounding trees		Low
Peregrine Falcon (Falco peregrinus)		Endangered	Barrier island beaches and waterfowl impoundments		Low
Roseate tern ( <i>Sterna dougallii</i> dougallii)		Threatened	Sandy barrier or rocky islands, occasionally islands or hummocks in salt marshes		None
Least Tern (Sternula antillarum)		Threatened	Beaches and sandbars with abundant shells, pebbles, and sparse vegetation		None
Spotted Turtle (Clemmys guttatta)		Threatened	Shallow aquatic habitats, including ditches, bays, bogs, cypress swamps		Medium
Kemp's Ridley Sea Turtle ( <i>Lepidochelys kempii</i> )	Endangered	Endangered	Shallow coastal waters, bays, lagoons, estuaries	No Effect	None
Leatherback Sea Turtle ( <i>Dermochelys</i> coriacea)	Endangered	Endangered	Marine waters	No Effect	None
Loggerhead Sea Turtle (Caretta caretta)	Threatened	Threatened	Marine waters	No Effect	None
Green Sea Turtle (Chelonia mydas)	Threatened	Threatened	Marine waters	No Effect	None
Southern Hog-nosed Snake ( <i>Heterodon simus</i> )		Threatened	Xeric upland sandhills, pine flatwoods, coastal dune habitats		None
Northern Long-eared Bat ( <i>Mytosis</i> septentrionalis)	Endangered	Endangered	Mature mixed hardwood forest, mixed pine forest	No Effect	None
Tricolored Bat (Perimyotis subflavus)	Proposed Endangered	Proposed Endangered	Live or recently dead deciduous hardwood trees, artificial roots	No Effect	None

#### MYR Wildlife Survey

Rafinesque's Big-Eared Bat		Endangered	Coastal plains, dilapidated buildings or tree cavities near water		None
Flowering Plant Species	USFWS Listing	SCDNR Listing Status	Habitat	IPaC Effect Determination	Likeliness to
	Status				Encounter
Canby's Dropwort (Oxypolis canbyi)	Endangered	Endangered	Pond cypress savannahs, edges of cypress/pond pine ponds, sloughs, wet pine savannahs	No Effect	None
American Chaffseed (Schwalbea americana)	Endangered	Endangered	Fire-maintained longleaf pine flatwoods and savannahs	No effect	None
Pondberry (Lindera melissifolia)	Endangered	Endangered	Bottomland and hardwood wetland interiors, margins of sinks, ponds, and other depressions in coastal sites	No Effect	None

Source: South Carolina Ecological Services Field Office (ESFO) Determination Key (DKey); USFWS.gov; SCDNR Threatened and Endangered Species Inventory

#### 4.2 High Likelihood Species

In assessing the likelihood of encountering species during the survey, the analysis accounted for the characteristics surrounding the area, including a mix of commercial and residential areas and proximity to bodies of water. In this context, there are no federal or state listed T&E species that are highly likely to be encountered within the survey area based on factors such as historical presence and habitat suitability.

#### 4.3 Medium Likelihood Species

#### Spotted Turtle (Clemmys guttata) - Threatened (State)

The spotted turtle typically reaches only 3.5 to 4.3 inches, with a maximum size of approximately 4.7 inches, and features a black carapace with orange-yellow dots. The head and neck of the spotted turtle also have orange-yellow blotches, although carapacial spots are sometimes reduced or absent in juveniles and very old individuals.

While not abundant in South Carolina, the spotted turtle can be common in suitable habitat throughout the coastal plain and is known to occur on several tracts of public land in the state. It is semi-aquatic and inhabits a variety of wetland types, including small ponds, streams, swamps, flooded forests, and other shallow bodies of water. Spotted turtles are most active during early spring, with some individuals, particularly males, wandering some distance during the spring. They can be difficult to find during the summer months when they undergo a period of aestivation (summer dormancy) in some areas (SCDNR, 2015).

A network of on-site stormwater ditches provides a potential suitable habitat for spotted turtles, which prefer slow-moving shallow water with lots of aquatic vegetation. The spotted turtle was not observed during the field survey. The Proposed Project would have no effect on the spotted turtle.

#### 4.4 Low Likelihood Species

#### Bald Eagle (Haliaeetus leucocephalus) – Threatened (State)

The Bald and Golden Eagle Protection Act (BGEPA) and the Migratory Bird Treaty Act (MBTA) protect the bald eagle. Bald eagles showcase predominantly dark brown plumage throughout their body, except for their head, neck, and tail, which is white. Its bill, feet, and eyes are distinctly yellow. In their juvenile stage, eaglets display a range of light to dark brown plumage with dark eyes and bill. The transition to mature colors begins around three years and may not be complete until 5-6 years.

The bald eagle is the largest raptor in South Carolina. It feeds predominantly on fish, waterfowl, carrion, and occasionally small mammals. Nests are constructed in tall trees along coasts or riverbanks and lakes, chosen for their proximity to water, vantage point, and tree height. Typically, nesting sites are within one mile of large bodies of water (SCDNR, n.d.).

The Airport's proximity to the coast increases the likelihood that bald eagles may be observed near the survey area, however, it is not likely that they would utilize the survey area, which lacks tall trees suitable for nesting. The Bald Eagle was not observed during the field survey. The Proposed Project would have no effect on the Bald Eagle.

#### American Peregrine Falcon (Falco peregrinus) – Endangered (State)

Mature peregrine falcons exhibit slate-gray plumage on their upper parts, complemented by a pale white or buff underside with dark spots and bars, including a distinctive stripe beneath their eyes. Juvenile falcons are brownish-slate above and display heavily streaked undersides. Comparable in size to crows, they feature beaks distinguished by a notable notch used for severing the spinal cord of prey.

Peregrine falcons have worldwide distribution. In South Carolina, they are typically found near barrier island beaches and waterfowl impoundments, as well as in cities where prey (such as pigeons) is abundant. Peregrine falcons feed almost exclusively on other birds, which they catch in midair. While peregrines do not build their own nests, they use other birds' nests or crevices in trees or cliffs and are seen during the winter season or during migration in South Carolina (SCDNR, n.d.).

The Airport's proximity to waterfowl impoundments and urbanized areas increases the likelihood that peregrine falcons may be encountered in the survey area. However, it is important to note that peregrine falcons do not nest along the coastal plains of South Carolina. Instead, the survey area may serve as a migratory pathway for these falcons, presenting an opportune location for hunting prey or as a migratory pathway. The American Peregrine Falcon was not observed during the field survey. The Proposed Project would have no effect on the American Peregrine Falcon.

#### Swallow-tailed Kite (Clemmys guttata) – Endangered (State)

Swallow-tailed kites can be recognized by long, pointed wings, a deeply forked tail with black feathers, a white body and head, and a dark, sharply hooked bill. They spend most of their time in the air, however, mating pairs build nests in the upper branches of trees, preferring dominant loblolly pines growing within or on the edges of wetland forests.

Swallow-tailed kites prey on insects, anoles, treefrogs, small snakes, and nestling birds. They eat, drink, and bathe on the wing and are closely associated with large tracts of forested wetlands of the Outer Coastal Plain of South Carolina. A migratory species, the swallow-tailed kite typically travels south in late summer or early fall and returns to the southeastern United States in the spring (SCWF, n.d.; SCDNR, 2015).

The Airport's proximity to large tracts of forested wetlands and available prey suggests a potential foraging habitat for swallow-tailed kites. However, the absence of tall trees within the survey area diminishes the likelihood of the survey area serving purposes beyond foraging habitat or as a migratory pathway. The swallow-tailed kite was not observed during the field survey. The Proposed Project would have no effect on the swallow-tailed kite.

#### 5 Results

During the comprehensive wildlife survey conducted within the proposed construction area at MYR, field observations revealed an absence of federal and state designated T&E species potentially associated with the region within the survey area.

Vegetation in the upland areas of the survey area includes broomsedge (*Andropogon* spp.), bitter sneezeweed (*Helenium amarum*), crabgrass (*Digitaria* spp.), carpetgrass (*Anxonopus fissifolius*), common dandelion (*Taraxacum officinale*), blackberry (*Rubus* sp.), and Bermuda grass (*Cynodon dactylon*). Many

inundated areas contained algae, large rocks, and murky water. Stormwater system/swale depths ranged from approximately 0.5 inch to a few feet deep, with deeper areas typically found towards the northern portion of the survey area. Photos of the survey area, notable observations, and typical vegetation can be found in the photo log in **Appendix B**.

#### 6 Conclusion

The Proposed Project would not adversely impact federal or state-listed T&E species or their critical habitats.

#### 7 References

- Buckland, S. T., Anderson, D. R., Burnham, K. P., & Laake, J. L. (1993). Distance Sampling: Estimating Abundance of Biological Populations. DOI: 10.2307/2532812
- Savannah River Ecology Laboratory. (n.d.). Southern Hognose Snake (Heterodon simus). University of Georgia. https://srelherp.uga.edu/snakes/hetsim.htm
- South Carolina Department of Natural Resources. (n.d.). Peregrine Falcon. Marine Resources Research Institute. Retrieved from https://www.dnr.sc.gov/marine/mrri/acechar/speciesgallery/Birds/peregrinefalcon/index.html
- South Carolina Department of Natural Resources. (2015). Spotted Turtle (Clemmys guttata) Status
  Assessment and Conservation Plan. Retrieved from
  https://www.dnr.sc.gov/swap/supplemental/reptilesandamphibians/spottedturtle2015.pdf
- South Carolina Department of Natural Resources. (n.d.). Southern Bald Eagle (Haliaeetus leucocephalus).

  Marine Resources Research Institute. Retrieved from

  <a href="https://www.dnr.sc.gov/marine/mrri/acechar/speciesgallery/Birds/SouthernBaldEagle/index.html">https://www.dnr.sc.gov/marine/mrri/acechar/speciesgallery/Birds/SouthernBaldEagle/index.html</a>
- South Carolina Department of Natural Resources. (2015). Swallow-tailed Kite (Elanoides forficatus).

  South Carolina Wildlife Action Plan Supplemental Information. Retrieved from

  <a href="https://www.dnr.sc.gov/swap/supplemental/birds/swallowtailedkite2015.pdf">https://www.dnr.sc.gov/swap/supplemental/birds/swallowtailedkite2015.pdf</a>
- South Carolina Threatened and Endangered Species Inventory. (n.d.). ArcGIS Experience. https://experience.arcgis.com/experience/af61ba156d054cc7b3e27d09a0c35c0f
- South Carolina Wildlife Federation. (n.d.). Swallow-tailed Kites. Retrieved from https://www.scwf.org/swallowtailed-kites

### **Figures**

Figure 1: Airport Location




**RS&H** 

### Myrtle Beach International Airport Surveyed Area

N N

Figure 2: Survey Area



#### Legend







## Appendix A: USFWS Correspondence and Determination Letter



#### United States Department of the Interior



#### FISH AND WILDLIFE SERVICE

South Carolina Ecological Services 176 Croghan Spur Road, Suite 200 Charleston, SC 29407-7558 Phone: (843) 727-4707 Fax: (843) 727-4218

In Reply Refer To: December 18, 2023

Project code: 2024-0027524

Project Name: MYR Runway 18-36 Rehabilitation EA

Federal Nexus: yes

Federal Action Agency (if applicable): Federal Aviation Administration

**Subject:** Record of project representative's no effect determination for 'MYR Runway 18-36

Rehabilitation EA'

#### Dear Michael Fesanco:

This letter records your determination using the Information for Planning and Consultation (IPaC) system provided to the U.S. Fish and Wildlife Service (Service) on December 18, 2023, for 'MYR Runway 18-36 Rehabilitation EA' (here forward, Project). This project has been assigned Project Code 2024-0027524 and all future correspondence should clearly reference this number. **Please carefully review this letter.** 

#### **Ensuring Accurate Determinations When Using IPaC**

The Service developed the IPaC system and associated species' determination keys in accordance with the Endangered Species Act of 1973 (ESA; 87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.) and based on a standing analysis. All information submitted by the Project proponent into IPaC must accurately represent the full scope and details of the Project.

Failure to accurately represent or implement the Project as detailed in IPaC or the Northern Long-eared Bat Rangewide Determination Key (Dkey), invalidates this letter. *Answers to certain questions in the DKey commit the project proponent to implementation of conservation measures that must be followed for the ESA determination to remain valid.* 

#### **Determination for the Northern Long-Eared Bat**

Based upon your IPaC submission and a standing analysis, your project has reached the determination of "No Effect" on the northern long-eared bat. To make a no effect determination, the full scope of the proposed project implementation (action) should not have any effects (either positive or negative), to a federally listed species or designated critical habitat. Effects of the action are all consequences to listed species or critical habitat that are caused by the proposed

action, including the consequences of other activities that are caused by the proposed action. A consequence is caused by the proposed action if it would not occur but for the proposed action and it is reasonably certain to occur. Effects of the action may occur later in time and may include consequences occurring outside the immediate area involved in the action. (See § 402.17).

Under Section 7 of the ESA, if a federal action agency makes a no effect determination, no consultation with the Service is required (ESA §7). If a proposed Federal action may affect a listed species or designated critical habitat, formal consultation is required except when the Service concurs, in writing, that a proposed action "is not likely to adversely affect" listed species or designated critical habitat [50 CFR §402.02, 50 CFR§402.13].

#### Other Species and Critical Habitat that May be Present in the Action Area

The IPaC-assisted determination for the northern long-eared bat does not apply to the following ESA-protected species and/or critical habitat that also may occur in your Action area:

- American Chaffseed Schwalbea americana Endangered
- Canby's Dropwort Oxypolis canbyi Endangered
- Green Sea Turtle *Chelonia mydas* Threatened
- Kemp's Ridley Sea Turtle Lepidochelys kempii Endangered
- Leatherback Sea Turtle Dermochelys coriacea Endangered
- Loggerhead Sea Turtle *Caretta caretta* Threatened
- Monarch Butterfly Danaus plexippus Candidate
- Piping Plover Charadrius melodus Threatened
- Pondberry Lindera melissifolia Endangered
- Red-cockaded Woodpecker *Picoides borealis* Endangered
- Rufa Red Knot Calidris canutus rufa Threatened
- Tricolored Bat Perimyotis subflavus Proposed Endangered

You may coordinate with our Office to determine whether the Action may affect the animal species listed above and, if so, how they may be affected.

#### **Next Steps**

Based upon your IPaC submission, your project has reached the determination of "No Effect" on the northern long-eared bat. If there are no updates on listed species, no further consultation/ coordination for this project is required with respect to the northern long-eared bat. However, the Service recommends that project proponents re-evaluate the Project in IPaC if: 1) the scope, timing, duration, or location of the Project changes (includes any project changes or amendments); 2) new information reveals the Project may impact (positively or negatively) federally listed species or designated critical habitat; or 3) a new species is listed, or critical

habitat designated. If any of the above conditions occurs, additional coordination with the Service should take place to ensure compliance with the Act.

If you have any questions regarding this letter or need further assistance, please contact the South Carolina Ecological Services and reference Project Code 2024-0027524 associated with this Project.

#### **Action Description**

You provided to IPaC the following name and description for the subject Action.

#### 1. Name

MYR Runway 18-36 Rehabilitation EA

#### 2. Description

The following description was provided for the project 'MYR Runway 18-36 Rehabilitation EA':

The Proposed Project is the permanent full depth and width runway pavement rehabilitation of Runway 18-36. Connected actions to the Proposed Project include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements.

The approximate location of the project can be viewed in Google Maps: <a href="https://www.google.com/maps/@33.68330725">https://www.google.com/maps/@33.68330725</a>,-78.93140463326614,14z



#### **DETERMINATION KEY RESULT**

Based on the information you provided, you have determined that the Proposed Action will have no effect on the Endangered northern long-eared bat (Myotis septentrionalis). Therefore, no consultation with the U.S. Fish and Wildlife Service pursuant to Section 7(a)(2) of the Endangered Species Act of 1973 (87 Stat. 884, as amended 16 U.S.C. 1531 *et seq.*) is required for those species.

#### **QUALIFICATION INTERVIEW**

1. Does the proposed project include, or is it reasonably certain to cause, intentional take of the northern long-eared bat or any other listed species?

**Note:** Intentional take is defined as take that is the intended result of a project. Intentional take could refer to research, direct species management, surveys, and/or studies that include intentional handling/encountering, harassment, collection, or capturing of any individual of a federally listed threatened, endangered or proposed species?

No

Your project overlaps with an area where northern long-eared bats may be present yearround. Time-of-year restrictions may not be appropriate for your project due to bats being active all year.

Do you understand that your project may impact bats at any time during the year and timeof-year restrictions may not apply to your project?

Yes

3. The action area does not overlap with an area for which U.S. Fish and Wildlife Service currently has data to support the presumption that the northern long-eared bat is present. Are you aware of other data that indicates that northern long-eared bats (NLEB) are likely to be present in the action area?

Bat occurrence data may include identification of NLEBs in hibernacula, capture of NLEBs, tracking of NLEBs to roost trees, or confirmed NLEB acoustic detections. Data on captures, roost tree use, and acoustic detections should post-date the year when whitenose syndrome was detected in the relevant state. With this question, we are looking for data that, for some reason, may have not yet been made available to U.S. Fish and Wildlife Service.

No

4. Does any component of the action involve construction or operation of wind turbines?

**Note:** For federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

No

5. Is the proposed action authorized, permitted, licensed, funded, or being carried out by a Federal agency in whole or in part?

Yes

6. Is the Federal Highway Administration (FHWA), Federal Railroad Administration (FRA), or Federal Transit Administration (FTA) funding or authorizing the proposed action, in whole or in part?

No

7. Are you an employee of the federal action agency or have you been officially designated in writing by the agency as its designated non-federal representative for the purposes of Endangered Species Act Section 7 informal consultation per 50 CFR § 402.08?

**Note:** This key may be used for federal actions and for non-federal actions to facilitate section 7 consultation and to help determine whether an incidental take permit may be needed, respectively. This question is for information purposes only.

No

8. Is the lead federal action agency the Environmental Protection Agency (EPA) or Federal Communications Commission (FCC)? Is the Environmental Protection Agency (EPA) or Federal Communications Commission (FCC) funding or authorizing the proposed action, in whole or in part?

No

9. Is the lead federal action agency the Federal Energy Regulatory Commission (FERC)? *No* 

10. Have you determined that your proposed action will have no effect on the northern longeared bat? Remember to consider the <u>effects of any activities</u> that would not occur but for the proposed action.

If you think that the northern long-eared bat may be affected by your project or if you would like assistance in deciding, answer "No" below and continue through the key. If you have determined that the northern long-eared bat does not occur in your project's action area and/or that your project will have no effects whatsoever on the species despite the potential for it to occur in the action area, you may make a "no effect" determination for the northern long-eared bat.

**Note:** Federal agencies (or their designated non-federal representatives) must consult with USFWS on federal agency actions that may affect listed species [50 CFR 402.14(a)]. Consultation is not required for actions that will not affect listed species or critical habitat. Therefore, this determination key will not provide a consistency or verification letter for actions that will not affect listed species. If you believe that the northern long-eared bat may be affected by your project or if you would like assistance in deciding, please answer "No" and continue through the key. Remember that this key addresses only effects to the northern long-eared bat. Consultation with USFWS would be required if your action may affect another listed species or critical habitat. The definition of Effects of the Action can be found here: <a href="https://www.fws.gov/media/northern-long-eared-bat-assisted-determination-key-selected-definitions">https://www.fws.gov/media/northern-long-eared-bat-assisted-determination-key-selected-definitions</a>

Yes

#### **PROJECT QUESTIONNAIRE**

Will all project activities by completed by April 1, 2024? No

#### **IPAC USER CONTACT INFORMATION**

Agency: Private Entity Name: Michael Fesanco

Address: 10748 Deerwood Park Blvd South

Jacksonville City:

State: FL 32256 Zip:

Email michael.fesanco@rsandh.com

Phone: 3217952840

#### LEAD AGENCY CONTACT INFORMATION

Lead Agency: Federal Aviation Administration



## United States Department of the Interior



### FISH AND WILDLIFE SERVICE

South Carolina Ecological Services 176 Croghan Spur Road, Suite 200 Charleston, SC 29407-7558 Phone: (843) 727-4707 Fax: (843) 727-4218

In Reply Refer To: December 18, 2023

Project code: 2024-0027524

Project Name: MYR Runway 18-36 Rehabilitation EA

Subject: Consistency letter for 'MYR Runway 18-36 Rehabilitation EA' for specified federally

threatened and endangered species and designated critical habitat that may occur in your proposed project area consistent with the South Carolina Ecological Services Field Office (ESFO) Determination Key (DKey) for project review and guidance for

federally listed species.

### Michael Fesanco:

The U.S. Fish and Wildlife Service (Service) received on **December 18, 2023** your effect determination(s) for the 'MYR Runway 18-36 Rehabilitation EA' (the Action) using the South Carolina ESFO DKey for project review and guidance for federally-listed species within the Information for Planning and Consultation (IPaC) application. The Service developed this application in accordance with the Endangered Species Act of 1973 (ESA) (87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.).

Based on your answers and the assistance of the Service's South Carolina ESFO DKey, you made the following effect determination(s) for the proposed Action:

Species	Listing Status	Determination
American Chaffseed (Schwalbea americana)	Endangered	No effect
Canby's Dropwort ( <i>Oxypolis canbyi</i> )	Endangered	No effect
Green Sea Turtle (Chelonia mydas)	Threatened	No effect
Kemp's Ridley Sea Turtle (Lepidochelys kempii)	Endangered	No effect
Leatherback Sea Turtle (Dermochelys coriacea)	Endangered	No effect
Loggerhead Sea Turtle (Caretta caretta)	Threatened	No effect
Piping Plover (Charadrius melodus)	Threatened	NLAA
Pondberry (Lindera melissifolia)	Endangered	No effect
Red-cockaded Woodpecker (Picoides borealis)	Endangered	No effect
Rufa Red Knot (Calidris canutus rufa)	Threatened	NLAA

<u>Consultation with the Service is not complete.</u> The above effect determination(s) becomes applicable when the lead federal action agency or designated non-federal representative submits a request to the Service to rely on the South Carolina ESFO DKey in order to satisfy the agency's consultation requirements for this project.

Please provide this consistency letter to the lead Federal action agency or its designated non-federal representative with a request for its review, and as the agency deems appropriate, to submit for concurrence verification through the IPaC system. The lead Federal action agency or designated non-federal representative should log into IPaC using their agency email account and click "Search by record locator." They will need to enter the record locator 255-136021062

The following species and/or critical habitats may also occur in your project area and **are not** covered by this conclusion:

- Monarch Butterfly Danaus plexippus Candidate
- Northern Long-eared Bat *Myotis septentrionalis* Endangered
- Tricolored Bat Perimyotis subflavus Proposed Endangered

Please note the Service shares jurisdiction with the Fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries) over sea turtles. The Service exerts jurisdiction when sea turtles are nesting on coastal beaches while NOAA Fisheries has jurisdiction when sea turtles inhabit coastal and offshore waters.

In-water activities may require consultation with NOAA Fisheries. Please visit the NOAA Fisheries website at <a href="https://www.fisheries.noaa.gov/topic/endangered-species-conservation#conservation-&-management">https://www.fisheries.noaa.gov/topic/endangered-species-conservation#conservation-&-management</a> to review their consultation requirements. Also, NOAA Fisheries should be contacted if you think your project will affect Atlantic and/or shortnose sturgeon.

Please note that due to obligations under the ESA, potential impacts of this project must be reconsidered if: (1) new information reveals impacts of this identified action may affect any listed species or critical habitat in a manner not previously considered; (2) this action is subsequently modified in a manner which was not considered in this assessment; or (3) a new species is listed or critical habitat is designated that may be affected by the identified action. If any of the above conditions occurs, additional consultation with the South Carolina ESFO should take place before project changes are final or resources committed.

**Bald and Golden Eagle Protection Act (BGEPA):** Bald and golden eagles are not included in this section 7(a)(2) consultation and this information does not constitute a determination of effects by the Service. The Service developed the National Bald Eagle Management Guidelines to advise landowners, land managers, and others who share public and private lands with bald eagles when and under what circumstances the protective provisions of the BGEPA may apply to their activities. The guidelines should be consulted prior to conducting new or intermittent activity near an eagle nest.

If the Federal Action may impact bald or golden eagles, additional coordination with the Service under the Bald and Golden Eagle Protection Act (BGEPA) (54 Stat. 250, as amended, 16 U.S.C.

668a-d) may be required. Please contact Ulgonda Kirkpatrick (phone: 321/972-9089, e-mail: ulgonda\_kirkpatrick@fws.gov) with any questions regarding potential impacts to bald or golden eagles.

## **Action Description**

You provided to IPaC the following name and description for the subject Action.

### 1. Name

MYR Runway 18-36 Rehabilitation EA

## 2. Description

The following description was provided for the project 'MYR Runway 18-36 Rehabilitation EA':

The Proposed Project is the permanent full depth and width runway pavement rehabilitation of Runway 18-36. Connected actions to the Proposed Project include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements.

The approximate location of the project can be viewed in Google Maps: <a href="https://www.google.com/maps/@33.68330725,-78.93140463326614,14z">https://www.google.com/maps/@33.68330725,-78.93140463326614,14z</a>



## **QUALIFICATION INTERVIEW**

1. Does the proposed project involve research or other actions that include the collection, capture, handling, or harassment of any individual federally listed threatened, endangered or proposed species?

No

2. Is the action authorized, funded, or being carried out by a Federal agency?

Yes

3. Are you the Federal agency or designated non-federal representative?

No

4. Is the project an existing structure that requires maintenance, repair, or replacement? *Yes* 

5. Will all project take place within the existing structure's footprint?

Yes

6. Does the project intersect the piping plover AOI?

### Automatically answered

Yes

7. Will the proposed action impact docks, piers, and/or bulkheads?

No

8. Will the project affect shorebird resting/foraging behavior, foraging habitat (i.e., ), AND/ OR roosting habitat?

Nο

9. Does the project intersect the red knot AOI?

### Automatically answered

Yes

10. Will the proposed action impact docks, piers, and/or bulkheads?

No

11. Does the project intersect the red-cockaded woodpecker AOI?

### Automatically answered

Yes

12. Is the action area located within suitable Red-cockaded woodpecker <u>foraging habitat</u> (pine or pine/hardwood stands in which 50% or more of the dominant trees are pines and the dominant pine trees are 30 years of age or older or >10-inches diameter breast height (dbh) and the midstory height does not exceed 12 feet)?

No

13. Is the action area on a sandy beach above the mean high-water line?

Νo

14. Does the project intersect the loggerhead sea turtle AOI?

### Automatically answered

Yes

15. Does the project intersect the leatherback sea turtle AOI?

### Automatically answered

Yes

16. Does the project intersect the Kemp's Ridley sea turtle AOI?

### Automatically answered

Yes

17. Does the project intersect the green sea turtle AOI?

### Automatically answered

Yes

18. Does the project intersect the pondberry AOI?

### Automatically answered

Yes

19. Is there suitable pondberry habitat (e.g., pond margins, swampy depressions, sandy sinks, and seasonally flooded wetlands) for pondberry located within the project area?

No

20. Does the project intersect the American chaffseed AOI?

### Automatically answered

Yes

21. Is there suitable habitat for American chaffseed located within the project area?

**Note:** American Chaffseed occurs in sandy (sandy peat, sandy loam), acidic, seasonally moist to dry soils. It is generally found in early successional habitats described as open, moist pine flatwoods, fire-maintained savannas, ecotonal areas between peaty wetlands and xeric (dry) sandy soils, bog borders, and other open grass-sedge systems. American Chaffseed is dependent on factors such as fire and mowing to maintain the open to partly open conditions that it requires. They can be found in habitat that is managed for the red-cockaded woodpecker. The species appears to be shade intolerant. American Chaffseed occurs in species-rich plant communities where grasses, sedges, and savanna dicots are numerous. For more information see: American Chaffseed (Schwalbea americana) Recovery Plan. ECOS: <a href="https://ecos.fws.gov/docs/recovery\_plan/950929c.pdf">https://ecos.fws.gov/docs/recovery\_plan/950929c.pdf</a>

No

22. Does the project intersect the Canby's dropwort AOI?

### Automatically answered

Yes

23. Is there suitable habitat for Canby's dropwort located within the project area?

**Note:** Canby's Dropwort can be found in a variety of coastal plain habitats, including natural ponds dominated by pond cypress, grass-sedge-dominated Carolina bays, wet pine savannas, shallow pineland ponds and cypress-pine swamps or sloughs. The largest and most vigorous populations have been found in open bays or ponds that are wet throughout most of the year, but which have little or no canopy cover. Soils are sandy loams or acidic peat mucks underlain by clay layers which, along with the slight gradient of the areas, result in the retention of water. *No* 

24. This determination key does not cover the Northern long-eared bat. Have you or will you complete the Determination Key for the Northern long-eared bat?

Yes

## **IPAC USER CONTACT INFORMATION**

Agency: Private Entity Name: Michael Fesanco

Address: 10748 Deerwood Park Blvd South

Jacksonville City:

State: FL 32256 Zip:

Email michael.fesanco@rsandh.com

Phone: 3217952840

## LEAD AGENCY CONTACT INFORMATION

Lead Agency: Federal Aviation Administration



## United States Department of the Interior



### FISH AND WILDLIFE SERVICE

South Carolina Ecological Services 176 Croghan Spur Road, Suite 200 Charleston, SC 29407-7558 Phone: (843) 727-4707 Fax: (843) 727-4218

In Reply Refer To: December 18, 2023

Project Code: 2024-0027524

Project Name: MYR Runway 18-36 Rehabilitation EA

Subject: List of threatened and endangered species that may occur in your proposed project

location or may be affected by your proposed project

### To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological

evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf

**Migratory Birds**: In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts, see https://www.fws.gov/program/migratory-bird-permit/what-we-do.

The MBTA has no provision for allowing take of migratory birds that may be unintentionally killed or injured by otherwise lawful activities. It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a federal nexus) or a Bird/Eagle Conservation Plan (when there is no federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures, see https://www.fws.gov/library/collections/threats-birds.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 provides for the protection of both migratory birds and migratory bird habitat. For information regarding the implementation of Executive Order 13186, please visit https://www.fws.gov/partner/council-conservation-migratory-birds.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.

## Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Bald & Golden Eagles
- Migratory Birds
- Wetlands

## **OFFICIAL SPECIES LIST**

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

**South Carolina Ecological Services** 176 Croghan Spur Road, Suite 200 Charleston, SC 29407-7558 (843) 727-4707

## **PROJECT SUMMARY**

Project Code: 2024-0027524

Project Name: MYR Runway 18-36 Rehabilitation EA

Project Type: Airport - New Construction

Project Description: The Proposed Project is the permanent full depth and width runway

pavement rehabilitation of Runway 18-36. Connected actions to the Proposed Project include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In

addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting,

and stormwater system improvements.

### **Project Location:**

The approximate location of the project can be viewed in Google Maps: <a href="https://www.google.com/maps/@33.68330725,-78.93140463326614,14z">https://www.google.com/maps/@33.68330725,-78.93140463326614,14z</a>



Counties: Horry County, South Carolina

## **ENDANGERED SPECIES ACT SPECIES**

There is a total of 13 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries<sup>1</sup>, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

1. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

STATUS

### **MAMMALS**

There is **proposed** critical habitat for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/1864">https://ecos.fws.gov/ecp/species/1864</a>

NAME

NAME	SIAIUS
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/9045">https://ecos.fws.gov/ecp/species/9045</a>	Endangered
Tricolored Bat <i>Perimyotis subflavus</i> No critical habitat has been designated for this species.  Species profile: <a href="https://ecos.fws.gov/ecp/species/10515">https://ecos.fws.gov/ecp/species/10515</a>	Proposed Endangered
BIRDS	
NAME	STATUS
Piping Plover <i>Charadrius melodus</i> Population: [Atlantic Coast and Northern Great Plains populations] - Wherever found, except those areas where listed as endangered.  There is <b>final</b> critical habitat for this species. Your location does not overlap the critical habitat. Species profile: <a href="https://ecos.fws.gov/ecp/species/6039">https://ecos.fws.gov/ecp/species/6039</a>	Threatened
Red-cockaded Woodpecker <i>Picoides borealis</i> No critical habitat has been designated for this species.  Species profile: <a href="https://ecos.fws.gov/ecp/species/7614">https://ecos.fws.gov/ecp/species/7614</a>	Endangered
Rufa Red Knot Calidris canutus rufa	Threatened

### **REPTILES**

NAME STATUS

Green Sea Turtle Chelonia mydas

Threatened

Population: North Atlantic DPS

There is **final** critical habitat for this species. Your location does not overlap the critical habitat.

Species profile: <a href="https://ecos.fws.gov/ecp/species/6199">https://ecos.fws.gov/ecp/species/6199</a>

Kemp's Ridley Sea Turtle Lepidochelys kempii

Endangered

There is **proposed** critical habitat for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/5523">https://ecos.fws.gov/ecp/species/5523</a>

Leatherback Sea Turtle Dermochelys coriacea

Endangered

There is **final** critical habitat for this species. Your location does not overlap the critical habitat.

Species profile: <a href="https://ecos.fws.gov/ecp/species/1493">https://ecos.fws.gov/ecp/species/1493</a>

Loggerhead Sea Turtle Caretta caretta

Threatened

Population: Northwest Atlantic Ocean DPS

There is **final** critical habitat for this species. Your location does not overlap the critical habitat.

Species profile: <a href="https://ecos.fws.gov/ecp/species/1110">https://ecos.fws.gov/ecp/species/1110</a>

**INSECTS** 

NAME STATUS

Monarch Butterfly Danaus plexippus

Candidate

No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9743

FLOWERING PLANTS

NAME STATUS

American Chaffseed Schwalbea americana

Endangered

No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/1286">https://ecos.fws.gov/ecp/species/1286</a>

Canby's Dropwort *Oxypolis canbyi* 

Endangered

No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/7738">https://ecos.fws.gov/ecp/species/7738</a>

Pondberry Lindera melissifolia

Endangered

No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/1279">https://ecos.fws.gov/ecp/species/1279</a>

### **CRITICAL HABITATS**

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

12/18/2023 7

## **USFWS NATIONAL WILDLIFE REFUGE LANDS** AND FISH HATCHERIES

Any activity proposed on lands managed by the National Wildlife Refuge system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

## **BALD & GOLDEN EAGLES**

Bald and golden eagles are protected under the Bald and Golden Eagle Protection Act<sup>1</sup> and the Migratory Bird Treaty Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats<sup>3</sup>, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

- 1. The Bald and Golden Eagle Protection Act of 1940.
- 2. The Migratory Birds Treaty Act of 1918.
- 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

### There are bald and/or golden eagles in your project area.

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

**NAME BREEDING SEASON** 

### Bald Eagle *Haliaeetus leucocephalus*

This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities.

https://ecos.fws.gov/ecp/species/1626

Breeds Sep 1 to Jul 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

## **Probability of Presence (■)**

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

## **Breeding Season** (


Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.

## Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

### No Data (-)

A week is marked as having no data if there were no survey events for that week.



Additional information can be found using the following links:

- Eagle Management <a href="https://www.fws.gov/program/eagle-management">https://www.fws.gov/program/eagle-management</a>
- Measures for avoiding and minimizing impacts to birds <a href="https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds">https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</a>
- Nationwide conservation measures for birds <a href="https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf">https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf</a>
- Supplemental Information for Migratory Birds and Eagles in IPaC <a href="https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action">https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</a>

## **MIGRATORY BIRDS**

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats<sup>3</sup> should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The Bald and Golden Eagle Protection Act of 1940.

3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, see the PROBABILITY OF PRESENCE SUMMARY below to see when these birds are most likely to be present and breeding in your project area.

NAME	BREEDING SEASON
American Kestrel <i>Falco sparverius paulus</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9587">https://ecos.fws.gov/ecp/species/9587</a>	Breeds Apr 1 to Aug 31
American Oystercatcher <i>Haematopus palliatus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/8935">https://ecos.fws.gov/ecp/species/8935</a>	Breeds Apr 15 to Aug 31
Bald Eagle <i>Haliaeetus leucocephalus</i> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1626">https://ecos.fws.gov/ecp/species/1626</a>	Breeds Sep 1 to Jul 31
Black Skimmer <i>Rynchops niger</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/5234">https://ecos.fws.gov/ecp/species/5234</a>	Breeds May 20 to Sep 15
Brown-headed Nuthatch <i>Sitta pusilla</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9427">https://ecos.fws.gov/ecp/species/9427</a>	Breeds Mar 1 to Jul 15
Chimney Swift <i>Chaetura pelagica</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9406">https://ecos.fws.gov/ecp/species/9406</a>	Breeds Mar 15 to Aug 25
Coastal (waynes) Black-throated Green Warbler <i>Setophaga virens waynei</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/11879">https://ecos.fws.gov/ecp/species/11879</a>	Breeds May 1 to Aug 15

12/18/2023

NAME	BREEDING SEASON
Gull-billed Tern <i>Gelochelidon nilotica</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9501">https://ecos.fws.gov/ecp/species/9501</a>	Breeds May 1 to Jul 31
Kentucky Warbler <i>Oporornis formosus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9443">https://ecos.fws.gov/ecp/species/9443</a>	Breeds Apr 20 to Aug 20
Lesser Yellowlegs <i>Tringa flavipes</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9679">https://ecos.fws.gov/ecp/species/9679</a>	Breeds elsewhere
Painted Bunting <i>Passerina ciris</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9511">https://ecos.fws.gov/ecp/species/9511</a>	Breeds Apr 25 to Aug 15
Prairie Warbler <i>Dendroica discolor</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9513">https://ecos.fws.gov/ecp/species/9513</a>	Breeds May 1 to Jul 31
Prothonotary Warbler <i>Protonotaria citrea</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9439">https://ecos.fws.gov/ecp/species/9439</a>	Breeds Apr 1 to Jul 31
Red-headed Woodpecker <i>Melanerpes erythrocephalus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9398">https://ecos.fws.gov/ecp/species/9398</a>	Breeds May 10 to Sep 10
Ruddy Turnstone <i>Arenaria interpres morinella</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/10633">https://ecos.fws.gov/ecp/species/10633</a>	Breeds elsewhere
Rusty Blackbird <i>Euphagus carolinus</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9478">https://ecos.fws.gov/ecp/species/9478</a>	Breeds elsewhere
Saltmarsh Sparrow <i>Ammodramus caudacutus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9719">https://ecos.fws.gov/ecp/species/9719</a>	Breeds May 15 to Sep 5

12/18/2023

NAME	BREEDING SEASON
Short-billed Dowitcher <i>Limnodromus griseus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9480">https://ecos.fws.gov/ecp/species/9480</a>	Breeds elsewhere
Swallow-tailed Kite <i>Elanoides forficatus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/8938">https://ecos.fws.gov/ecp/species/8938</a>	Breeds Mar 10 to Jun 30
Willet <i>Tringa semipalmata</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/10669">https://ecos.fws.gov/ecp/species/10669</a>	Breeds Apr 20 to Aug 5
Wilson's Plover <i>Charadrius wilsonia</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9722">https://ecos.fws.gov/ecp/species/9722</a>	Breeds Apr 1 to Aug 20
Wood Thrush <i>Hylocichla mustelina</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9431">https://ecos.fws.gov/ecp/species/9431</a>	Breeds May 10 to Aug 31

## PROBABILITY OF PRESENCE SUMMARY

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read "Supplemental Information on Migratory Birds and Eagles", specifically the FAQ section titled "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

## **Probability of Presence (■)**

Green bars; the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during that week of the year.

## **Breeding Season** (**•**)

Yellow bars; liberal estimate of the timeframe inside which the bird breeds across its entire range.

### Survey Effort (|)

Vertical black lines; the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps.

### No Data (-)

A week is marked as having no data if there were no survey events for that week.

■ probability of presence ■ breeding season | survey effort − no data **SPECIES** JAN FEB MAR APR MAY JUN JUL **AUG SEP** OCT NOV DEC American Kestrel **║║┼┼ ╙┼┼┼ ┼┼┼┼ ╙┼┼** +++||| +|||||||||||||++ +|||||+ BCC - BCR American Oystercatcher BCC Rangewide (CON) Bald Eagle Non-BCC Vulnerable Black Skimmer BCC Rangewide (CON) Brown-headed Nuthatch BCC - BCR Chimney Swift BCC Rangewide (CON) Coastal (waynes) Black-throated Green Warbler BCC - BCR Gull-billed Tern BCC Rangewide (CON) Kentucky Warbler BCC Rangewide (CON) Lesser Yellowlegs <del>┼┼┼┼</del> ┼┼┼┼ ┼┼┼┼ ┼┼**╜╜ ╙┼**┼┼ ┼┼┼┼ ┼┼┼┼ ╟┼┼┼ ┼┼┼┼ ┼┼┼┼ ┼┼┼┼ BCC Rangewide (CON) Painted Bunting BCC - BCR Prairie Warbler BCC Rangewide (CON) APR **SPECIES JAN FEB** MAR MAY JUN JUL AUG **SEP** OCT NOV DEC Prothonotary Warbler BCC Rangewide (CON)



Additional information can be found using the following links:

- Eagle Management <a href="https://www.fws.gov/program/eagle-management">https://www.fws.gov/program/eagle-management</a>
- Measures for avoiding and minimizing impacts to birds <a href="https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds">https://www.fws.gov/library/collections/avoiding-and-minimizing-incidental-take-migratory-birds</a>
- Nationwide conservation measures for birds <a href="https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf">https://www.fws.gov/sites/default/files/documents/nationwide-standard-conservation-measures.pdf</a>
- Supplemental Information for Migratory Birds and Eagles in IPaC <a href="https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action">https://www.fws.gov/media/supplemental-information-migratory-birds-and-bald-and-golden-eagles-may-occur-project-action</a>

## **WETLANDS**

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of Engineers District</u>.

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

WETLAND INFORMATION WAS NOT AVAILABLE WHEN THIS SPECIES LIST WAS GENERATED. PLEASE VISIT <a href="https://www.fws.gov/wetlands/data/mapper.html">https://www.fws.gov/wetlands/data/mapper.html</a> or contact the field office for further information.

12/18/2023

## **IPAC USER CONTACT INFORMATION**

Agency: Private Entity
Name: Michael Fesanco

Address: 10748 Deerwood Park Blvd South

City: Jacksonville

State: FL Zip: 32256

Email michael.fesanco@rsandh.com

Phone: 3217952840

## LEAD AGENCY CONTACT INFORMATION

Lead Agency: Federal Aviation Administration

# **Appendix B: Photo Log**

## **Notable Observations**



Turtle eggs at DP 11



Apple snail eggs at DP 18



Avian tracks at DP 15



Apple snail shell at DP 19

## Data Point (DP) 1



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West




Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical condition – Facing East



Dry culvert – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Culvert– Facing North



Typical Condition – Facing South



Water depth ~12" – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Culvert; water depth ~ 1-3" – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Water depth ~3-6" – Facing South



Culvert – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East




Typical Condition – Facing West



Culvert – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Culvert – Facing North



Culvert – Facing South



Algae; water depth ~ 3′ – Facing East



Typical Condition – Facing West



Typical condition – Facing North



Typical Condition – Facing South



Typical Condition – Facing East




Culvert – Facing West



Culvert – Facing North



Typical Condition – Facing South



Water depth ~3" – Facing East



Typical Condition – Facing West



Above culvert – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West



Culvert – Facing North



Typical Condition – Facing South



Typical Condition – Facing East



Typical Condition – Facing West

## APPENDIX C AIRCRAFT NOISE ANALYSIS

#### C.1 INTRODUCTION

This technical report presents the aircraft noise exposure for the Myrtle Beach International Airport (MYR or Airport) Runway Rehabilitation Environmental Assessment (EA). The noise analysis was prepared to comply with the National Environmental Policy Act (NEPA) of 1969; Federal Aviation Administration (FAA) Order 1050.1F, Environmental Impacts: Policies and Procedures; and FAA Order 5050.4B, NEPA Implementing Instructions for Airport Actions. The following describes the regulatory background, noise analysis methodology, noise model input data, and noise exposure results.

#### C.2 REGULATORY GUIDELINES AND AIRCRAFT NOISE MODEL

The noise analysis was developed using the FAA's Aviation Environmental Design Tool (AEDT) Version 3e. The AEDT is the required FAA tool to evaluate potential noise impacts from actions subject to NEPA. The AEDT produces aircraft noise contours that delineate areas of equal daynight average sound level (DNL). The DNL is a 24-hour time-weighted sound level that is expressed in A-weighted decibels. The FAA and other federal agencies use DNL as the primary measure of noise impact because it: correlates well with the results of attitudinal surveys regarding noise; increases with the duration of noise events; and accounts for an increased sensitivity to noise at night by increasing each noise event that occurs during nighttime hours (i.e., 10:00 p.m. to 6:59 a.m.) by 10 decibels (dB).

The AEDT defines a network of grid points at ground level around an airport. The model then selects the shortest distance from each grid point to each flight track and computes the noise exposure generated by each aircraft operation, along each flight track. Customizations are applied for atmospheric acoustical attenuation, acoustical shielding of the aircraft engines by the aircraft itself, and aircraft speed variations. The noise exposure levels for each aircraft are then summed at each grid location. The cumulative noise exposure levels at all grid points are then used to develop aviation noise exposure contours for selected compatible land use values (e.g., DNL 65, 70 and 75).

Guidelines regarding the compatibility of land uses within various DNL contour intervals are specified in *Appendix A of 14 Code of Federal Regulations (CFR) Part 150*. As shown in **Table 1**, the FAA identifies, as a function of annual (365-day average) DNL values, land uses which are compatible and land uses which are not compatible in an airport environ. The FAA determined that the all the land uses listed in the table are compatible with aircraft noise exposure below the 65 DNL contour. When evaluating land use compatibility, attention is therefore focused on land uses within the 65 DNL contour or greater.

Table 1: FAA Land Use Compatibility Guidelines – 14 CFR Part 150

Land Use		DNL Expressed in dB(A)					
		65 70	70 75	75 80	70 85	Over 85	
Reside	ntial						
Residential, other than mobile homes and transient lodgings	Υ	N(1)	N(1)	N	N	N	
Mobile home parks	Υ	N	N	N	N	N	
Transient lodgings	Υ	N(1)	N(1)	N(1)	N	N	
Public	Use						
Schools	Υ	N(1)	N(1)	N	N	N	
Hospitals and nursing homes	Υ	25	30	N	N	N	
Churches, auditoriums, and concert halls	Υ	25	30	N	N	N	
Governmental services	Υ	Υ	25	30	N	N	
Transportation	Υ	Υ	Y(2)	Y(3)	Y(4)	Y(4)	
Parking	Υ	Υ	Y(2)	Y(3)	Y(4)	N	
Commerc	ial Use						
Offices, business and professional	Υ	Υ	25	30	N	N	
Wholesale and retail—building materials, hardware and farm equipment	Y	Υ	Y(2)	Y(3)	Y(4)	N	
Retail trade—general	Υ	Υ	25	30	N	N	
Utilities	Υ	Υ	Y(2)	Y(3)	Y(4)	N	
Communication	Υ	Υ	25	30	N	N	
Manufacturing a	nd Produ	iction					
Manufacturing, general	Υ	Υ	Y(2)	Y(3)	Y(4)	N	
Photographic and optical	Υ	Υ	25	30	N	N	
Agriculture (except livestock) and forestry	Υ	Y(6)	Y(7)	Y(8)	Y(8)	Y(8)	
Livestock farming and breeding	Υ	Y(6)	Y(7)	N	N	N	
Mining and fishing, resource production and extraction	Υ	Υ	Υ	Υ	Υ	Υ	
Recreational							
Outdoor sports arenas and spectator sports	Υ	Y(5)	Y(5)	N	N	N	
Outdoor music shells, amphitheaters	Υ	N	N	N	N	N	
Nature exhibits and zoos	Υ	Υ	N	N	N	N	
Amusements, parks, resorts and camps	Υ	Υ	Υ	N	N	N	
Golf courses, riding stables and water recreation	Υ	Υ	25	30	N	N	

Table Notes: SLUCM=Standard Land Use Coding Manual. Y (Yes) = Land Use and related structures compatible without restrictions. N (No) = Land Use and related structures are not compatible and should be prohibited. NLR = Noise Level Reduction (outdoor to indoor) to be achieved through incorporation of noise attenuation into the design and construction of the structure.

25, 30, or 35=Land use and related structures generally compatible; measures to achieve NLR of 25, 30, or 35 dB must be incorporated into design and construction of structure. (1) Where the community determines that residential or school uses must be allowed, measures to achieve outdoor to indoor Noise Level Reduction (NLR) of at least 25 dB and 30 dB should be incorporated into building codes and be considered in individual approvals. Normal residential construction can be expected to provide a NLR of 20 dB, thus, the reduction requirements are often stated as 5, 10 or 15 dB over standard construction and normally assume mechanical ventilation and closed windows year-round. However, the use of NLR criteria will not eliminate outdoor noise problems. (2) Measures to achieve NLR 25 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal noise level is low. (3) Measures to achieve NLR of 30 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal noise level is low. (4) Measures to achieve NLR 35 dB must be incorporated into the design and construction of portions of these buildings where the public is received, office areas, noise sensitive areas or where the normal level is low. (5) Land use compatible provided special sound reinforcement systems are installed. (6) Residential buildings require an NLR of 25. (7) Residential buildings require an NLR of 30. (8) Residential buildings not permitted. Source: 14 CFR Part 150

#### C.3 AFFECTED ENVIRONMENT

In the development of DNL contours, the AEDT uses both default and airport-specific factors. The default factors include meteorological data, engine noise levels, thrust settings, aircraft arrival and departure flight profiles and aircraft speed. The airport-specific factors include the number of aircraft operations, the types of aircraft, runway use, the assignment of aircraft operations to flight tracks, operational time (day/night), and, for departures, the stage (i.e., trip) length. The following describes these data.

#### C.3.1 Meteorological Data

The AEDT accounts for the influences of meteorological conditions on aircraft performance and atmospheric sound absorption. Meteorological conditions affect the transmission of aircraft noise through the air. The AEDT uses temperature and relative humidity to calculate atmospheric absorption coefficients, which in turn are used to adjust aircraft performance and sound propagation through the air. The 10-year average (2011 – 2020) meteorological conditions included in the AEDT for MYR are from the National Oceanic and Atmospheric Administration's Integrated Surface Database and are as follows:

Temperature: 64.7° Fahrenheit

» Relative humidity: 73.6%

#### C.3.2 2023 Aircraft Operations

The aircraft operations<sup>1</sup> modeled for 2023 were obtained from the FAA's Air Traffic Activity System (ATADS) for fiscal year 2023 (October 1, 2022, through September 30, 2023). These data, by aircraft category, are provided in **Table 2**. As shown, the Airport's 2023 annual operations totaled 135,049, an average of approximately 370 operations per day.

<sup>&</sup>lt;sup>1</sup> An aircraft operation is defined as one arrival or one departure.

Table 2: 2023 Annual Aircraft Operations

Air Carrier	Air Taxi	General Aviation	Military	Total
28,916	72,129	26,815	7,189	135,049

Source: FAA ATADS FY 2023

For the purposes of preparing DNL contours, operational data were segregated by aircraft type. The FAA's Traffic Flow Management System Count (TFMSC) data was used to develop the AEDT aircraft fleet mix. TFMSC data provides information on traffic counts by airport and includes the aircraft types operating at that airport. The TFMSC data for MYR was reviewed and each aircraft type was assigned the corresponding AEDT aircraft type. As required the preparation of DNL contours, annual aircraft operations were converted to annual average-day operations

Aircraft operations modeled in the AEDT are assigned as occurring during daytime (7:00 a.m. to 9:59 p.m.) or nighttime (10:00 p.m. to 6:59 a.m.). The calculation of DNL includes an additional weight of 10 decibels (dB) for those operations occurring at night. The time of day for operations was based on air carrier schedules and FlightAware, a commercial vendor that collects and manages aircraft operations and flight track data data. All military operations were modeled during the day. The 2023 modeled aircraft operations and fleet are provided in **Table 3.** 

Table 3: 2023 Aircraft Operations and Fleet Mix

Aircraft Type (s)	AEDT	Annual	Average Annual Day			
	Aircraft	Operations	Day	Night	Total	
Airbus A320-200 Series	A320-211	6,438	15.96	1.68	17.64	
Bombardier CRJ-700/900	CRJ9-ER	5,827	14.45	1.52	15.96	
Airbus A319	A319-131	4,020	9.97	1.05	11.01	
Boeing 737-700	737700	2,957	7.33	0.77	8.10	
Airbus A320 Neo	A320-271N	2,798	6.94	0.73	7.67	
Boeing 737-800/900	737800	2,164	5.37	0.56	5.93	
Boeing 717-200	717200	1,831	4.54	0.48	5.02	
Embraer 175	EMB175	1,013	2.51	0.26	2.78	
Airbus A321/A321Neo	A321-232	953	2.36	0.25	2.61	
Boeing 737 Max 8/Max 9	7378MAX	915	2.27	0.24	2.51	
Embraer 170	EMB170	760	1.88	0.20	2.08	
Embraer ERJ-145	EMB145	334	0.83	0.09	0.92	
Raytheon/Beech Beechjet 400	MU3001	330	0.88	0.03	0.90	
Hawker 800, Lear 31/35/45/60/75	LEAR35	322	0.86	0.03	0.88	
Cessna 525 Citation CJ1/CJ2/CJ3/CJ4	CNA525C	286	0.76	0.02	0.78	
Citation II/Bravo, Phenom 300, PC-24	CNA55B	282	0.75	0.02	0.77	
Bombardier Challenger 300/600/601/604	CL600	257	0.68	0.02	0.70	
Cessna 560 V/Ultra/Encore	CNA560E	248	0.66	0.02	0.68	

Aircraft Type (s)	AEDT	Annual	Average Annual Day		
	Aircraft	Operations	Day	Night	Total
Cessna Sovereign/Latitude/Longitude	CNA680	242	0.64	0.02	0.66
Cessna 560 Citation XLS	CNA560XL	233	0.62	0.02	0.64
Cirrus Vision, Phenom 100	CNA510	214	0.57	0.02	0.59
Cessna 750 Citation X, Falcon 2000	CNA750	150	0.40	0.01	0.41
Gulfstream GV / 500	GV	111	0.29	0.01	0.30
Gulfstream IV/G400	GIV	110	0.29	0.01	0.30
Dassault Falcon 50/900	FAL900EX	62	0.16	0.01	0.17
Eclipse 500, Citation Mustang	ECLIPSE500	58	0.15	0.00	0.16
Israel IAI-1125, Gulfstream 150	IA1125	37	0.10	0.00	0.10
Bombardier Global 5000	BD-700-1A11	8	0.02	0.00	0.02
King Air/Super King Air	DHC6	1,050	2.79	0.09	2.88
Shorts 360	SD330	638	1.70	0.05	1.75
Dash 8-300. ATR 42/72	DHC830	563	1.50	0.05	1.54
Beechcraft 1900	1900D	528	1.40	0.04	1.45
Pilatus PC-12, Cessna 208, Socata TBM9	CNA208	409	1.09	0.03	1.12
Diamond DA40, Mooney, Bonanza 36	GASEPV	14,389	38.24	1.18	39.42
Cirrus SR20/22/22T	COMSEP	2,879	7.65	0.24	7.89
Baron 58, Cessna 310/414/421	BEC58P	2,037	5.41	0.17	5.58
Cessna 172/177	CNA172	2,351	6.25	0.19	6.44
Piper 28 Cherokee Series, Beech 23	GASEPF	889	2.36	0.07	2.44
Cessna 182/185	CNA182	608	1.62	0.05	1.67
Robinson R-44	R44	68,559	187.83	0.00	187.83
Boeing P-8 Poseidon	737800	1,078	2.95	0.00	2.95
C-130 Hercules	C130E	1,078	2.95	0.00	2.95
Raytheon Texan 2	CNA208	1,078	2.95	0.00	2.95
Lockheed F-16 Fighting Falcon	F16PW0	719	1.97	0.00	1.97
Beech Super King Air 350	DHC6	719	1.97	0.00	1.97
Boeing KC-135 Stratotanker	KC-135	719	1.97	0.00	1.97
Boeing 707-300	707320	360	0.99	0.00	0.99
Boeing C-17 Globemaster 3	C17	360	0.99	0.00	0.99
Northrop T-38 Talon	T-38A	1,078	2.95	0.00	2.95
Total Source: RS&H: FAA ATADS: FAA TEMSC		135,049	359.77	10.23	370.00

Source: RS&H; FAA ATADS; FAA TFMSC

#### C.3.4 Runway Use and Aircraft Flight Tracks

Runway use refers to the frequency with which aircraft utilize each runway end for departures and arrivals. The more often a runway is used, the more noise is generated in areas located off each end of that runway. Wind direction and speed primarily dictate the runway directional use (or flow) at airports. Previous coordination with MYR and ATCT staff indicated aircraft operated on Runway 18 51% of the time and on Runway 36 49% of the time.

Flight tracks refer to the route an aircraft follows when arriving to or departing from a runway. The location of flight tracks is a key factor in determining the geographic distribution of noise on the ground. The AEDT uses airport-specific flight tracks and vertical flight profiles to compute three-dimensional flight paths for each modeled aircraft operation. The "default" AEDT vertical profiles, which consist of altitude, speed, and thrust settings, are compiled from data provided by aircraft manufacturers. Previous coordination with MYR and ATCT staff resulted in the aircraft flight track locations. The arrival and departure tracks are primarily centered on the runway close-in to the runway ends. The noise modeling for this EA used those same flight tracks.

#### C.3.5 2023 DNL Contours

The 2023 65-75 DNL contours are provided on **Figure 1. Table 4** identifies the areas within the DNL contour ranges. As shown in the table, the total area within the 65 DNL and greater contour is 875 acres and is primarily located within the limits of the Airport property boundary. The contours extend off-Airport property southeast of the threshold of Runway 36 along South Kings Highway. This area include two helipads used for helicopter tours of the beaches and surrounding areas.

Twelve residential properties south of the threshold of Runway 36 are located within the 2023 65 DNL contour. These properties include a mix of single family and multi-family residences.

Table 4: Area Within 2023 DNL Contour Intervals

DNL Contour	Area
Range	(acres)
65-70	458
70-75	209
>75	208
Total	875

Source: RS&H, 2023




Figure 1: 2023 DNL Contours

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, RS&H, 2023

#### C.4 ENVIRONMENTAL CONSEQUENCES

This section describes the methodology, FAA significance thresholds pertaining to noise and compatible land uses, and the potential effects that the Proposed Project would have on aircraft noise exposure compared to the No Action Alternative for the year 2028.

#### C.4.1 Methodology and Significance Threshold

The methodology for assessing noise exposure included preparing DNL contours for the No Action Alternative and Proposed Project for the year 2028. The noise exposure contours were developed to assess if a significant noise impact would occur.

Per FAA Order 1050.1F, "a significant noise impact would occur if the action would increase noise by DNL 1.5 dB or more for a noise sensitive area that is [already] exposed to noise at or above the DNL 65 dB noise exposure level, or that will be exposed at or above the DNL 65 dB level due to a DNL 1.5 dB or greater increase, when compared to the no action alternative for the same timeframe." Noise sensitive areas generally include residential neighborhoods; educational, health, and religious facilities; and cultural and historic sites.

#### C.4.2 Future Aircraft Operations

The 2028 aircraft operations were obtained from the FAA's Terminal Area Forecast (TAF) issued February 2023. These data, by aircraft category, are provided in **Table 5**. As shown, the 2028 annual operations are forecast to total 145,833, an average of approximately 400 operations per day.

The 2028 aircraft fleet mix was determined by multiplying the percentages by aircraft type that occurred in 2023 by the FAA TAF operations forecast to occur in 2028. The runway use, flight tracks, flight track use, and time of day modeled for 2028 were the same as the 2023 condition. The 2028 aircraft operations and fleet mix are shown in **Table 6.** 

**Table 5: 2028 Annual Aircraft Operations** 

Air Carrier	Air Taxi & Commuter	General Aviation	Military	Total
35,744	74,542	28,166	7,381	145,833

Source: FAA TAF, Issued February 2023

Table 6: 2028 Aircraft Operations and Fleet Mix

Aircraft Type (s)			Averag	ge Annua	al Day
	Aircraft	Operations	Day	Night	Total
Airbus A320-200 Series	A320-211	7,958	19.73	2.07	21.80
Bombardier CRJ-700/900	CRJ9-ER	7,203	17.86	1.87	19.73
Airbus A319	A319-131	4,969	12.32	1.29	13.61
Boeing 737-700	737700	3,655	9.06	0.95	10.01
Airbus A320 Neo	A320-271N	3,459	8.58	0.90	9.48
Boeing 737-800/900	737800	2,675	6.63	0.70	7.33
Boeing 717-200	717200	2,263	5.61	0.59	6.20
Embraer 175	EMB175	1,252	3.10	0.33	3.43
Airbus A321/A321Neo	A321-232	1,178	2.92	0.31	3.23
Boeing 737 Max 8/Max 9	7378MAX	1,131	2.80	0.29	3.10

Aircraft Type (s)	AEDT	Annual	Averag	ge Annua	al Day
	Aircraft	Operations	Day	Night	Total
Embraer 170	EMB170	771	1.91	0.20	2.11
Embraer ERJ-145	EMB145	339	0.84	0.09	0.93
Raytheon/Beech Beechjet 400	MU3001	335	0.89	0.03	0.92
Hawker 800, Lear 31/35/45/60/75	LEAR35	327	0.87	0.03	0.90
Cessna 525 Citation CJ1/CJ2/CJ3/CJ4	CNA525C	290	0.77	0.02	0.79
Citation II/Bravo, Phenom 300, PC-24	CNA55B	286	0.76	0.02	0.78
Bombardier Challenger 300/600/601/604	CL600	261	0.69	0.02	0.72
Cessna 560 V/Ultra/Encore	CNA560E	252	0.67	0.02	0.69
Cessna Sovereign/Latitude/Longitude	CNA680	245	0.65	0.02	0.67
Cessna 560 Citation XLS	CNA560XL	236	0.63	0.02	0.65
Cirrus Vision, Phenom 100	CNA510	217	0.58	0.02	0.59
Cessna 750 Citation X, Falcon 2000	CNA750	152	0.40	0.01	0.42
Gulfstream GV / 500	GV	113	0.30	0.01	0.31
Gulfstream IV/G400	GIV	112	0.30	0.01	0.31
Dassault Falcon 50/900	FAL900EX	63	0.17	0.01	0.17
Eclipse 500, Citation Mustang	ECLIPSE500	59	0.16	0.00	0.16
Israel IAI-1125, Gulfstream 150	IA1125	38	0.10	0.00	0.10
Bombardier Global 5000	BD-700-1A11	8	0.02	0.00	0.02
King Air/Super King Air	DHC6	1,065	2.83	0.09	2.92
Shorts 360	SD330	647	1.72	0.05	1.77
Dash 8-300. ATR 42/72	DHC830	571	1.52	0.05	1.56
Beechcraft 1900	1900D	535	1.42	0.04	1.47
Pilatus PC-12, Cessna 208, Socata TBM9	CNA208	415	1.10	0.03	1.14
Diamond DA40, Mooney, Bonanza 36	GASEPV	16,601	44.12	1.36	45.48
Cirrus SR20/22/22T	COMSEP	2,920	7.76	0.24	8.00
Baron 58, Cessna 310/414/421	BEC58P	2,066	5.49	0.17	5.66
Cessna 172/177	CNA172	2,737	7.27	0.22	7.50
Piper 28 Cherokee Series, Beech 23	GASEPF	901	2.39	0.07	2.47
Cessna 182/185	CNA182	617	1.64	0.05	1.69
Robinson R-44	R44	69,531	190.50	0.00	190.50
Boeing P-8 Poseidon	737800	1,107	3.03	0.00	3.03
C-130 Hercules	C130E	1,107	3.03	0.00	3.03
Raytheon Texan 2	CNA208	1,107	3.03	0.00	3.03
Lockheed F-16 Fighting Falcon	F16PW0	738	2.02	0.00	2.02
Beech Super King Air 350	DHC6	738	2.02	0.00	2.02
Boeing KC-135 Stratotanker	KC-135	738	2.02	0.00	2.02
Boeing 707-300	707320	369	1.01	0.00	1.01
Boeing C-17 Globemaster 3	C17	369	1.01	0.00	1.01
Northrop T-38 Talon	T-38A	1,107	3.03	0.00	3.03
Total Source: RS&H: FAA TAF 2023		145,833	387.29	12.21	399.51

Source: RS&H; FAA TAF 2023

#### C.4.3 2028 No Action Alternative DNL Contours

**Table 7** identifies the areas within the DNL contour ranges. As shown in the table, the total area within the 65 DNL and greater contour is 927 acres and is primarily located within the limits of the Airport property boundary. Twelve residential properties south of the threshold of Runway 36 are located within the 2028 No Action Alternative 65 DNL contour. These properties include a mix of single family and multi-family residences. The 2028 No Action Alternative 65-75 DNL contours are provided on **Figure 2**.

Table 7: Area Within 2028 No Action Alternative DNL Contour Intervals

DNL Contour Range	Area (acres)
65-70	492
70-75	220
>75	215
Total	927

Source: RS&H, 2023

#### C.4.4 2028 Proposed Project DNL Contours

When compared to the No Action Alternative, the Proposed Project would not result in an increase in aircraft operations (takeoffs and landings), and the existing runway configuration, arrival/departures procedures, and runway use percentages would remain unchanged. Therefore, there would be no change in aircraft noise exposure and there would be no significant noise impacts.

#### C.5 SUPPLEMENTAL NOISE INFORMATION

The following includes noise exposure information for the temporary four-month construction period. In an EA, a significance noise impact is determined by comparing the future No Action Alternative with the future Proposed Project. There is no significance threshold for aircraft noise during a temporary period, therefore, the future Proposed Project is not compared to the future No Action Alternative. The supplemental noise information is provided to show how noise exposure would change in 2028 with the temporary construction period and is for informational purposes only.




Figure 2: 2028 No Action Alternative and Proposed Project DNL Contours

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, RS&H, 2023

DNL contours are based on an average-annual day. The modeling of the DNL contours with the temporary construction period included aircraft operating on the Airport's existing runway for eight months and operating on the temporary runway for four months in 2028. The flight tracks modeled on the temporary runway followed a straight-in and straight-out path in the immediate vicinity of the runway ends. This is consistent with the flight tracks modeled on the Airport's existing runway. The resulting 65-75 DNL contours are shown on **Figure 3**.

**Table 8** identifies the areas within the DNL contour ranges. As shown in the table, the total area within the 65 DNL and greater contour is 852 acres and is primarily located within the limits of the Airport property boundary.




Figure 3: 2028 Annualized DNL Contours With Temporary Construction Period

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, RS&H, 2023

Table 8: Area Within 2028 Annualized DNL Contours With the Temporary Construction Period

Area (acres)
426
220
206
852

Source: RS&H, 2023

Sixteen mobile/manufactured residences are within the 65 DNL contour just west of the Runway 18 threshold. These properties would experience a temporary increase (4 months) in noise exposure as the temporary runway is closer to the properties when compared to the existing runway. South of the Runway 36 threshold, 11 residential properties are located within the 65 DNL contour. All of the properties would experience a temporary decrease (4 months) in noise as the temporary runway being about a half a mile farther away from these properties.

Grid points in the AEDT were placed at the all the residential properties and are shown on **Figure 4**. The properties within the 65 DNL contour west and south of the Airport are shown on **Figures 4** and **5** respectively. The DNL values with the temporary construction period at each property are included in **Table 9**.

Salt Meadow Lr Shelter Cov Legend 65 DNL Contour 70 DNL Contour 75 DNL Contour Runway **Existing Airport** Property Boundary Residential Property

Figure 4: 2028 Residential Properties Experiencing a 4-Month Temporary Increase in Noise

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, RS&H, 2023




Figure 5: 2028 Residential Properties Experiencing a 4-Month Temporary Decrease in Noise

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, RS&H, 2023

Table 9 :DNL Values at Residential Properties Within the Annualized Temporary Construction Period 65 DNL Contour

ID*	DNL
1	65.26
2	65.56
3	65.40
4	65.70
5	65.01
6	65.25
7	65.21
8	65.45

ID*	DNL
9	65.49
10	65.41
11	65.29
12	65.25
13	65.16
14	65.15
15	65.10
16	65.07
17	64.81
18	65.85
19	65.96
20	64.80
21	65.38
22	70.23
23	69.62
24	64.48
25	66.11
26	65.97
27	65.94
28	65.94

Note: \* - IDs shown in Figures 4 and 5.

Source: RS&H, 2023

# APPENDIX D AGENCY COORDINATION

#### DATE

[NAME] [AGENCY] [ADDRESS LINE 1] [ADDRESS LINE 2]

Sent via email: [EMAIL]

RE: Runway 18-36 Rehabilitation Environmental Assessment
Early Agency Coordination
Myrtle Beach International Airport
Myrtle Beach, South Carolina

Dear [INSERT],

RS&H, Inc., on behalf of the Horry County Department of Airports (Airport Sponsor) and in coordination with the Federal Aviation Administration (FAA), is undertaking an Environmental Assessment (EA) for the reconstruction of Runway 18-36 at Myrtle Beach International (MYR or Airport) located in Myrtle Beach, South Carolina (see **Figure 1**, attached). This letter informs you about initiating the EA and seeks your agency's input and comments.

The Proposed Project is the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (see **Figure 2**, attached). Connected actions to the Proposed Project include the construction of a 6,800-foot temporary runway between Runway 18-36 and the full parallel Taxiway B. In addition, the Airport Sponsor proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. As shown in Figure 2, the temporary runway starts at taxiway connector B5 and ends at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway.

The project is needed at the Airport because of the failing runway subbase materials contributing to the accelerated degradation of runway pavement and increase in foreign object debris (FOD) on the runway. The Proposed Project would:

- » improve the safety of the runway, and
- » extend the life of Runway 18-36 for approximately 20 years.

All construction would occur on Airport property. Construction of the temporary runway is scheduled to begin in 2026. In the fall of 2028, Runway 18-36 rehabilitation construction would begin. For 90 to 120 days of construction, all aircraft operations at MYR would takeoff and land on the temporary runway. Runway 18-36 would reopen in 2029.

The Proposed Project would not increase the number of aircraft operations nor change the fleet mix of aircraft operating at MYR. As described, aircraft operations would shift to the temporary runway for 90 to 120 days.

Funding for the Proposed Project would come from the FAA Airport Improvement Program, Bipartisan Infrastructure Law funds, and Horry County Department of Airports funds.

The Airport Sponsor will request the FAA's unconditional approval of the Proposed Project on its Airport Layout Plan. This request is a Federal action, and through the requirement for the Authority to meet FAA grant assurances. RS&H, Inc. is the Airport Sponsor's consultant preparing the EA for the Proposed Project.

In accordance with the National Environmental Policy Act (NEPA) and FAA Orders 1050.1F, Environmental Impacts: Policies and Procedures and 5050.4B, National Environmental Policy Act (NEPA) Implementing Instructions of Airport Actions, the EA will analyze the potential environmental effects of the Proposed Project and reasonable alternatives. Direct and indirect project study areas have been developed for the EA (see **Figure 3**). Preliminary environmental analysis indicates that the Proposed Project would not result in significant impacts.

We are sending you this early notification letter to:

- 1. Advise your agency of the preparation of the EA;
- 2. Request any relevant information that your agency may have regarding the project site or environs; and
- 3. Solicit early comments regarding potential environmental, social, and economic issues for consideration during the preparation of the EA.

You may send any information and comments to me via email at <a href="mailto:David.Alberts@rsandh.com">David.Alberts@rsandh.com</a>. We would appreciate your prompt response within 30 days.

On behalf of the Horry County Department of Airports, I thank you for your interest in this project. I look forward to working with you as we prepare the EA. If you have any questions or need additional information regarding the Proposed Project or EA, please do not hesitate to contact me at (904) 256-2469 or at the email address previously provided.

Sincerely,

David Alberts

D. O. Mat

Senior Aviation Environmental Planner

RS&H, Inc.

Attachments

Figure 1: Airport Location

Figure 2: Proposed Project

Figure 3: EA Direct and Indirect Project Study Areas

Figure 1: Airport Location













Figure 2: Proposed Project



#### Legend

Runway 18-36 Rehabilitation
Temporary Runway
Temporary Runway Shoulders (30 feet)
Taxiway Connector Rehabilitation
Taxiway Connector Construction






Figure 3: EA Direct and Indirect Project Study Areas



### Legend







## MYR Runway Rehab EA Agency Distribution List

Federal Agencies			
Contact	Title	Name	Email
USEPA	EPA Region 4 - NEPA Program Manager	Kajumba Ntale	kajumba.ntale@epa.gov
USFWS - Southeast Region	Acting Regional Director	Mike Oetker	michael_oetker@fws.gov
USACE - Charleston District, Conway Regulatory Office			sac.rd.Conway@usace.army.mil
State Agencies			
Contact	Title	Name	Email
SC Aeronautics Commission (SCAC)	Executive Director	Gary Siegfried	gsiegfried@aero.sc.gov
SC Department of Health and Environmental Control (Air,	Director, Environmental Affairs	Myra Reece	reecemc@dhec.sc.gov
Water, Land, Coastal)			
SCDHEC Bureau of Environmental Health Services	Pee Dee Myrtle Beach Office		BEHS-MyrtleBeach-Admin@dhec.sc.gov
SC Department of Transportation (DOT)	NEPA Division Manager	David Kelly	kellydp@scdot.org
SC Office of Coastal Resource Management (OCRM)	Coastal Zone Consistency	Michele Hartung	hartunml@dhec.sc.gov
Local Agencies			
Contact	Title	Name	Email
Horry County Planning and Zoning	Department Head	David Jordan	Jordan.David@horrycountysc.gov
Horry County Infrastructure & Regulation	Assistant County Administrator	David Gilreath	hcg.Administrator@horrycountysc.gov
City of Myrtle Beach - Planning & Zoning	Director and Zoning Administrator	Kenneth May	kmay@cityofmyrtlebeach.com
City of Myrtle Beach - Public Works	Director of Public Works	Janet Curry	jcurry@cityofmyrtlebeach.com
City of Myrtle Beach - Engineering Division	Engineering Division Superintendent	John Johnson	jcjohnson@cityofmyrtlebeach.com

#### Fesanco, Michael

From: SAC.RD.Conway <SAC.RD.Conway@usace.army.mil>

**Sent:** Thursday, November 9, 2023 2:04 PM

**To:** Fesanco, Michael

Subject: RE: MYR Runway 18-36 Rehabilitation Environmental Assessment Early Agency Coordination Letter

Thank you for your interest. The Corps has no comments at this time.

Thank you,

#### Barbie Gore

Regulatory Program Technician Northeast Branch -- Charleston District 843-365-4239

Complete our Regulatory Service Survey at:

https://regulatory.ops.usace.army.mil/customer-service-survey/

From: Fesanco, Michael < Michael. Fesanco@rsandh.com >

Sent: Wednesday, November 1, 2023 1:29 PM

To: SAC.RD.Conway <SAC.RD.Conway@usace.army.mil>

Subject: [Non-DoD Source] MYR Runway 18-36 Rehabilitation Environmental Assessment Early Agency Coordination

Letter

To Whom It May Concern,

On behalf of the Horry County Department of Airports and RS&H, Inc., I am pleased to provide the *Runway 18-36 Rehabilitation Environmental Assessment* early agency coordination letter at Myrtle Beach International Airport (MYR). Your review and comments of the attached letter are greatly appreciated. If you have any questions, please contact Dave Alberts (RS&H) as described in the attachment.

Thank you in advance of your input.

#### **Michael Fesanco**

Aviation Environmental Specialist 10748 Deerwood Park Blvd South, Jacksonville FL 32256 904-256-2225 Michael.Fesanco@rsandh.com rsandh.com | Facebook | Twitter | LinkedIn | Blog

Stay up-to-date with our latest news and insights.

#### Fesanco, Michael

From: Gilreath, David <Gilreath@horrycountysc.gov>
Sent: Wednesday, November 15, 2023 9:10 AM

**To:** Fesanco, Michael **Cc:** Gilreath, David

Subject: RE: MYR Runway 18-36 Rehabilitation Environmental Assessment Early Agency Coordination Letter

Attachments: MYR Rwy Rehab EA Agency Early Coordination Letter I&R.pdf

#### Michael,

Thank you for the update regarding the needed improvements to the Myrtle Beach International Airport. This airport is vital to the economic vitality of Horry County as a whole. Horry County Government offers its full support of the proposed runway improvements and is prepared to offer any assistance needed to advance this project.

Please let me know if you have any questions or need any data that we may have.

Sincerely,

David Gilreath, P.E. | Assistant County Administrator
Horry County Government
4401 Privetts Road, Conway, South Carolina 29526
Tel 843.915.5160 | Fax 843.365.0671 | gilreath@horrycountysc.gov
www.horrycountysc.gov

From: Fesanco, Michael < Michael. Fesanco@rsandh.com >

Sent: Wednesday, November 1, 2023 03:02 PM

To: Web HCG - Administrator < hcg. Administrator@horrycountysc.gov>

Subject: MYR Runway 18-36 Rehabilitation Environmental Assessment Early Agency Coordination Letter

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

#### David Gilreath,

On behalf of the Horry County Department of Airports and RS&H, Inc., I am pleased to provide the *Runway 18-36 Rehabilitation Environmental Assessment* early agency coordination letter at Myrtle Beach International Airport (MYR). Your review and comments of the attached letter are greatly appreciated. If you have any questions, please contact Dave Alberts (RS&H) as described in the attachment.

Thank you in advance of your input.

#### **Michael Fesanco**

Aviation Environmental Specialist 10748 Deerwood Park Blvd South, Jacksonville FL 32256 904-256-2225


#### Michael.Fesanco@rsandh.com rsandh.com | Facebook | Twitter | LinkedIn | Blog

Stay up-to-date with our latest news and insights.



\*\*\*\*

All e-mail correspondence to and from this address may be subject to public disclosure under the South Carolina Freedom of Information Act (FOIA). This correspondence is intended exclusively for the individual or entity to which it is addressed and may contain information that is proprietary, privileged, confidential or otherwise legally exempt from disclosure.



## APPENDIX E DRAFT EA AGENCY and PUBLIC INVOLVEMENT

# APPENDIX E-1 DRAFT EA DISTRIBUTION and NOTICE OF AVAILABILITY

### NOTICE OF AVAILABILITY DRAFT ENVIRONMENTAL ASSESSMENT FOR RUNWAY 18-36 REHABILITATION

AT

### MYRTLE BEACH INTERNATIONAL AIRPORT, MYRTLE BEACH, SOUTH CAROLINA

The Horry County Departments of Airports (HCDA), in coordination with the Federal Aviation Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the *National Environmental Policy Act (NEPA) of 1969*, the Draft EA is being circulated for review and comment from the public and federal, state, and local agencies.

Comments from the federal, state, and local agencies and the public will be considered part of the Final EA. The Final EA will be submitted to the FAA for the agency's environmental determination.

**Proposed Development Project:** The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). Connected actions to the Proposed Project include the construction of a 6,800-foot-long temporary runway that would be situated between Runway 18-36 and the full parallel Taxiway B to be used during the rehabilitation of Runway 18-36. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. The temporary runway would originate at taxiway connector B5 and terminate at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway.

**Summary of Impacts:** A Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The EA discusses the Proposed Project, alternatives, and potential environmental effects in areas including Air Quality and Climate, Biological Resources, Hazardous Materials, Solid Waste, and Pollution Prevention, Natural Resources and Energy Supply, Noise and Noise-Compatible Land Use, Socioeconomics and Environmental Justice, Visual Effects, and Water Resources – Surface Waters. The research and analysis provided in the EA concluded that none of the impacts were significant.

**Draft EA Availability:** The Draft EA is available for public review on the Airport's website https://www.flymyrtlebeach.com/ and at the following locations:

Myrtle Beach International Airport Administration Offices 1100 Jetport Rd Myrtle Beach, SC 29577 Chapin Memorial Library 400 14th Avenue North Myrtle Beach, SC 29577 **How to Comment:** Comments on the Draft EA should focus on the Proposed Project's economic, social, and environmental effects. Electronic comments may be sent to David Alberts (<a href="David.Alberts@rsandh.com">David.Alberts@rsandh.com</a>) or Breck Dunne (<a href="dunneb@horrycountysc.gov">dunneb@horrycountysc.gov</a>). Written comments can be mailed to either of the recipients below:

RS&H, Inc. Horry County Department of Airports

Attn: Mr. David Alberts Attn: Mr. Breck Dunne, Director of Airport Development

10748 Deerwood Park Boulevard South 1100 Jetport Road Jacksonville, FL 32256 Myrtle Beach, SC 29577

The public comment period is 30 days and will begin on **April 9, 2024** and will close on **May 9, 2024**. Electronic and hand-delivered comments must be received before 5:00 pm Eastern Standard Time on **May 9, 2024**. Mailed comments must be postmarked no later than **May 9, 2024**.

Be advised that all comments can only be accepted with the full name and address of the individual commenting. All comments received, including personal identifying information, may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so.

The HCDA will host a **Draft EA Public Workshop** on **Tuesday, May 14, 2024** from **5 pm to 7 pm** at the **Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, Myrtle Beach, SC 29577**. The workshop will solicit comments regarding the Proposed Project and discuss the potential environmental impacts with HCDA and its consultant (RS&H, Inc.). Attendees can park in the Short Term Parking Lot and bring their parking ticket to the meeting to be validated for free parking.

### HOME > LEGALS > LEGALS & PUBLIC NOTICES



Notice of Availability Draft Environmental Assessment For Runway 18-36 Rehabilitation

Myrtle Beach International Airport, Myrtle Beach, South Carolina The Horry County Departments of Airports (HCDA), in coordination with the Federal Aviation Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the National Environmental Policy Act (NEPA) of 1969, the Draft EA is being circulated for review and comment from the public and federal, state, and local agencies.

Comments from the federal, state, and local agencies and the public will be considered part of the Final EA. The Final EA will be submitted to the FAA for the agency's environmental determination.

Proposed Development Project: The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). Connected actions to the Proposed Project include the construction of a 6,800-foot-long temporary runway that would be situated between Runway 18-36 and the full parallel Taxiway B to be used during the rehabilitation of Runway 18-36. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. The temporary runway would originate at taxiway connector B5 and terminate at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway.

Summary of Impacts: A Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The EA discusses the Proposed Project, alternatives, and potential environmental effects in areas including Air Quality and Climate, Biological Resources, Hazardous Materials, Solid Waste, and Pollution Prevention, Natural Resources and Energy Supply, Noise and Noise-Compatible Land Use, Socioeconomics and Environmental Justice, Visual Effects, and Water Resources – Surface Waters. The research and analysis provided in the EA concluded that none of the impacts were significant.

Draft EA Availability: The Draft EA is available for public review on the Airport's website

https://www.flymyrtlebeach.com/ and at the following locations:

Myrtle Beach International Airport Administration Offices 1100 Jetport Rd Myrtle Beach, SC 29577

Chapin Memorial Library 400 14th Avenue North Myrtle Beach, SC 29577

How to Comment: Comments on the Draft EA should focus on the Proposed Project's economic, social, and environmental effects. Electronic comments may be sent to David Alberts (David.Alberts@rsandh.com) or Breck Dunne (dunneb@horrycountysc.gov). Written comments can be mailed to either of the recipients below:

Horry County Department of Airports Attn: Mr. Breck Dunne, Director of Airport Development 1100 Jetport Road Myrtle Beach, SC 29577

RS&H, Inc. Attn: Mr. David Alberts 10748 Deerwood Park Boulevard South Jacksonville, FL 32256

The public comment period is 30 days and will begin on April 9, 2024 and will close on May 9, 2024. Electronic and hand-delivered comments must be received before 5:00 pm Eastern Standard Time on May 9, 2024. Mailed comments must be postmarked no later than May 9, 2024.

Be advised that all comments can only be accepted with the full name and address of the individual commenting. All comments received, including personal identifying information, may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so.

The HCDA will host a Draft EA Public Workshop on Tuesday, May 14, 2024 from 5 pm to 7 pm at the Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, Myrtle Beach, SC 29577. The workshop will solicit comments regarding the Proposed Project and discuss the potential environmental impacts with HCDA and its consultant (RS&H, Inc.). Attendees can park in the Short Term Parking Lot and bring their parking ticket to the meeting to be validated for free parking.

Post Date: 04/09 12:00 AM

Refcode: #IPL0167739 iPrint

### Similar Listings



### **PUBLIC NOTICE**

Lee Forrest has applied to the South Carolina Department of Health and Environmental Control, Office of Ocean and Coastal Resource Management, for an amendment to increase walkway wid... Show more »

Post Date: 04/05 12:00 AM



### TO THE PATIENTS OF:

Grand Strand Neurology Care 920 Doug White Drive, Suite 150 Myrtle Beach, SC 29572 (843) 449-2336

Grand Strand Neurology Care will close on April 20, 2024.

Providing trusted, co... Show more »

Post Date: 04/09 12:00 AM



### ADVERTISEMENT OF SALE

Personal Property will be sold per the South Carolina Self-Service Storage Facility Act. Sale on Wednesday the 17th day of April, 2024 at 10:00 AM with bidding to take place ... Show more »

Post Date: 04/01 12:00 AM



For more Public Notices visit: <u>usalegalnotice.com (https://www.usalegalnotice.com)</u>

### The Sun News



Publication Name:

### **The Sun News**

Publication URL:

www.myrtlebeachonline.com (http://www.myrtlebeachonline.com)

Publication City and State:

Myrtle Beach, SC

**Publication County:** 

Horry

Notice Popular Keyword Category:

Notice Keywords:

Notice Authentication Number: 202404091121332626217 3502104038

### **Notice Content**

Notice of Availability Draft Environmental Assessment For Runway 18-36 Rehabilitation At Myrtle Beach International Airport, Myrtle Beach, South Carolina The Horry County Departments of Airports (HCDA), in coordination with the Federal Aviation Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the National Environmental Policy Act (NEPA) of 1969, the Draft EA is being circulated for review and comment from the public and federal, state, and local agencies. Comments from the federal, state, and local agencies and the public will be considered part of the Final EA. The Final EA will be submitted to the FAA for the agency's environmental determination. Proposed Development Project: The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). Connected actions to the Proposed Project include the construction of a 6,800-footlong temporary runway that would be situated between Runway 18-36 and the full parallel Taxiway B to be used during the rehabilitation of Runway 18-36. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. The temporary runway would originate at taxiway connector B5 and terminate at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway. Summary of Impacts: A Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The EA discusses the Proposed Project, alternatives, and potential environmental effects in areas including Air Quality and Climate, Biological Resources, Hazardous Materials, Solid Waste, and Pollution Prevention, Natural Resources and Energy Supply, Noise and Noise-Compatible Land Use, Socioeconomics and Environmental Justice, Visual Effects, and Water Resources – Surface Waters. The research and analysis provided in the EA concluded that none of the impacts were significant. Draft EA Availability: The Draft EA is available for public review on the Airport's website https://www.flymyrtlebeach.com/ and at the following locations: Myrtle Beach International Airport Administration Offices 1100 Jetport Rd Myrtle Beach, SC 29577 Chapin Memorial Library 400 14th Avenue North Myrtle Beach, SC 29577 How to Comment: Comments on the Draft EA should focus on the Proposed Project's economic, social, and environmental effects. Electronic comments may be sent to David Alberts (David.Alberts@rsandh.com) or Breck Dunne (dunneb@horrycountysc.gov). Written comments can be mailed to either of the recipients below: Horry County Department of Airports Attn: Mr. Breck Dunne, Director of Airport Development 1100 Jetport Road Myrtle Beach, SC 29577 RS&H, Inc. Attn: Mr. David Alberts 10748 Deerwood Park Boulevard South Jacksonville, FL 32256 The public comment period is 30 days and will begin on April 9, 2024 and will close on May 9, 2024. Electronic and hand-delivered comments must be received before 5:00 pm Eastern Standard Time on May 9, 2024. Mailed comments must be postmarked no later than May 9, 2024. Be advised that all comments can only be accepted with the full name and address of the individual commenting. All comments received, including personal identifying information, may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so. The HCDA will host a Draft EA Public Workshop on Tuesday, May 14, 2024 from 5 pm to 7 pm at the Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, Myrtle Beach, SC 29577. The workshop will solicit comments regarding the Proposed Project and discuss the potential environmental impacts with HCDA and its consultant (RS&H, Inc.). Attendees can park in the Short Term Parking Lot and bring their parking ticket to the meeting to be validated for free parking. W00000000 Publication **Dates** 



The Beaufort Gazette The Belleville News-Democrat Bellingham Herald Centre Daily Times Sun Herald Idaho Statesman Bradenton Herald The Charlotte Observer The State Ledger-Enquirer

Durham | The Herald-Sun Fort Worth Star-Telegram The Fresno Bee The Island Packet The Kansas City Star Lexington Herald-Leader The Telegraph - Macon Merced Sun-Star Miami Herald El Nuevo Herald

The Modesto Bee The Sun News - Myrtle Beach Raleigh News & Observer Rock Hill | The Herald The Sacramento Bee San Luis Obispo Tribune Tacoma | The News Tribune Tri-City Herald The Wichita Eagle The Olympian

### **AFFIDAVIT OF PUBLICATION**

Account #	Order Number	Identification	Order PO	Amount	Cols	Depth
140418	539471	Print Legal Ad-IPL01677390 - IPL0167739			2	68 L

**Attention:** Michael Fesanco

RS&H

Michael.Fesanco@rsandh.com

Notice of Availability Draft Environmental Assessment Runway 18-36 Rehabilitation At

Myrtle Beach International Airport, Myrtle Beach, South Carolina
The Horry County Departments of Airports (HCDA), in coordination with the Federal Aviation
Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) Administration (PAV), all holines the availability of the Deat Limitorians and seasons (Ly) for the permanent full depth and width runway pavement rehabilitation of Runway 18–36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the National Environmental Policy Act (NEPA) of 1969, the Draft EA is being circulated for review and comment from the public and federal action, and local aconcisions. public and federal, state, and local agencies.

Comments from the federal, state, and local agencies and the public will be considered part of the Final EA. The Final EA will be submitted to the FAA for the agency's environmental determination.

Proposed Development Project: The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). Connected actions to the Proposed Project include the construction of a 6,800-foot-long temporary runway that would be situated between Runway 18-36 and the full parallel Taxiway B to be used during the rehabilitation of Runway 18-36. In addition, the HCDA proposes the construction of taxiway connectors (B3 and B4), 30-foot wide temporary runway shoulders, runway edge lighting and stromwater system improvements. The temporary runway would projected at their lighting, and stormwater system improvements. The temporary runway would originate at taxi-way connector B5 and terminate at taxiway connector B2. After Runway 18-36 rehabilitation is complete, the temporary runway would be converted into a taxiway.

Summary of Impacts: A Draft EA has been prepared to disclose the potential economic summary or impacts: A Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The EA discusses the Proposed Project, alternatives, and potential environmental effects in areas including Air Quality and Climate, Biological Resources, Hazardous Materials, Solid Waste, and Pollution Prevention, Natural Resources and Energy Supply, Noise and Noise-Compatible Land Use, Socioeconomics and Environmental Justice, Visual Effects, and Water Resources – Surface Waters. The research and analysis provided in the EA concluded that none of the impacts were significant.

Draft EA Availability: The Draft EA is available for public review on the Airport's website https://www.flymyrtlebeach.com/ and at the following locations:

Myrtle Beach International Airport Administration Offices 1100 Jetport Rd Myrtle Beach, SC 29577

Chapin Memorial Library Myrtle Beach, SC 29577

How to Comment: Comments on the Draft EA should focus on the Proposed Project's economic, social, and environmental effects. Electronic comments may be sent to David Alberts (David Alberts @rsandh.com) or Breck Dunne (dunneb@horrycountysc.gov). Written comments can be mailed to either of the recipients below:

Horry County Department of Airports Attn: Mr. Breck Dunne, Director of Airport Development 1100 Jetport Road Myrtle Beach, SC 29577

RS&H, Inc. Attn: Mr. David Alberts 10748 Deerwood Park Boulevard South Jacksonville, FL 32256

The public comment period is 30 days and will begin on **April 9, 2024** and will close on **May 9, 2024**. Electronic and hand-delivered comments must be received before 5:00 pm Eastern Standard Time on **May 9, 2024**. Mailed comments must be postmarked no later than May 9, 2024.

Be advised that all comments can only be accepted with the full name and address of the individual commenting. All comments received, including personal identifying information, may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be

The HCDA will host a **Draft EA Public Workshop** on **Tuesday, May 14, 2024** from **5 pm to 7 pm** at the **Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, <b>Myrtle Beach, SC 29577.** The workshop will solicit comments regarding the Proposed Project and discuss the potential environmental impacts with HCDA and its consultant (RS&H, Inc.). Attendees can park in the Short Term Parking Lot and bring their parking ticket to the meeting to be validated for free parking. Apr 9 2024

State of South Carolina

**County of Horry** 

I, Tara Pennington, makes oath that the advertisment, was published in The Sun News, a newspaper published in Myrtle Beach, State and County aforesaid, in the issue(s) of


1 insertion(s) published on: 04/09/24

Sworn to and subscribed before me this 9th day of April in the year of 2024

Tara Penningtan

Stephanie Hatcher

Notary Public in and for the state of Texas, residing in **Dallas County** 



Extra charge for lost or duplicate affidavits. Legal document please do not destroy!

### MYR Draft EA to Federal, State, and Local Agencies Email

On behalf of the Horry County Department of Airports (HCDA), the HCDA, in coordination with the Federal Aviation Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the *National Environmental Policy Act (NEPA) of 1969*, the Draft EA is being circulated for review and comment from the public and federal, state, and local agencies.


The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). The Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The research and analysis provided in the Draft EA disclosed that the Proposed Project would not significantly affect the environment. The Draft EA is available for agency and public review on the Airport's website <a href="Environmental Assessment Notice - Myrtle Beach International Airport">Environmental Assessment Notice - Myrtle Beach International Airport (flymyrtlebeach.com)</a>.

We have enclosed the Draft EA Notice of Availability describing methods for agencies and the public to comment on the Draft EA. The Draft EA agency and public comment period is 30 days. It will begin on April 9, 2024, and close on May 9, 2024. The HCDA will host a MYR Draft EA Public Workshop on Tuesday, May 14, 2024, from 5 pm to 7 pm at the Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, Myrtle Beach, SC 29577.

If you have any questions, please do not he sitate to contact david.alberts@rsandh.com.

### MYR Runway Rehab EA Draft EA Agency Distribution List

Federal Agencies			
Contact	Title	Name	Email
USEPA	EPA Region 4 - NEPA Program Manager	Kajumba Ntale	kajumba.ntale@epa.gov
USFWS - Southeast Region	Acting Regional Director	Mike Oetker	michael oetker@fws.gov
USACE - Charleston District, Conway Regulatory Office			sac.rd.Conway@usace.army.mil
State Agencies			
Contact	Title	Name	Email
SC Aeronautics Commission (SCAC)	Executive Director	Gary Siegfried	gsiegfried@aero.sc.gov
SC Department of Health and Environmental Control (Air,	Director, Environmental Affairs	Myra Reece	reecemc@dhec.sc.gov
Water, Land, Coastal)			
SCDHEC Bureau of Environmental Health Services	Pee Dee Myrtle Beach Office		BEHS-MyrtleBeach-Admin@dhec.sc.gov
SC Department of Transportation (DOT)	NEPA Division Manager	David Kelly	kellydp@scdot.org
SC Office of Coastal Resource Management (OCRM)	Coastal Zone Consistency	Michele Hartung	hartunml@dhec.sc.gov
Local Agencies			
Contact	Title	Name	Email
Horry County Planning and Zoning	Department Head	David Jordan	Jordan.David@horrycountysc.gov
Horry County Infrastructure & Regulation	Assistant County Administrator	David Gilreath	hcg.Administrator@horrycountysc.gov
City of Myrtle Beach - Planning & Zoning	Director and Zoning Administrator	Kenneth May	kmay@cityofmyrtlebeach.com
City of Myrtle Beach - Public Works	Director of Public Works	Janet Curry	jcurry@cityofmyrtlebeach.com
City of Myrtle Beach - Engineering Division	Engineering Division Superintendent	John Johnson	jcjohnson@cityofmyrtlebeach.com



# APPENDIX E-2 FAA SECTION 106 COORDINATION SC SHPO and Catawba Indian Tribe of South Carolina

From: Adams, Jennifer P (FAA)

To: "Sylvest, John"

Subject: RE: Myrtle Beach International Airport, Runway 18-36 Rehabilitation, draft EA

Attachments: image001.png

image002.png image003.png

I am confirming receipt of the email with the attachment, as of the date shown on your email below, May 9, 2024. I appreciate the timely response.

Sincerely, Jennifer

### Jennifer P. Adams

Environmental Protection Specialist Atlanta Airports District Office 1701 Columbia Ave., Suite 220 College Park, GA 30337-2747

Phone: (404) 305-6760 jennifer.p.adams@faa.gov





**From:** Sylvest, John <JSylvest@scdah.sc.gov>

Sent: Thursday, May 9, 2024 2:41 PM

To: Adams, Jennifer P (FAA) < jennifer.p.adams@faa.gov>

Subject: Myrtle Beach International Airport, Runway 18-36 Rehabilitation, draft EA

**CAUTION:** This email originated from outside of the Federal Aviation Administration (FAA). Do not click on links or open attachments unless you recognize the sender and know the content is safe.

From: South Carolina State Historic Preservation Office

Please find attached our comments letter on the subject referenced project. A hard copy can be provided upon request.

Please confirm receipt of this email and attachment(s).

Please contact us if you have any questions regarding our comments.

Thanks.

John D. Sylvest
Supervisor of Survey and Review & Compliance



State Historic Preservation Office (SHPO)
SC Department of Archives & History
8301 Parklane Road
Columbia, SC 29223
803.896.6129
https://scdah.sc.gov/historic-preservation



May 9, 2024

Jennifer P. Adams Environmental Protection Specialist Atlanta Airports District Office jennifer.p.adams@faa.gov

Re: Myrtle Beach International Airport, Runway 18-36 Rehabilitation, draft EA

Myrtle Beach, Horry County, South Carolina

SHPO Project No. 24-JS0179

Dear Ms. Adams:

Thank you for your April 8, 2024 letter, which we received on April 12, 2024, regarding the above referenced proposed undertaking. We also received maps and the draft Environmental Assessment (EA) as supporting documentation for this undertaking. The State Historic Preservation Office is providing comments to the Federal Aviation Administration (FAA) pursuant to Section 106 of the National Historic Preservation Act and its implementing regulations, 36 CFR 800. Consultation with the SHPO is not a substitution for consultation with Tribal Historic Preservation Offices, other Native American tribes including those with state recognition, local governments, or the public.

Based on the description of the undertaking's Area of Potential Effect (APE) and the identification of no historic properties within the APE, our office concurs with the assessment that no properties listed in or eligible for listing in the National Register of Historic Places will be affected by this project.

If archaeological materials are encountered during construction, the procedures codified at 36 CFR 800.13(b) will apply. Archaeological materials consist of any items, fifty years old or older, which were made or used by man. These items include, but are not limited to, stone projectile points (arrowheads), ceramic sherds, bricks, worked wood, bone and stone, metal and glass objects, and human skeletal materials. The federal agency or the applicant receiving federal assistance should contact our office immediately.

Please refer to SHPO Project No. 24-JS0179 in any future correspondence regarding this project. If you have any questions, please contact me at (803) 896-6129 or <a href="mailto:JSylvest@scdah.sc.gov">JSylvest@scdah.sc.gov</a>.

Sincerely,

John D. Sylvest

John D. Sylvest Supervisor of Survey and Review & Compliance State Historic Preservation Office



Atlanta Airports District Office 1701 Columbia Ave. College Park, GA 30337-2747

Phone: (404) 305-7150

April 8, 2024

South Carolina Department of Archives and History State Historic Preservation Office 8501 Parklane Road Columbia, SC 29223

RE: Runway 18-36 Rehabilitation Environmental Assessment Myrtle Beach International Airport Myrtle Beach, South Carolina

To Whom it May Concern:

The Federal Aviation Administration (FAA) herein informs the South Carolina State Historic Preservation Office (SHPO) about the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (project) at the Myrtle Beach International Airport, in Horry County, South Carolina (see Figure 1). In compliance with the National Environmental Policy Act (NEPA) of 1969, as amended, and Section 106 of the National Historic Preservation Act of 1966, as amended (NHPA), the FAA requests review of the proposed project by the South Carolina SHPO.

The Airport Sponsor is requesting federal funding and the FAA's approval of the Airport Layout Plan to reconstruct Runway 18-36 to improve safety at the Airport. The project proposal consists of the permanent full depth and width reconstruction of the runway pavement (see Figure 2). Connected actions include the construction of a 6,800-foot-long temporary runway that would be situated between the existing Runway 18-36 and the existing full parallel Taxiway B. In addition, the Airport Sponsor proposes the construction of taxiway connectors (B3 and B4), 30-foot-wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. As shown in Figure 2, the temporary runway would originate at taxiway connector B5 and terminate at taxiway connector B2. Upon completion of the Runway 18-36 reconstruction, the newly built temporary runway would be converted to a permanent taxiway. All construction would occur on Airport property. Proposed construction of the temporary runway would begin in 2026. In fall of 2028, Runway 18-36 would be closed for 92-120 days during the proposed reconstruction of Runway 18-36, then reopened in 2029. During reconstruction of Runway 18-36, aircraft operations would shift to the temporary runway. No other changes to aircraft operations, nor changes to the fleet mix of aircraft operating at MYR, would occur as a result of the roposed Project.

The FAA has analyzed effects of the proposed project and reasonable alternatives are evaluated in the Draft EA, consistent with NEPA and FAA Orders 1050.1F, *Environmental Impacts: Policies and Procedures*, and 5050.4B, *National Environmental Policy Act (NEPA) Implementing Instructions of Airport Actions*. A hard copy of the Draft EA is enclosed for review and a digital version of the EA is available at the following link:

https://www.flymyrtlebeach.com/about/environmental-assessment-notice/

As discussed in Section 3 of the EA, the Area of Potential Effects is the same as the project study areas. According to the National Register of Historic Resources, the closest NHRP-listed resource is located about 2.5 miles from the project study areas.

As shown in Section 3.4.5, no changes in aircraft noise exposure and no significant noise impacts would not occur due to the roposed roject. Thus, the FAA determined that the proposed Project would not directly or indirectly affect any historic, architectural, archaeological, or cultural resource.

The FAA requests review of the concurrence within 30 days of receiving this letter by mail. If you have any questions, please contact me by phone at (404) 305-6760 or by email at jennifer.p.adams@faa.gov.

Sincerely,

Jennifer P. Adams

**Environmental Protection Specialist** 


Jenuh P. adam

Enclosures: Figure 1

Figure 2 Figure 3

Draft Environmental Assessment

FIGURE 1: LOCATION MAP



Legend




Myrtle Beach International Airport





FIGURE 2: PROPOSED PROJECT



Legend



Temporary Runway

Temporary Runway Shoulders (30 feet)

Taxiway Connector Rehabilitation







FIGURE 3: APE and NRHP Sites



### **LEGEND**

Direct APE Indirect APE

NRHP-Listed Building

From: Adams, Jennifer P (FAA)
To: "Wenonah Haire"
Cc: "Caitlin Rogers"

**Subject:** Myrtle Beach International Airport, Horry County, SC

Attachments: image001.png image002.png

MYR HorryCounty SC Catwaba Tribe of South Carolina.pdf

Ms. Haire,

Please find attached an electronic version of letter regarding a Runway 18-36 Reconstruction Project proposed by the Horry County Department of Airports at Myrtle Beach International located in Myrtle Beach, South Carolina. I understand that you require a hard copy, and as such, a printed version of the attached file will be mailed to you at the address you previously provided.

Hawuh, Jennifer

### Jennifer P. Adams

Environmental Protection Specialist Atlanta Airports District Office 1701 Columbia Ave., Suite 220 College Park, GA 30337-2747

Phone: (404) 305-6760 jennifer.p.adams@faa.gov







Atlanta Airports District Office 1701 Columbia Ave. College Park, GA 30337-2747

Phone: (404) 305-7150

March 22, 2024

Ms. Wenonah G. Haire Tribal Historic Preservation Officer Catawba Indian Nation (Catawba Indian Tribe of South Carolina) 1536 Tom Steven Road Rock Hill, SC 29730

RE: Runway 18-36 Reconstruction Project
Government-to-Government Consultation
Scoping & Notification of Environmental Assessment

Dear Ms. Haire:

The Federal Aviation Administration (FAA) solicits comments from the Catawba Nation (Catawba Tribe of South Carolina) in compliance with the National Environmental Policy Act (NEPA) of 1969, as amended, and Section 106 of the National Historic Preservation Act of 1966, as amended (NHPA). Comments will assist the FAA in identifying potential issues and areas of special concern for a Runway 18-36 Reconstruction Project (Project) proposed by the Horry County Department of Airports (Airport Sponsor) at Myrtle Beach International (MYR or Airport) located in Myrtle Beach, South Carolina (see Figure 1).

The Airport Sponsor is requesting federal funding and the FAA's approval of the Airport Layout Plan to reconstruct Runway 18-36 to improve safety at the Airport. The project proposal consists of the permanent full depth and width reconstruction of the runway pavement (see Figure 2). Connected actions include the construction of a 6,800-foot-long temporary runway that would be situated between the existing Runway 18-36 and the existing full parallel Taxiway B. In addition, the Airport Sponsor proposes the construction of taxiway connectors (B3 and B4), 30-foot-wide temporary runway shoulders, runway edge lighting, and stormwater system improvements. As shown in Figure 2, the temporary runway would originate at taxiway connector B5 and terminate at taxiway connector B2. Upon completion of the Runway 18-36 reconstruction, the newly built temporary runway would be converted to a permanent taxiway. All construction would occur on Airport property. Proposed construction of the temporary runway would begin in 2026. In fall of 2028, Runway 18-36 would be closed for 92-120 days during the proposed reconstruction of Runway 18-36, then reopened in 2029. During reconstruction of Runway 18-36, aircraft operations would shift to the temporary runway. No other changes to aircraft operations, nor changes to the fleet mix of aircraft operating at MYR, would occur as a result of the proposed Project.

Comments from the Catawba Tribe of South Carolina will assist the FAA, in accordance with NHPA, in assessing the existing airport environment. The FAA will evaluate potential effects of the proposed Project in an environmental assessment (EA), consistent with NEPA and FAA Orders 1050.1F, *Environmental Impacts: Policies and Procedures* and 5050.4B, *National Environmental Policy Act (NEPA) Implementing Instructions of Airport Actions*. The EA will analyze the potential environmental effects of the Proposed Project and reasonable alternatives. Direct and indirect project study areas have been developed for the EA (see Figure 3). Preliminary environmental analysis indicates that the Proposed Project would not result in significant impacts.

The FAA requests scoping comments within 30 days of receiving this letter by mail. If you have any questions, please contact me by phone at (404) 305-6760 or by email at jennifer.p.adams@faa.gov.

Sincerely,

Jennifer P. Adams Environmental Protection Specialist

Figure 1: Airport Location













Figure 2: Proposed Project



### Legend

Runway 18-36 Rehabilitation
Temporary Runway
Temporary Runway Shoulders (30 feet)
Taxiway Connector Rehabilitation
Taxiway Connector Construction






Figure 3: EA Direct and Indirect Project Study Areas



### Legend







From: Alberts, David

To: "Adams, Jennifer P (FAA)"

Cc: Dunne, Breck; Robinson, Joseph D (FAA); Stubbs, Dale; Bolin, Andrew; Fesanco, Michael; Hamblin, Monica

**Subject:** RE: MYR EA - PreDraft - Addressed FAA comments - FAA review

**Date:** Friday, April 5, 2024 7:54:20 AM

Attachments:

### Jennifer

Good morning! The hardcopy of the FAA's Catawba Tribe letter was delivered (see below). It was delivered on April 1, 2024. If that is the start of their 30-day clock, then April 30 is the end date (well within the Draft EA's review period).

As a reminder for the FAA to SHPO coordination, the MYR Draft EA NOA will be advertised on Tuesday April 9, 2024. It will also be on the MYR webpage next Mon or Tues as well. Let me know if you want Word files of anything or figures for your letter's attachments.


As described in the NOA, the MYR Draft EA public workshop will be held May 14, 2024 (5-7 pm). You and Joseph stop on by, it will be a fun time. Well, "fun time" may be a stretch. It will be good, maybe even pleasant.

Let me know if you need anything else.

Have a great weekend,

### Dave A

### Catawba Tribe letter delivery.













Draft Environmental Assessment for Runway 18-36 Rehabilitation at Myrtle Beach International Airport, Myrtle Beach, South Carolina


### **Draft Environmental Assessment for Runway 18-36 Rehabilitation**

The Horry County Department of Airports (HCDA), in coordination with the Federal Aviation Administration (FAA), announces the availability of the Draft Environmental Assessment (EA) for the permanent full depth and width runway pavement rehabilitation of Runway 18-36 at the Myrtle Beach International Airport (MYR), in Horry County, South Carolina. Pursuant to Title 49, United States Code, § 47106(c)(1)(A) and Section 102(2)(c) of the National Environmental Policy Act (NEPA) of 1969, the Draft EA is being circulated for review and comment from the public and federal, state, and local agencies.

The HCDA proposes the permanent full depth and width runway pavement rehabilitation of Runway 18-36 (Proposed Project). The Draft EA has been prepared to disclose the potential economic, social, and environmental impacts of the Proposed Project. The research and analysis provided in the Draft EA disclosed that the Proposed Project would not significantly affect the environment. The Draft EA is available for download using the links provided on this webpage.

The Draft EA Notice of Availability describes how the public, and agencies can comment on the Draft EA. The Draft EA agency and public comment period is 30 days. It will begin on April 9, 2024, and close on May 9, 2024.

The HCDA will host a MYR Draft EA Public Workshop on Tuesday, May 14, 2024, from 5 pm to 7 pm at the Myrtle Beach International Airport, FIS Conference Room, Terminal B, 1100 Jetport Road, Myrtle Beach, SC 29577. The workshop will solicit comments regarding the Proposed Project and discuss the potential environmental impacts with HCDA and its consultant (RS&H, Inc.). Attendees can park in the Short Term Parking Lot and bring their parking ticket to the meeting to be validated for free parking.



MYR DRAFT EA NOTICE OF AVAILABILITY
<b>≛</b> MYR DRAFT EA (COMPLETE REPORT)
♣ MYR DRAFT EA (MAIN REPORT ONLY)
<b>≛</b> MYR DRAFT EA



First Name		
Last Name		
E-mail Address		
	JOIN NOW	

<u>&gt; Flights</u>	
> Feedback	
> Parking & Transportation	
> <u>Careers</u>	
> General Aviation	
> Contact Us	
Noise Concerns	
DOT Tarmac Contingency Plan	
> Accessibility	
> <u>Safety Hazard Incident Form</u>	
> Nondiscrimination	
> Public Notice	





### **Sign-In Sheet**

Myrtle Beach International Airport
Runway 18-36 Rehabilitation
Environmental Assessment
Public Workshop May 14, 2024

Name (Please Print)	Organization/Affiliation (If Applicable)	Phone Number	Email Address

# Myrtle Beach International Airport

Runway 18-36 Rehabilitation Environmental Assessment

Public Workshop







# Purpose of Today's Workshop

## Educate and Engage Attendees on the:


- » Proposed Project
- » Purpose and Need
- » Alternatives
- » Potential Environmental Impacts

One-on-One Interaction with Team Members Conducting the Environmental Assessment (EA).

Receive Public Comments Regarding the EA.



# Proposed Project



- » Full Depth and Width Runway 18-36 Rehabilitation
- » Construction of Temporary Runway and Runway Shoulders (30 feet)
- » Install New Runway Edge Lighting
- » Stormwater System Improvements
- » Rehabilitation of Taxiway Connector
- » Construction of Taxiway Connector





Myrtle Beach International Airport
Runway 18-36 Rehabilitation
Environmental Assessment

# Purpose and Need

The "need" describes the problem an Airport is facing while the "purpose" describes why the Airport wishes to solve the problem.

## Purpose:

The purpose of the Proposed Project is to permanently rehabilitate the full depth and width of the Runway 18-36 pavement to continue safe aircraft operations at the Airport. The runway rehabilitation would improve the safety of the runway and extend the life of Runway 18-36 for approximately 20 years.

### Need:

The project is needed at the Airport because of the degrading and failing runway subbase materials that are contributing to the accelerated reduction in Pavement Condition Index (PCI) and Pavement Condition Rating (PCR) values and increase in foreign object debris (FOD)\* on the runway.


\*FOD - Any object, live or not, located in an inappropriate location in the airport environment that has the capacity to injure airport or air carrier personnel and damage aircraft. (FAA, 2010)






## Alternatives


### Alternatives 1 and 2




### **Alternative 3**



### Alternative 4



### Alternative 5



Myrtle Beach International Airport
Runway 18-36 Rehabilitation
Environmental Assessment



# Alternatives Screening / Evaluation Process

	No Action	Proposed	Alternative	eAlternative	Alternative	Alternative	Alternative
Criteria	Alternative	Project	1	2	3	4	5
Purpose and Need							
Does the Alternative Meet the Purpose and Need?	N/A¹	Yes	No <sup>2</sup>				
Reasonable and Practicability Considerations							
Would the alternative result in optimal aircraft operations at MYR (i.e., not result in operational concerns for MYR, stakeholders, or airlines)?	_	Yes	No	No	No	No	No
Does the alternative reduce engineering constructability concerns (i.e., reduced multiple rehabilitations/ maintenance activities of Runway 18-36 for the next 20 years)?		Yes	Yes	No	No	No	No
Does the alternative minimize the potential for construction equipment, personnel, and activities within the Runway 18-36 area that could delay departing or deterring arriving aircraft to another airport due to rehabilitation/maintenance activities?		Yes	Yes	No	No	No	No
Meets Screening Criteria							
Does Not Meet Screening Criteria							


Note: <sup>1</sup> No Action Alternative for environmental baseline comparative purposes, to fulfill CEQ regulations (40 CFR Part 1502) implementing NEPA, and to comply with FAA Order 1050.1F, Environmental Impacts: Policies and Procedures, and FAA Order 5050.4B, National Environmental Policy Act (NEPA) Implementing Instructions for Airport Actions.

<sup>&</sup>lt;sup>2</sup> Alternative partially meets the described Purpose and Need and was analyzed further based on the reasonable and practicability considerations. Source: RS&H, 2023.





# Project Study Areas



## **Environmental Impact Categories**


- » Air Quality
- » Biological Resources
- » Climate
- » Coastal Resources
- » Department of Transportation Section 4(f) Resources
- » Farmlands
- » Hazardous Materials, Solid Waste, Pollution Prevention
- » Historic, Architectural, Archaeological, and Cultural Resources
- » Land Use

- » Natural Resources and Energy Supply
- » Noise and Noise-Compatible Land Use
- Socioeconomics, Environmental Justice, and Children's Health and Safety Risks
- Visual Effects (Visual and Light Emissions)
- Water Resources (Floodplains, Surface Waters, Groundwater, Wetlands, and Wild and Scenic Rivers)
- » Cumulative Impacts





# Biological Resources









# Noise Impacts


2023 DNL Contours



2028 No Action Alternative and Proposed Project DNL Contours



2028 DNL Contours
During Temporary
Construction Period







Myrtle Beach International Airport
Runway 18-36 Rehabilitation
Environmental Assessment







### **Comment Form**

Myrtle Beach International Airport Runway 18-36 Rehabilitation Environmental Assessment Public Workshop May 14, 2024

Name:	
Organization/Affiliation (if applicable):	
Email Address:	
Phone Number:	
Please Print Clearly	
<del></del>	



MYR Draft EA Public Workshop May 14, 2024 5:00 -7:00 pm



MYR Draft EA Public Workshop May 14, 2024 5:00 -7:00 pm





MYR Draft EA Public Workshop May 14, 2024 5:00 -7:00 pm



